

Pro Cinema LS12000 4K PRO-UHD®1 Laser Projector


3-Chip 3LCD with HDR10+² and UltraBlack[™] Technology





Theater, Redefined.

4K PRO-UHD¹ — Advanced pixel-shifting technology works in parallel with three individual high-definition LCD chips to produce an exceptionally sharp 4K picture without sacrificing picture brightness



Epson® ZX Picture Processor — Our most advanced video processing technology to date, the proprietary 36-bit Epson ZX Picture Processor handles real-time color, contrast, HDR², frame interpolation and resolution enhancement to faithfully reproduce the source material the way it was intended to be shown

Laser Array Light Source — True multi-array laser diodes produce an ideal light source to power the unique 3-Chip 3LCD Projector Engine for quick turn-on, incredible picture brightness, black contrast and color accuracy

High Picture Brightness — Impressive 2,700 lumens of color and 2,700 lumens of white brightness³ for an exceptional picture in virtually any theater environment – even in rooms with ambient light

True 3-Chip 3LCD Projector Engine — Advanced 3LCD technology uses three individual LCD chips to continuously display 100% of the RGB color signal for every frame. This allows for outstanding color gamut while maintaining excellent brightness without any rainbowing or color brightness issues seen with other projection technologies

Impressive HDR — Full 10-bit HDR² color processing accepting 100% of the HDR source information to faithfully reproduce HDR, HDR10+ and HLG (Hybrid Log Gamma) content for an exceptional visual performance. Real-time HDR curve adjustment allows for 16 steps of control to fine-tune the HDR performance regardless of the content

120 Hz Refresh Rate — Refresh rates up to 120 Hz allow for smoother motion for supported content while providing the option for impressive Frame Interpolation for content below 120 Hz

1 4K Resolution Enhancement Technology shifts each pixel to produce an image on screen, up to the stated specification.











Pro Cinema LS12000 4K PRO-UHD®1 Laser Projector

3-Chip 3LCD Laser Projector with HDR10+2 and UltraBlack™ Technology

Specifications

Projection System Epson 3LCD Chip Design (Architecture) 3-Chip Light Source True Laser Diode Array

Projection Method Front, Front-Ceiling, Rear, Rear-Ceiling **Product Color Black**

Driving Method Poly-silicon TFT Active Matrix,

0.74"-wide panel, 12-bit

Output Resolution 4K PRO-UHD1 3840 x 2160 (dual-axis:

Maximum Input Resolution 4096 x 2160

Maximum Refresh Rate 120 Hz

Supported Resolutions 4K 2160p, 2K Full HD 1080p/i, HD 720p, 576p/i, 480p/i

Native Aspect Ratio 16:9 widescreen

Resize Aspect Ratio Support 1.9:1 (4096 x 2160), 21:9 (2560 x 1080), 4:3 (1600 x 1200), 9:6 (720 x 480), 5:4 (720 x 576); compatible with Normal, Full or Zoom Modes

Color Brightness³ Color Light Output: 2,700 lumens White Brightness³ White Light Output: 2,700 lumens

Contrast Ratio Up to and over 2,500,000:1, Auto Iris on White Balance 14-point temperature adjustment

Color Reproduction Full-color (up to 1.07 billion colors) Size (Projected Distance) 50" to 300" (at 58" to 62'4") Keystone Correction Vertical/Horizontal: ± 30 degrees

HDR Color Processing Full 10-bit Epson ZX Picture Processor Full 12-bit Light Source Life⁵

Normal Mode: Up to 20,000 hours Medium Mode: Up to 20,000 hours Eco Mode: Up to 20,000 hours

Projection Lens

Epson VRX Lens 15-element precision glass structure (AGS)

Type Powered focus/optical zoom/lens position

F-number 2.0 - 3.0Focal Length 22.5 - 46.7 mm Zoom Ratio 1 - 2.1

Throw Ratio Range 1.35 - 2.84

Lens Shift

Vertical: -96.3% to +96.3% (H center, powered) Horizontal: -47.1% to +47.1% (V center, powered) Lens Cover Powered, slide lens shutter

Interfaces

2x HDMI® 2.1 (HDCP 2.3); one supporting eARC/ARC 1x USB Type-A (for optical HDMI cable, 300 mA maximum power supply only)

1x USB Type-A 5 V, 2.0 A for power and firmware 1x Mini USB (service only)

1x LAN RJ45

1x RS-232c

1x Trigger out (On, Off) 12 V DC, 200 mA maximum



Other Features

Dynamic Range Support HDR10², HDR10+², HLG HDR2 Adjustment 16 steps, real-time

Color Modes Dynamic, Vivid, Bright Cinema, Cinema, Natural,

Aspect Adjustment Yes (Auto/Full/Zoom/Anamorphic Wide/Horizontal Squeeze)

Anamorphic Lens Option Compatible with third party; Anamorphic Lens Kit sold separately

Frame Interpolation Input up to 4K at 60 Hz, output up to

eARC Audio Compatibility LPCM, supports Dolby® Digital AC-3, Dolby Digital Plus, Dolby TrueHD, Dolby Atmos, DTS, DTS-HD, DTS-HD High Resolution Audio, Master Audio, DTS:X, AAC

ARC Audio Compatibility LPCM, Dolby Digital (AC-3), DTS, AAC Computer Compatibility PC, Mac®

Operating Temperature 41° to 95° F (5° to 35° C) Power Supply Voltage $100 - 240 \text{ VAC} \pm 10\%$, 50/60 Hz**Power Consumption**

Normal Mode: 311 W Medium Mode: 243 W Fco Mode: 204 W Fan Noise 22 - 30 dB

Security Kensington® security lock port

Parental Controls Power Button Lock hinders projector from being turned on without parental supervision

Dimensions (W x D x H)

Projector, including feet (excluding cable cover)

Weight: 28.0 lb

Packaging: 27.8" x 21.9" x 16.0"

Weight: 50.8 lb

Remote Control

Features Front and rear directional Operating Distance 32 ft (10 m) **Operating Angle**

Front Right/Left: ± 30 degrees Upper/Lower: ± 30 degrees Rear Right/Left: ± 30 degrees Upper/Lower: 0 + 60 degrees

Support

Epson ConnectionSM

Pre-sales support: U.S: 800-463-7766, Canada: 800-807-7766 Website: U.S: www.epson.com, Canada: www.epson.ca

Service Programs 3-year projector limited warranty, Extra CareSM Home Service program, PrivateLine® dedicated toll-free support (U.S. and Canada only)

What's in the Box

Pro Cinema LS12000 projector, ceiling mount, cable cover, power cord, remote control with (2) AA batteries, Quick Setup Guide

Fco Features

RoHS compliant Recyclable product⁶

Epson America, Inc. is a SmartWay® Transport Partner7

Ordering Information

Pro Cinema LS12000 Replacement Air Filter ELPAF62 V11HA47020MB V13H134AB0

	YCbCr YCbCr									
Resolution	Refresh Rate (Hz)	4:2:0			4:2:2			4:4:4		
		8	10	12	8	10	12	8	10	12
3840 x 2160	30	Signal does not exist			SDR	HDR*	HDR*	SDR	HDR*	HDR*
3840 x 2160	60	SDR	HDR*	HDR*	SDR	HDR*	HDR*	SDR	HDR*	HDR*
3840 x 2160	120	SDR	SDR	-	SDR	HDR*	HDR*	SDR	-	-

^{*}HDR: Support for HDR10, HDR10+ and HLG. For more information, visit epson.com/hdrcompatibility

All images simulated

1 4K Resolution Enhancement Technology shifts each pixel to produce an image on screen, up to the stated specification. | 2 HDR/HDR10+ performance available with select third-party devices. For more information, see www.epson.com/hdrcompatibility | 3 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118. | 4 Based on TFCinfo: U.S. Projector Brand Customer Perception and Preference Study, Multimedia Projectors 2019. | 5 No required maintenance for the light source for up to 20,000 hours. Approximate time until brightness decreases 50% from first usage. Measured by acceleration test assuming use of 0.04 - 0.20 mg/m³ of particulate matter. Time varies depending on usage conditions and environment. Replacement of parts other than the light source may be required in a shorter period. | 6 For convenient and reasonable recycling options, visit www.epson.com/recycle | 7 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Better Products for a Better Future™ eco.epson.com



Epson America, Inc.

3131 Katella Ave, Los Alamitos, CA 90720

Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON is a registered trademark, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine and PRO-UHD are registered trademarks, UltraBlack is a trademark and Epson Connection and Extra Care are service marks of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks.

Copyright 2022 Epson America, Inc. Com-SS-Oct-13 CPD-61060 1/22

Contact:							
\							