# **Monochrome EcoTank Printers** M100/M105/M200/M205





Epson's M series EcoTank Printers deliver better savings and performance with the ultra-low cost of just 12 paise per print. With blazing print speeds of up to 34 ppm and the convenience of wireless printing, these printers are ideal for businesses of every scale - whether for corporates, small & medium enterprises, small & home offices, hotels, hospitals or even retailers. Save more money and time while increasing productivity every day.











Foson



Cost-





or 50,000





M100/M105

Print

The Epson M100/105 and M200/205 come bundled with 2 bottles of inks (140 mL and 70 mL) for a total yield of up to 8,000 pages. (Note: 70 mL bottle is not for sale)

M200/M205

Print/Scan/Copy

# **ENGINEERED FOR BUSINESS**

## **Superb Savings and Page Yield**



ecotank

## **Distinctive Print Speed**

Laser-quality print speed of up to 34 ppm that increases your business productivity.

## **High Quality & Durability**

Clear, sharp and durable prints with genuine pigment ink that are water and fade-resistant.

Take your business productivity to the next level with the M series EcoTank Printers that deliver speedy performance with low running costs. High-capacity ink and superb durability ensure reliable high-volume printing without compromising quality.



#### Superb Savings and Page Yield

Epson's proven Original EcoTank Printers deliver reliable printing with unrivalled economy. **At just 12 paise per print,** they print at 54% lower cost<sup>3</sup> than that of third party refilled toner cartridges. M series printers let you enjoy an ultra-high yield output of 6,000 pages, thus reducing the constant hassle of refilling. M series printers come bundled with an initial starter kit of 2 bottles of inks (140 mL and 70 mL) for a total yield of up to 8,000 pages.



## **Distinctive Print Speed**

Busy offices will appreciate the laser-quality speed of 15 ipm and draft print speed of 34 ppm in the M series EcoTank Printers. Additionally, the M200 and M205 ensure copy speeds of up to 34 cpm.



## **High Quality & Durability**

With Epson genuine pigment inks, you can now enjoy exceptional print quality with water and fade-resistant prints. Rejoice in the remarkable durability and cost-efficiency that come with these printers.

## **Network Connectivity**



Print wirelessly with the Epson M105 and M205, and enjoy the ultimate freedom in office printing. The Epson M100 and M200 can be shared amongst a workgroup through Ethernet, thus increasing efficiency like never before.

## Seamless Printing with Epson iPrint

The M205 makes your printing process effortless with Epson iPrint, when connected to a wireless network.

• **Epson iPrint** lets you print directly from access points of smart devices. You can also scan to your device to send as an email, or upload to cloud services such as Box.net, Dropbox, Evernote® or Google® Doc™.





For more information, visit www.epson.co.in/connect

## **Increased Productivity**

The M200 and M205 enhance your productivity when you copy and scan documents with its Automatic Document Feeder (ADF) that accepts up to 30 pages, keeping your printing time short and sweet.



# Smooth Operation with Integrated 2-line LCD Panel

The M200 and M205 increase efficiency with a built-in 2-line LCD screen that provides versatile functions like status of print jobs.



## **Space-saving Design**

Epson M series EcoTank Printers not only work well, but also fit comfortably in your office. They sport a compact design and a footprint that can be easily integrated into small desktops.



## **Epson Warranty for Peace of Mind**

Enjoy Epson's warranty coverage of one year or 50,000 prints, whichever comes first, for maximum value from your printer and freedom from worries over its maintenance.

#### **CONSUMABLES**



#### T7741 Inks

Epson genuine inks are designed specifically to work with your Epson printer to deliver long-lasting results.

## M100/M105/M200/M205



MODEL NUMBER	M100 M <sup>-</sup>	105 M200	M205	
Printing			200	Dimensions & Weight
Print Method	On-demand inkjet (piezoelectric)		M100/M105	
Nozzle Configuration	360 nozzles Black			<b>Weight:</b> 3.4 kg (7.5 lb)
Print Direction	Bi-directional printing, Uni-directional printing			
Maximum Resolution	1440 x 720 dpi (with Variable-sized Droplet Technology)			
Minimum Ink Droplet Volume	3 pl			148 mm
Print Speed	A			(5.8")
Max Black Draft Text*1 - Memo (A4)#1 ISO Default - ISO 24724 Black*2	Approx. 34 ppm (Draft) Approx. 15 ipm			
Double-sided Printing	Yes (Manual)			267 mm
Collate (Yes/No)	Yes			(10.5") 435 mm
Control Panel				(17.1")
LCD Screen	N/A	2-line L	_CD	
Copying				
Copy Speed				<b>M200/ M205</b> <b>Weight:</b> 6.0 kg (13.2 lb)
Max Black Draft Text - Memo (A4)	N/A	Approx	k. 34 ppm (Draft)	Weight. 0.0 kg (10.2 lb)
Reduction/Enlargement	N/A	25 – 40	00%, Auto Fit Function	
Copy Mode	N/A		ard copy mode	A CONTRACTOR OF THE PARTY OF TH
Maximum Copies from Standalone	N/A	99		226 mm
Scanning				(8.9")
Scanner Type	N/A		d colour image scanner	
Sensor Type	N/A	CIS	0.400 1.1	
Optical Resolution	N/A		2400 dpi	377 mm
Compatibility	N/A		I, WIA, ICA	(14.8")
Maximum Scan Area Scanner Bit Depth	N/A	216 Mi	m x 297 mm (8.5" x 11.7")	435 mm
Colour	N/A	1.48 hit	internal, 24-bit external	(17.1")
Grayscale	N/A		internal, 24-bit external	<del></del>
Black & White	N/A		internal, 1-bit external	*1 Print speed (Pages Per Minute) is calculated
Scan Speed			internal, i bit ofterna	when printed on A4 plain paper in the fastest mode. Print speed may vary depending
Monochrome 300 dpi	N/A	2.2 ms	:/line	on system configuration, print mode, document
Colour 300 dpi	N/A	7.0 ms	:/line	complexity, software, type of paper used and
Monochrome 600 dpi	N/A	2.4 ms	/line	connectivity. Print speed does not include
Colour 600 dpi	N/A	12.7 m	ns/line	processing time on host computer.
Monochrome 1200 dpi	N/A	8.5 ms		
Colour 1200 dpi	N/A	25.4 m	ns/line	109
ADF				0.000.000.000
Maximum Document Size	N/A		Letter, Legal size	National Assessment States of States
Support Paper Type Support Paper Thickness	N/A N/A	Only st	upport Plain Paper	WARRION .
Capacity/Maximum Number of Original	N/A		g/111 jes (Xerox-P 64 g/m²) or	
Capacity/Maximum Number of Original	IVA		(Letter, A4/10 sheets (Legal)	
Printer Interface		To mini	,, o onooto (Logar)	#1 Black text
USB	Hi-Speed USB 2.0			
Ethernet (100BASE-TX / 10BASE-T)		I/A   Yes	N/A	*2 Determined in accordance with ISO/IEC 24734
Wireless	N/A Y		Yes	showing the average of ESAT from the Office
Mobile Printing	N/A   N	I/A   Epson	iPrint   Epson iPrir	nt Category Test for default simplex. For full report
Paper Handling				see your country web site via www.epson.com
Paper Feed Method	Friction feed			*3 Quoted yields are extrapolated based on
Number of Paper Trays	1			Epson original methodology from the print
Paper Hold Capacity	100 abanta A4 Disin nanar/	7F = /m²)		simulation of Test Patterns provided in ISO/IEC 19752.
Input Capacity Output Capacity	100 sheets, A4 Plain paper (75 g/m²)		Quoted yields are NOT based on ISO/IEC24711.  Quoted yields may vary depending on the images	
Paper Size	30 sheets, A4 Plain Paper (Default Text)  A4, A5, A6, B5, 10 cm x 15 cm (4 x 6), 13 cm x 18 cm (5 x 7), 9 cm x 13 cm (3.5 x 5).			that you are printing, the paper type that you
1 apor 0120	Letter (8.5" x 11"), Legal (8.5" x14") Half Letter (5.5" x 8.5"),13 cm x 20 cm (5 x 8), 20 cm x 25 cm			
	(8 x 10), 16:9 wide size, 100 x 148 mm, Envelopes: #10 (4.125" x 9.5"), DL (110 mm x 220 mm),			
	C6 (114 mm x 162 mm)		7	
Maximum Paper Size	8.5" x 44"			
Print Margin	3 mm top, left, right, bottom			© 2019 Epson India Pvt. Ltd. All Rights Reserved.
Noise Level				Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and
PC Printing / PGPP Best Photo				EXCEED YOUR VISION are registered trademarks of
LwAd: B(A)	5.2 B(A)	5.3 B(A		Seiko Epson Corporation. All other products names and
LpAm: dB(A)	38 dB(A)	39 dB(	A)	other company names used herein are for identification
DO D : 11 / DI : D				purposes only and are the trademarks or registered
	0 F D(A)	10.48//	**	tradomarks of their respective owners. Ensen disclaims
LwAd: B(A)	6.5 B(A)	6.4 B(A		trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown
LwAd: B(A) LpAm: dB(A)	6.5 B(A) 51 dB(A)	6.4 B(A 50 dB(		trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product
LwAd: B(A) LpAm: dB(A) Electrical Specifications	51 dB(A)			any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage	51 dB(A) AC 100-240 V			any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency	51 dB(A)			any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and
LwAd: B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption	51 dB(A) AC 100-240 V			any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency	51 dB(A)  AC 100-240 V  50~60 Hz	50 dB(	Á)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd. B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying	51 dB(A)  AC 100-240 V 50-60 Hz  N/A	50 dB(	Á)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing	51 dB(A)  AC 100-240 V 50~60 Hz  N/A Approx. 12.0 W	50 dB(	Á)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby	51 dB(A)  AC 100-240 V 50~60 Hz  N/A Approx. 12.0 W Approx. 2.5 W	10 W   12.0 W   Approx   App	A) / (. 4.0 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified	51 dB(A)  AC 100-240 V 50~60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W	10 W   12.0 W   Approx   App	A)  (. 4.0 W (. 1.8 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LwAd: B(A) LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified Printer Software	51 dB(A)  AC 100-240 V 50-60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes	10 W   12.0 W   Approx   App	A)  (. 4.0 W (. 1.8 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local
LwAd: B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified Printer Software	51 dB(A)  AC 100-240 V 50~60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes  Windows XP/XP Professiona	10 W   12.0 W   Approx   App	A)  (. 4.0 W (. 1.8 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LwAd: B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified Printer Software Operating System Compatibility	51 dB(A)  AC 100-240 V 50~60 Hz  N/A  Approx. 12.0 W Approx. 2.5 W Approx. 0.3 W Yes  Windows XP/XP Professiona Mac OS X 10.5.8 or later	10 W   12.0 W   Approx   App	A)  (. 4.0 W (. 1.8 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LwAd: B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified Printer Software Operating System Compatibility On-line Guide	51 dB(A)  AC 100-240 V 50-60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes  Windows XP/XP Professiona Mac OS X 10.5.8 or later Yes	10 W   12.0 W   Approx   App	A)  I  K. 4.0 W  K. 1.8 W  K. 0.3 W	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LwAd. B(A) LpAm: dB(A) Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified Printer Software Operating System Compatibility On-line Guide Epson Genuine Ink Cartridges	51 dB(A)  AC 100-240 V 50-60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes  Windows XP/XP Professiona Mac OS X 10.5.8 or later Yes  Page Yield'3	10 W   12.0 W   Approx   App	A)  (4.0 W (5.1.8 W (5.0.3 W)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LwAd: B(A) LpAm: dB(A)  Electrical Specifications  Rated Voltage  Rated Frequency  Power Consumption Standalone Copying Printing Standby Sleep Power Off Energy Star Certified  Printer Software Operating System Compatibility  On-line Guide  Epson Genuine Ink Cartridges  T7741 Black	51 dB(A)  AC 100-240 V 50-60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes  Windows XP/XP Professiona Mac OS X 10.5.8 or later Yes Page Yield' <sup>3</sup> 6,000	10 W   12.0 W   Approx   Order   C13T7	A)  (4.0 W (5.1.8 W (5.0.3 W)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
LpAm: dB(A)  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Standalone Copying Printing Standby Sleep	51 dB(A)  AC 100-240 V 50-60 Hz  N/A Approx. 12.0 W Approx. 2.5 W Approx. 1.7 W Approx. 0.3 W Yes  Windows XP/XP Professiona Mac OS X 10.5.8 or later Yes  Page Yield'3	10 W   12.0 W   Approx   Order   C13T7	A)  (4.0 W (5.1.8 W (5.0.3 W)	any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

#### EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-4566 5000 Fax: 080-4566 5005

#### Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699





