


EPSON

P

EB-PU SERIES



EB-PU2100 & EB-PU2200 SERIES PROJECTORS

Pro Series Interchangeable Lens Projectors 13,000 - 20,000 Lumens



ENGAGE AND INSPIRE

Epson® EB-PU2100/2200 Series projectors offer next-level convenience, performance and flexibility. A low-maintenance solution, these projectors feature long-lasting laser light sources and automated adjustment tools to accommodate a variety of applications. Built to last, they also offer a durable design with a sealed light source and optical engine to withstand the most demanding installation environments.

- Laser light source — long life; custom brightness modes
- Compact and lightweight for installation flexibility
- Sealed light source and optical engine
- Filterless cabinet
- Access automated tool set with optional camera²
- Auto color calibration and screen matching³
- Motorized lenses with lens position memory



DESIGNED FOR LIVE EVENTS

Whatever the venue size, lighting environment or equipment, there's a lot to keep in mind to ensure all goes off perfectly. With Epson EB-PU2100/2200 Series projectors, you've got one less thing to worry about.

- Sealed light source and optical engine — IP5X Rating⁴
- Compact and lightweight for potential delivery and labor cost savings
- Access automated tool set with optional camera²
- Fast Simple Stacking function using remote controller⁵
- Easy maintenance — fast access to key units
- DMX Art-Net easily integrates with lighting protocols
- Mechanical shutter⁶
- Laser-based dimming for fade to black



EFFICIENT AND FLEXIBLE OPERATION




World's Smallest and Lightest 20,000-Lumen¹ Laser Projector⁷

The new generation of compact, ultra lightweight 3LCD projectors includes the world's lightest and smallest 20,000-lumen¹ projectors⁷ — EB-PU2120W and EB-PU2220B — which are 60 percent smaller and 50 percent lighter than the previous generation. Epson achieved this compact size by developing and designing key components in-house.




Benefits of Being Smaller

The EB-PU2100/2200 Series' compact size and reduced weight allow for greater ease of transport and warehousing. These features, plus flexible installation options, help deliver potential cost savings.




Sophisticated Liquid Cooling System

Epson has developed a simple yet sophisticated liquid cooling structure, drawing on more than a decade of research and development and professional industry knowledge. Using a unique liquid cooling system to cool the optical engines and laser light source units also makes more compact products a reality.



High-Efficiency Laser Light Source

The more efficient 4-in-1 laser light source helps reduce the unit's size. This new laser is one-third the size of a conventional laser bank while still delivering the same brightness as the previous generations.




3 CHIPS FOR BRIGHTER COLORS

3LCD Technology and Laser Light Source

Epson is the first projector manufacturer to combine inorganic 3LCD panels with an inorganic phosphor wheel engineered to achieve higher brightness and reliability. Featuring a lamp-free laser light source, EB-PU2100/2200 Series projectors offer numerous advantages:

- Virtually maintenance-free solid-state laser light source lasting up to 20,000 hours⁸
- 3-chip architecture assigns one chip to process each primary color continuously, unlike single-chip technology that delivers color sequentially
- Accurate, high-color-brightness images for performance you can count on for an array of applications
- High-speed contrast control, a dynamic contrast ratio up to 5,000,000 : 1 and a wide color gamut for brilliant, color-rich performance




HIGH RELIABILITY

High Durability with IP5X-Certified⁴ Optical Engine and Laser Light Source Module

The EB-PU2100/2200 Series is equipped with IP5X-certified⁴ optical engines and laser light source modules⁹, offering outstanding dust protection. These two key components are hermetically sealed to maintain their performance, even in dusty environments.


Design for Hassle-Free Maintenance

In addition to sealed main components, circuit boards found to be at risk of dust-related short-circuits during testing are coated and protected. Thanks to this dust-resistance construction, the EB-PU2100/2200 Series is filter-free, eliminating the need for filter changes¹⁰.



4K ENHANCEMENT TECHNOLOGY

Revolutionary 4K Enhancement Technology¹¹ accepts a 4K input, allowing viewers to experience the most intricate details. This feature also enhances the 1080p signal for output that surpasses full HD image quality on-screen without visible stair-stepping or pixel gaps. From tiny text to the smallest architectural feature, you'll see every incredible detail.



Pixel Scaling
4K Enhancement Technology¹¹ shifts each pixel to surpass full HD resolution on-screen.



4K Enhancement Technology¹¹ off



4K Enhancement Technology¹¹ on

HIGH DYNAMIC RANGE SUPPORT

EB-PU2100/2200 Series projectors support HDR-encoded content¹² (HDR10 and Hybrid Log-Gamma) for dynamic output over a broad tonal range with minimal white or black spotting.

SDR (standard dynamic range)




HDR (high dynamic range)¹²




HIGH CONTRAST

Epson employs technology cultivated from its experience in developing home cinema projectors. A special optical device is used to adjust polarization and achieve high-contrast image projection. Truly dark shades of black can be reproduced in dark projection environments.

Without special optical parts



With special optical parts



SCENE ADAPTIVE GAMMA CORRECTION

Image quality is adjusted according to the content with Epson's scene adaptive gamma correction, which analyzes images frame-by-frame and automatically adjusts the gamma level to project at the optimum contrast. Natural-looking images are achieved by controlling crushed blacks in dark scenes and clipped whites in bright scenes.

OFF



ON



OFF



ON



WIDE SELECTION OF
POWERED LENSES
WITH LENS MEMORY

9 Lenses to Choose From

The EB-PU2100/2200 Series offers increased installation flexibility that allows users to choose the motorized lens best-suited for their environment. Choose from a variety of ranges including ultra short-throw, short-throw, middle-throw and long-throw lenses. A tool-free, quick-release lever enables fast, easy lens exchange.

For details, visit epson.com/projectorlenses


Lens	Part Number	Product Code	Wide - Tele	Throw Ratio Range									
				1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0
Ultra Short	ELPLX02S	V12H004X0B	0.35										
Short #1	ELPLU03S	V12H004UA3	0.48 - 0.57										
Short #2	ELPLU04	V12H004U04	0.64 - 0.77										
Wide #3	ELPLW08	V12H004W08	0.86 - 1.21										
Wide #2	ELPLW06	V12H004W06	1.19 - 1.62										
Middle #2	ELPLM15	V12H004M0F	1.57 - 2.56										
Middle #3	ELPLM10	V12H004M0A	2.42 - 3.71										
Middle #4	ELPLM11	V12H004M0B	3.54 - 5.41										
Long	ELPLL08	V12H004L08	5.27 - 7.41										




ZERO-OFFSET
ULTRA SHORT-THROW
LENS

This lens is especially useful for environments with extremely limited lens-to-screen distances. The short-throw ratio of 0.35 with zero offset lets you project onto large screens from just a few feet away, and the steep angle of light from the lens accommodates close interaction with the display and minimizes shadows.

- Ideal for space-constrained environments — projects large images from a short distance away
- Easy installation in narrow spaces and rear-projection applications — 0.35 throw ratio
- Positioning flexibility — wide lens shift for more options when installing the projector
- Large-screen projection — up to 1,000"



Front projection from above and rear projection from below the floor surface create an immersive experience.



UST lens available to match projector cabinet.

PIXALIGN™ OPTIONAL ATTACHABLE CAMERA ENABLES POWERFUL TOOLS

Easily create bright, beautiful and seamless displays. Epson's PixAlign ELPEC01 camera provides access to an advanced tool set that makes previously time-consuming and complex applications quick and simple.

- Geometry Correction Assist for Tiling¹³ — use to project one large image from up to nine projectors
- Geometry Correction Assist for Stacking¹⁴ — overlap the images of up to six projectors for high brightness and with Epson's Simple Stacking function⁵; an external PC and router are not required
- Screen Matching³ — use to automatically adjust color and brightness inconsistencies across multiple projectors; this tool is also helpful for edge blends
- Auto Color Calibration³ — improve the image quality of a single projector
- Remote Camera Capture — great for remote tech support

The PixAlign ELPEC01 camera also supports automatic adjustment in combination with the ELPLX02S ultra short-throw lens by attaching to the top of the lens.




Optional camera placed behind plastic panel to the left of the lens

Optional camera attached to the top of the ultra short-throw lens

Screen Matching³ and Auto Color Calibration³



Geometry Correction Assist for Tiling¹³



Geometry Correction Assist for Stacking¹⁴


Before Geometry Correction Assist for Stacking¹⁴



With Geometry Correction Assist for Stacking¹⁴

EPSON PROJECTOR PROFESSIONAL TOOL SOFTWARE


Easily manage the setup of multiple Epson networked projectors in a single, large space with the Epson Projector Professional Tool. This intuitive application makes adjustment simple. Easily access advanced tools like geometric correction and edge blending. It supports wired and wireless networks and can be downloaded at no charge from Epson. Available for Windows® and macOS®.




Projector layout



Edge blending



Geometric correction



Black level

MANAGEMENT AND CONTROL

Epson Projector Management Software

If you are searching for a solution that gives you control over your time, Epson network projectors with Epson Projector Management Software can help. Epson network projectors contain built-in remote access, with no licensing fee added to the software.

Additional features to assist administrators/help desks include:

- Remote access and control through the network
- Remote monitoring of up to 2,048 Epson networked projectors
- View status, including input sources, power on/off, serial number/MAC address and more
- Preventative maintenance features, including temperature level and error alerts
- Schedule filter and lamp timer settings
- Access camera functions remotely; auto color calibration³ and screen matching³
- Display messages via the Message Broadcasting¹⁵ feature
- Remotely update firmware on networked projectors



ADVANCED CONNECTIVITY OPTIONS

Diverse Connectivity, Including HDBaseT™ and 3G-SDI

Connect with virtually any system — EB-PU2100/2200 Series projectors include HDBaseT, HDMI®, VGA and LAN inputs. SDI inputs and outputs are standard on EB-PU2200 Series projectors. HDBaseT technology simplifies installation with just one Cat5/6 cable, carrying full HD video, audio, network and control commands.



SDI in/out only available on black-cabinet EB-PU2200 Series projectors.

HDMI CEC

If a connected device supports the HDMI CEC standard, there is a function for linking to HDMI, which enables the linked operation of power on/off, among other key functions.

Wireless Connectivity¹⁶

You can either connect to a wireless network infrastructure, an ad hoc (peer-to-peer) wireless computer or a mobile device using the Epson iProjection™ app¹⁶. Optional wireless module sold separately.

SIMPLIFIED INSTALLATION

Standard 120 V Power

Experience super-bright 16,000 lumens of color/white brightness¹ using a standard 120 V power source — all from a quiet, and comparatively lightweight, compact projector.

16,000 Lumens¹
from a 120 V Power Source




BRIGHTNESS OVER TIME

Normal Mode

100% Brightness

50% Brightness

Custom Mode



The blue line is a simplified representation of brightness decline over time in Normal Mode. Actual decline may vary depending on usage environment.


NFC TECHNOLOGY

Epson Projector Configuration Tool

NFC technology¹⁷ allows for communication between EB-PU2100/2200 Series projectors and a mobile device, even when the projector is off, making it easy to set and check settings from the Epson Projector Configuration Tool app for iOS® and Android™. Initial settings¹⁸ can be pre-set at the warehouse before delivery, thus helping to reduce the labor involved in commissioning a large number of projectors.



Initial setting comparison of using USB memory vs. Epson Projector Configuration Tool in warehouse




BUILT-IN MEDIA PLAYER AND OVERLAY EFFECTS

USB memory support lets you project USB-stored images and video without using a PC or dedicated external media player. You can add color filters, shape filters and more on top of your projected image to create a diverse range of visual effects.


Epson Projector Content Manager

This free software for Windows and macOS allows you to combine image files, such as photos and videos, into playlists and save them on a network drive, USB or an SD card.

Powerful tools in the application provide for playlist scheduling and help enhance production value. The tools include custom filters that modify color, shape and brightness, effects such as overlays, intervals and transitions, and the ability to schedule playlists and simultaneous playback across multiple projectors.



Content playback



Overlay effects and color filters


EB-PU2100/2200 SERIES PRODUCT SPECIFICATIONS | DETAILS AND ACCESSORIES

MODEL	EB-PU2220B	PU2216B	PU2213B
Light source	Light source		
Body Color	Black		
Resolution	WUXGA (4K enhancement)		
Brightness	20,000 lm	16,000 lm	13,000 lm
Panel Size	1.0-inch	1.0-inch	1.0-inch
Dynamic Contrast	Over 5,000,000 : 1		
Mechanical Shutter	Yes		
4K enhancement	Yes		
Dimension Exclude Feet (W x H x D)	586 x 185 x 492 mm		
SDI (3G) Input	Yes		
SDI (3G) Output	Yes		
NFC tag	Yes		
Simple stacking*	Yes		
Filter maintenance cycle		Filter-less	
Fan noise (Normal/Eco or Quiet)	45 dB/38dB	38 dB/35dB	35 dB/30 dB

EB-PU2100/2200 SERIES PRODUCT SPECIFICATIONS | DETAILS AND ACCESSORIES



ACCESSORIES





EPSON BUSINESS SOLUTIONS

Epson is a leading provider of innovative technology solutions that help businesses succeed. We partner with you to best meet your specific needs, focusing on:

- Improved productivity
- World-class customer service and support
- Cost-effective, high-quality solutions
- A commitment to the environment

EPSON INDIA PVT. LTD.
11th Floor, Godrej Centre, Sy No-26, Bellary Road,
Hebbal, Sahakar Nagar, Byantarayanapura,
Bengaluru - 560092 Tel: 080-4566 5000

Regional Offices:
Ahmedabad 4037 0075, Chennai 3967 7500, Ernakulam 4012 315, Coimbatore 98942 19200,
Hyderabad 4857 0032, Jaipur 4923 119, Kolkata 4603 4714/15/29/30, Mumbai 3079 8200,
New Delhi 4107 3101, 4752 2414, Pune 3028 6000



Epson Helpline: For product info or service - 1800 425 0011
For service: 1800 123 001 600 (9AM - 6PM) (Mon-Sat)
Email: emp@eid.epson.co.in

www.epson.co.in

DISCLAIMER: While efforts have been made to provide accurate information, there could be errors, which may have crept in. In the event of any discrepancy, the Product Operating Instructions supplied with products shall be the authentic reference point. Features, specifications, dimensions, weight and prices mentioned are subject to change without prior notice. Actual products may differ slightly in appearance to illustrations/pictures provided.