


# EB-536Wi

## DATASHEET / BROCHURE



This versatile interactive projector is ideal for delivering high-quality presentations in classrooms and small meeting rooms

The EB-536Wi delivers superior-quality images and a host of additional features as standard to give users more for their money. Ideal for classrooms or small meeting rooms, this projector can be wall or ceiling mounted. It also includes a range of interactive features, including a fast-syncing pen for precise writing, which are available to use straight out of the box.

### High-quality image

Complete with our 3LCD technology, the EB-536Wi displays superior-quality, bright images with more accurate colours. The image can be seen even in brightly-lit rooms thanks to an equally high white and colour light output. Image detail is clear thanks to a high contrast ratio and our new short throw lens means sharper images and improved focus.

### More value for your money

The lamp in the EB-536Wi now lasts up to 10,000 hours in eco mode. The projector even conserves power during presentations by automatically adjusting the light output depending on the content. The A/V mute function pauses the presentation and dims the lamp by 70% to conserve energy while the projector is not in use. The projectors' built-in 16w speaker means audio content can be played directly through the projector, without the need for additional external speakers. The microphone input transforms the projector into a PA system, meaning presenters can be easily heard in a classroom environment.

### Easy to use interactivity

Driverless installation and auto calibration makes setting up the EB-536Wi quick and easy. The EB-536Wi features dual pen capability, meaning two users can annotate across the entire screen area simultaneously using separate attributes<sup>1</sup>. The interactive pens are now also faster-syncing and more accurate for smooth, precise writing. Easy Interactive Tools software provides users with a wide-range of interactive features.

## KEY FEATURES

- **Exceptional image quality**  
Epson's 3LCD technology displays brighter images and more accurate colours
- **Equally high white and colour light output**  
Screen can be seen clearly even in brightly-lit rooms
- **Clearer detail**  
Increased contrast ratio of 16,000:1
- **Short throw ratio frees up workspace**  
Projects a larger image in a shorter distance
- **Longer lamp life means low TCO**  
10,000 hours in eco mode / 5,000 hours in normal mode



**EPSON**  
EXCEED YOUR VISION

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

|                   |                         |
|-------------------|-------------------------|
| Projection System | 3LCD Technology         |
| LCD Panel         | 0.59 inch with MLA (D8) |

### IMAGE

|                          |   |
|--------------------------|---|
| Color Light Output       | 3,400 Lumen- 1,900 Lumen (economy)                                    |
| White Light Output       | 3,400 Lumen - 1,900 Lumen (economy) In accordance with ISO 21118:2013 |
| Resolution               | WXGA, 1280 x 800, 16:10   |
| High Definition          | HD ready  |
| Aspect Ratio             | 16:10   |
| Contrast Ratio           | 16,000 : 1  |
| Light source             | Lamp  |
| Lamp                     | 215 W, 5,000 h durability, 10,000 h durability (economy mode)         |
| Keystone Correction      | Manual vertical: $\pm 7^\circ$ , Manual horizontal $\pm 5^\circ$      |
| Colour Video Processing  | 10 Bits   |
| 2D Vertical Refresh Rate | 50 Hz - 85 Hz   |
| Colour Reproduction      | Upto 1.07 billion colours   |

### OPTICAL

|                              |                           |
|------------------------------|---------------------------|
| Throw Ratio                  | 0.48:1                    |
| Zoom                         | Digital, Factor: 1 - 1.35 |
| Lens                         | Optical                   |
| Screen Size                  | 53 inches - 116 inches    |
| Projection Distance Wide     | 0.5 m ( 53 inch screen)   |
| Projection Distance Tele     | 1.2 m ( 116 inch screen)  |
| Projection Lens F Number     | 1.6                       |
| Projection Lens Focal Length | 6.4 mm                    |
| Projection Lens Focus        | Manual                    |
| Offset                       | 10 : 1                    |

### CONNECTIVITY

|                       |  |
|-----------------------|--|
| USB Display Function  | 4 in 1: Image / Mouse / Sound / Interactivity  |
| Interfaces            | USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in, Composite in, Component in (2x), S-Video in, Stereo mini jack audio out, Stereo mini jack audio in (2x), Microphone input, Cinch audio in, Sync. in, Sync. out |
| Epson iProjection App | Ad-Hoc / Infrastructure  |

### ADVANCED FEATURES

|                   |  |
|-------------------|--|
| Security          | Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection  |
| Other features    | Built-in speaker, Customizable user logo, Digital zoom, Dynamic lamp control, Horizontal and vertical keystone correction, Interactive, Long lamp life, Microphone input, Wireless LAN capable |
| Interactivity     | Yes- pen   |
| Video Color Modes | Blackboard, Dynamic, Presentation, sRGB, Theatre   |

## EB-536Wi

### WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- Setup guide
- Software (CD)
- User manual (CD)
- Interactive pen
- USB cable
- Safety Cable

---

## PRODUCT SPECIFICATIONS

---

### GENERAL

|                       |  |
|-----------------------|--|
| Power consumption     | 298 Watt, 221 Watt (economy), 0.28 Watt (standby)  |
| Supply Voltage        | AC 100 V - 240 V, 50 Hz - 60 Hz  |
| Product dimensions    | 345 x 315 x 94 mm (Width x Depth x Height)   |
| Product weight        | 3.9 kg   |
| Noise Level           | Normal: 37 dB (A) - Economy: 29 dB (A)   |
| Supported Temperature | Operation 5° C - 35° C, Storage -10° C - 60° C   |
| Supported Humidity    | Operation 20% - 80%, Storage 10% - 90%   |
|                       | If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling. |
|                       | If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance.   |
| Included Software     | Easy Interactive Tools, iProjection, Epson Projector Management  |
| Options               | Connection and control box, Document camera, Quick wireless USB key, Short throw wall mount, Soft carry case, Wireless LAN unit  |
| Loudspeaker           | 16 Watt  |
| Colour                | White / Grey   |
| TCO Certified         | For further information relating to TCO Certified please visit <a href="https://tcocertified.com/files/certification/Information-document-for-end-users.pdf">https://tcocertified.com/files/certification/Information-document-for-end-users.pdf</a>   |

---

### OTHER

|          |  |
|----------|--|
| Warranty | 2 years onsite; 1 year or 1,000 hours whichever is earlier |
|----------|--|

---

---

## EB-536Wi

---

### WHAT'S IN THE BOX

---

- Main unit
- Power cable
- Remote control incl. batteries
- Setup guide
- Software (CD)
- User manual (CD)
- Interactive pen
- USB cable
- Safety Cable

## OPTIONAL ACCESSORIES

EB-536Wi

- Air Filter - ELPAF47  
V13H134A47
- Lamp - ELPLP87  
V13H010L87
- Wall Mount - ELPMB45  
V12H706040
- Wireless LAN Adapter - ELPAP10  
V12H731P01
- Ceiling Mount (White) - ELPMB23  
V12H003B23
- Ceiling Pipe (450mm) - ELPPFP13  
V12H003P13
- Ceiling Pipe (700mm) - ELPPFP14  
V12H003P14
- Quick Wireless Connect USB key - ELPAP09  
V12H005M09
- Active Speakers (2 x 15W) - ELPSPO2  
V12H467040

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | V11H670056    |
| EAN code          | 8715946541426 |
| Country of Origin | China         |
| Layer             | 4 Units       |



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

1. - Second pen supplied as optional accessory

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

### EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1,  
Murphy Road, Ulsoor, Bangalore – 560 008.  
Tel: 080–4566 5000 Fax: 080–4566 5005

### Regional Offices:

Ahmedabad – 3314 8500/01, Chennai – 3967 7500, Ernakulam – 4012 315, Coimbatore – 98942 19200,  
Kolkata – 4603 4729, Mumbai – 3079 8200, New Delhi – 3312 0300, Pune – 3028 6000/05,  
Hyderabad – 4857 0032, Jaipur – 78699 11699



**Epson Helpline:** For product info or service – 1800 425 0011  
For service – 1800 123 001 600 or 1860 300 016 000 (9AM – 6PM) (Mon– Sat)  
**Email:** projector@eid.epson.co.in

[www.epson.co.in](http://www.epson.co.in)

**EPSON**  
EXCEED YOUR VISION