EPSON

SureColor™ S9130 Eco-Solvent Signage Printer

A new standard in high-performance signage printing







Innovative technology enables improved productivity



PrecisionCore Micro TFP printhead

Larger printhead results in faster, more efficient printing

The SC-S9130 has a larger PrecisionCore Micro TFP printhead which is approximately 1.3 times bigger than on the previous model, and the total number of nozzles has increased from 7,200 to 9,600, enabling faster printing speeds. An additional drying system ensures that prints are fully cured before winding onto the take-up reel, which eliminates delays and improves overall efficiency.



Technical enhancements and larger ink packs reduce downtime

The technical enhancements of the SC-S9130 result in a productivity increase of approximately 10% over the SC-S80670 series.

1500ml ink packs can significantly boost productivity and minimize downtime.

High image quality in a wider range of colours


Expanded colour gamut offers exciting new print possibilities

Compared to its predecessor, the SC-S9130 has an expanded colour gamut, thanks to the addition of green ink, delivering a wider range of colours and smoother gradations. Depending on the media profiles used, the additional green ink expands the green colour space by approximately 13-19%.

Improved quality images, sharper text printing

The SC-S9130 has reduced banding compared to the SC-S80670 to produce even higher quality images. 'Smooth graininess' mode has been added to the print mode options in Epson Edge Print Pro to reduce graininess if required. This new printer also includes a new text sharpness function, making it ideal for customers who require high-quality fine text printing. The line width of white text produced has also been improved.





Enhanced visibility and increased reliability



User-friendly, compact design facilitates easier operation

With its user-friendly, compact design the SC-9130 easily fits into smaller spaces, while its flat top creates a more ergonomic workspace. The transparent cover and sleek low-profile provide improved fleet visibility, making it easy for users to monitor the operating status of multiple printers from any angle. The printer's large opening makes it quicker and easier for users to set up media and carry out maintenance. The Media Lifter facilitates single-user operation, making setup simple and practical, whilst saving valuable time and enhancing efficiency.

Innovative technologies reduce errors

The SC-9130 features a new nozzle ink temperature sensor that helps maintain a constant temperature at the nozzle surface, making ink dispensing more precise. This reduces colour variations between the beginning and end of long print jobs, for more consistent results. The new media wiper can prevent 90% of dust and lint from entering the printer, helping to prevent printing errors caused by dust adhering to the substrate.





More control for improved print performance

Starting and monitoring the progress of a print job is made easier thanks to the new 10.9 cm (4.3") touchscreen that displays the printer's status. The tilt functionality enables easy viewing from any angle, to keep updated on the ink levels, cleaning timer and media settings. Frequently used functions are conveniently located at the top of the screen.

Software solutions

Epson Edge Print Pro

Epson Edge Print Pro supports the use of external cutters from leading vendors Summa and Graphtec. Using third party cutting solutions enables improved productivity.

Epson Edge Dashboard

With the addition of the integrated Epson Edge Dashboard you can download popular media profiles free of charge. This allows you to apply the optimal printer settings to your workflow and produce the most colour-accurate prints for your customers.





Specifications

Model	SureColor™ S9130
Printhead configuration	PrecisionCore MicroTFP printhead 9,600 nozzles
Maximum print speed	119.4 m²/h
Minimum ink droplet volume	4.3 pl
Maximum print resolution	1200x1200 dpi
Media width	300 to 1,625.6 mm (64")
Maximum media thickness	less than 1 mm
Roll outer diameter	Up to 250 mm
Reel outer diameter	Up to 250 mm
Roll weight	Up to 45 kg
Ink	Ultra Chrome GS3 ink
Number of inks	11 colours (C, M, Y, K, Lc, Lm, Lk, Or, R, Gr, Wh/Cl)
Ink capacity	1500 ml
Print speed (default)	PVC 14.0 m²/hr (10 pass) Film 7.2 m²/hr (17 pass) Banner 20.1 m²/hr (6 pass)
Software	Epson Edge Pro
Connectivity	SuperSpeed USB* 1, 100BASE-TX/1000BASE-T (Recommended)
Control panel	10.9 cm (4.3") Optical Touch Colour LCD
Dimensions	W: 2,620 mm H: 1,021 mm D: 925 mm (max. 1,004 mm for operation)
Weight (without ink cartridge)	342 kg
Voltage	AC 100-120 V or 200-240 V 50/60 Hz
Warranty	1 year onsite
Auto media setup	Yes
Main unit	SC-S9130 C11CL38403

Name	SKU
Cleaning Ink	C13T56L000
Maintenance Parts Kits*	C13S2101513
Waste Ink Bottle	C13T7240000
Cleaning Stick	C13S0090013
Clean Room Wiper Stick	C13S090016
Ink Cleaner	C13T699300
*Maintenance kit contains 2 x Air Filter/ 1 x Flushing Pad/1 x Wiper Unit	

1,500 mL lnk	
Black	C13T51Y100
Cyan	C13T51Y200
Magenta	C13T51Y300
Yellow	C13T51Y400
Light Cyan	C13T51Y500
Light Magenta	C13T51Y600
Light Black	C13T51Y700
Orange	C13T51Y800
Red	C13T51Y900
White	C13T51YA00
Green	C13T51YF00

© 2025 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is registered trademark of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct as of March 2025









EPSON INDIA PVT. LTD.

11th Floor, Godrej Centre, Hebbal, Survey No.26, Bellary Road, Sahakar Nagar, Byatarayanapura, Bangalore 560 092, Karnataka. Tel: 080-6939 5000 Fax: 080-6939 5005

Regional Offices:

Ahmedabad 4037 0075, Chennai 4905 5177, Coimbatore 98942 19200, Ernakulam 4012 315, Hyderabad 4857 0032, Jaipur 4923 119, Kolkata 4603 4714/15/29/30, Mumbai 3079 8200, New Delhi 4107 3101, 4752 2414, Pune 2998 0641



Scan the QR code or Click here to contact an Epson representative close to you.





Epson Helpline: For product info or service - 1800 425 0011

For service - 1800 123 001 600 or 1860 300 016 00 (9AM - 6pm) (Mon - Sat) **Email:** Ifp@epson-india.in **www.epson.co.in**