EB-PU2220B

DATASHEET / BROCHURE





The EB-PU2220B is the world's smallest and lightest 20,000lm projector¹.

The EB-PU2220B offers users significant advantages including much reduced size and weight, easier installation and set-up, simplified maintenance and great image quality. This ultra-lightweight, compact laser projector has been designed for use in large auditoriums, live events, concerts, conference rooms where it delivers high-impact immersive experiences.

Compact and lightweight

The EB-PU2220B is 70% smaller and 50% lighter than its predecessor, the EB-L20000U. The reduced weight and size means the projector is easier to store, transport and install, saving on warehouse space as well as labour and delivery costs.

Outstanding image quality

This high lumens, 3LCD projector offers WUXGA resolution with 4K enhancement and HDR for rich textures and sharper images.

Flexibility

The EB-PU2220B's functionality enables simple installation, stacking, lens flexibility and control. It includes in-built processing for PC-free stacking which means two supported projectors can be stacked to double the brightness without the need for external computerware.

Reliability

Includes improved dustproofing as the hermetically sealed optical engine, and laser light source unit, prevent dust contamination to ensure enhanced durability.

KEY FEATURES

- Ultra-lightweight and compact The world's smallest and lightest 20,000lm projector¹
- Stunning image displays 20,000lm, 4K Enhancement technology, WUXGA resolution
- Easy to use Simple installation, stacking, lens flexibility and control
- Fit-and-forget reliability Enhanced dustproof construction. IP5x certified
- Environmental benefits Lower power consumption, reduced packaging, reduced weight





PRODUCT SPECIFICATIONS

3LCD Technology	
1.03 inch with C2 Fine	
20,000 Lumen- 14,000 Lumen (economy) In accordance with IDMS15.4	
20,000 Lumen - 14,000 Lumen (economy) In accordance with ISO 21118:2020	
WUXGA	
4K enhancement	
16:10	
Over 2,500,000 : 1	
2,000 : 1	
Laser	
20,000 hours Durability High, 30,000 hours Durability Eco	
10 Bits	
Upto 1.07 billion colours	
HDR10, HLG	
0.35 - 7.41:1	
Motorized, Factor: 1 - 1.6	
varies by lens	
Motorized - Vertical ± 60 %, horizontal ± 18 %, varies by lens	
10 positions	
60 inches - 1,000 inches, varies by lens	
)varies by lens	
)varies by lens	
varies by lens	
varies by lens	
Motorized	
Yes	
Not included	
Yes	
USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet Interface (1000 Base-T/ 100	
Base TX/ 10-Base-T), VGA in, DVI in, HDMI in, HDBaseT, Jack plug out, 3G-SDI Input, 3G-SDI	
Output, Wireless LAN IEEE 802.11a/b/g/n (optional), Near Field Communication (NFC), USB	
content playback, Remote	
HTTPS, IPv6, SNMP, ESC/VP.net, PJLink	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security,	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, iProjection App	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, iProjection App Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, iProjection App Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron, Extron	
Kensington lock, Security bar, Password lock, Wireless LAN unit lock, Wireless LAN security, Password protection 21:9 aspect ratio support, 4K enhancement, Auto Power On, Auto source search, Direct Powe on/off, Edge Blending, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, iProjection App Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709	

EB-PU2220B

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Cable cover
- User manual
- Lens connector cap
- Warranty document





PRODUCT SPECIFICATIONS

OTHER Warranty	3 Years or 20,000 hours Onsite warranty
Colour	Black
Positioning	Ceiling Mounted, Desktop, Flying Frame
Options	Camera module, Wireless LAN unit
	Projector Content Manager, Epson Projector Management, Epson Projector Professional Tool
Included Software	Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Config Tool, Epson
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%
Supported Temperature	Storage -10° C - 60° C
Noise Level	Normal: 45 dB (A) - Economy: 37 dB (A)
Product weight	24.4 kg
Product dimensions	586 x 492 x 218 mm (Width x Depth x Height)
Supply Voltage	AC 200 V - 240 V, 50 Hz - 60 Hz
Heat Dissipation	4,423 BTU/hour (max)
	in JBMS-84 1,143 Watt
Power consumption	1,301 Watt, 899 Watt (economy), 0.4 Watt (standby), On mode power consumption as defined
GENERAL	

EB-PU2220B

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Cable cover
- User manual
- Lens connector cap
- Warranty document



OPTIONAL ACCESSORIES

- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Camera Unit ELPEC01 V12HA46010

EB-PU2220B

OPTIONAL LENSES

- Lens ELPLL08 Long throw EB-PU Series V12H004L08
- Lens ELPLM10 Mid throw 3 EB-PU Series V12H004M0A
- Lens ELPLM11 Mid throw 4 EB-PU Series V12H004M0B
- Lens ELPLM15 Mid throw EB-PU Series V12H004M0F
- Lens ELPLU03S Short throw off axis 1 EB-PU Series V12H004UA3
- Lens ELPLU04 Short throw off axis 2 EB-PU Series V12H004U04
- Lens ELPLW06 Wide zoom 2 EB-PU Series V12H004W06
- Lens ELPLW08 Wide throw EB-PU2000 Series V12H004W08
- Lens ELPLX02S UST EB-PU2000 Series V12H004X0B

LOGISTICS INFORMATION

sкu	V11HA66856
EAN code	8715946703213
Country of Origin	China



* Warranty offers are not available for all countries. Please contact your local Epson representative.

1. As of December 2021. Main unit without lens. 20,000lm in accordance with ISO 21118.


EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080 4566 5000 Fax: 080 4566 5005



Ahmedabad 4037 0075, Chennai 3967 7500, Ernakulam 4012 315, Coimbatore 98942 19200, Hyderabad 4857 0032, Jaipur 4923 119, Kolkata 4603 4714/15/29/30, Mumbai 3079 8200, New Delhi 4107 3101, 4752 2414, Pune 3028 6000





Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

Email: projector@eid.epson.co.in