


COMMERCIAL & INDUSTRIAL PRINTER



COMMERCIAL & INDUSTRIAL PRINTER

MENGAPA MEMILIH EPSON PRINTER ?

Epson large format printer memastikan hasil warna yang luar biasa sehingga menjadi pilihan yang tepat untuk mendukung berbagai bisnis Anda mulai dari Advertising, fashion, retail dan photography.

SOLUSI SOFTWARE



ECSP (Epson Cloud Solution Port)

Platform berbasis cloud yang dirancang untuk membantu pengguna dalam memantau, mengelola, dan mengoptimalkan performa printer Technical Epson secara efisien dari berbagai lokasi. Solusi ini dirancang khusus untuk kebutuhan industri cetak profesional, seperti percetakan, arsitektur, konstruksi, desain grafis, dan label industri, dengan dukungan penuh untuk berbagai model printer Epson kelas bisnis dan large-format.



Pemantauan Real-Time

Lihat status printer, jumlah cetak, error, dan konsumsi tinta/media secara langsung dari satu dashboard online.

Laporan Produksi dan Efisiensi

Analisa waktu aktif printer, area cetak, dan produktivitas harian/mingguan untuk pengambilan keputusan berbasis data.

Manajemen Printer

Pantau dan kelola banyak printer di berbagai lokasi secara terpusat

Estimasi Biaya Produksi

Hitung penggunaan tinta/media untuk mengetahui estimasi biaya per pekerjaan cetak.

Notifikasi dan Diagnostik Cepat

Dapatkan peringatan dini saat terjadi gangguan untuk meminimalkan downtime.

Akses Aman dan Fleksibel

Bisa diakses dari PC, tablet, atau smartphone — tanpa instalasi tambahan.



Epson Edge Print Pro

Software RIP (Raster Image Processor) profesional dari Epson yang memberikan kontrol penuh terhadap proses pencetakan, dengan fitur-fitur utama seperti manajemen warna akurat berbasis ICC Profile, tata letak cetak fleksibel melalui fitur optimalisasi layout, dukungan multi-format file (TIFF, JPEG, PDF, EPS, AI), serta kemampuan untuk memproses data cetak dengan cepat dan efisien. Dirancang khusus untuk Large Format Printer Epson. Edge Print membantu pelaku industri signage, tekstil, label, dan fotografi profesional dalam menghasilkan cetakan berkualitas tinggi secara konsisten, sekaligus menghemat waktu dan media cetak.

Manajemen Warna Akurat

Mendukung ICC Profile dan spot color (termasuk Pantone®), menghasilkan warna cetak yang presisi dan konsisten.

Nesting & Layout Otomatis

Mengatur posisi file secara optimal di atas media cetak untuk mengurangi pemborosan bahan.

Dukungan Format File Profesional

Memproses file TIFF, JPEG, PDF, EPS, dan AI untuk kebutuhan industri kreatif dan cetak komersial.

RIP Cepat dan Efisien

Mengonversi file desain menjadi data cetak (raster) secara cepat untuk meningkatkan produktivitas.



COMMERCIAL & INDUSTRIAL PRINTER

P SurePress Label Printers

SUREPRESS SP-L6534VW



Print Technology	PrecisionCore linehead inkjet technology
Max Print Resolution	600 x 1200 dpi
Substrate Width	80mm to 340mm
Substrate Type	Adhesive Paper, Adhesive Film, Single Layer Paper, Single Layer Film
Substrate Thickness	80 to 320 microns
Substrate Treatment	Corona Treatment, Static Ionizer, UV Curing Lamp
Unwinder Capacity	600mm dia / 100kg weight / 1,000m length
Ink Type	UV Curable Inks
Ink Cartridges	Black, Cyan, Magenta, Yellow, Digital Varnish, White, Storage liquid
Print Speed	Productivity Mode: 50m/min, Standard Mode: 30m/min, High Density Mode: 15m/min, Reverse White Mode: 7.6m/min
Dimensions	4250 (W) x 2290 (D) x 2520 (H) mm
Weight	2640 kg

Available with Orange Ink

SUREPRESS SP-L4733AW



Model No	SurePress L 4733AW
Printing Technology	Epson MicroPiezo inkjet technology
Ink Type	SurePress AQ Ink T4 (SurePress AQ)
Ink cartridge	Black, Uncoated Black, Cyan, Magenta, Yellow, Orange, Green, Over print liquid, Moisture liquid (AW model only: White, Storage liquid)
Image size	315.2mm x 914.4mm
Print speed	Up to 8.2 meter per minute *
Substrate thickness	80 to 320 µm
Substrate width	80 to 334mm Adjustable to support any width in this range
Substrate support	Standard self adhesive label substrate, Semi gloss, gloss and matte paper stock, BOPP, PET, Yupo and pre laminated film
Unwinder capacity (Max.)	100kg weight / 1,000m length, 600mm diameter with 76mm (3") inner core
Dimensions of Press (WxDxH)	3950 x 1,910mm x 2,020mm
Dimensions of Press and Rewinder (WxDxH)	5100 x 1,910mm x 2,020mm
Weight of Press	Approximately 1870kg(TBD) including rewriter
Weight of Rewinder	Approximately 180kg
Network connectivity	Ethernet 1000 base T or higher is recommended
Power requirements	Input voltage range: Rated voltage 10% (180 220V) Rated voltage: AC (3 phases 3 lines) 200V
Temperature (Operating)	18 - 28 derajat celcius
Relative Humidity (Operating)	35 - 55% (no condensation)
Max. sound level (Operating)	75dB or less (excluding the alarm sound)

**GO
BIG**

**WITH OUTSTANDING
DIGITAL PRINTS FOR
EVERY PURPOSE**



F | F-Series | **Surecolor Fabric Series**

**SURECOLOR
SC-G6030**



Max Print Width 894 mm
 Print Head PrecisionCore MicroTFP printhead
 Max Resolution 1200 x 600 dpi
 Media Thickness Up to 0.5 mm
 Ink Brand Name UltraChrome DF Ink
 Colours CMYK + White + Maintenance Liquid
 Ink Capacity 1,600ml
 Print Speed *Perform a test print using the following parameters:

2 Layer, CMYK + White:
 Lv.3 (600 x 600dpi): 5.6 m²/h (Default Print Mode)
 1 Layer, CMYK:
 Lv.3 (600 x 600dpi): 11.5 m²/h (Default Print Mode)
 1 Layer, White:
 Lv.3 (600 x 600dpi): 11.5 m²/h (Default Print Mode)

Interface Super Speed USB & Ethernet 100Base-T/1000Base-T
 OS Compatibility Mac OS 10.7 or later
 Windows 8.1/10/11 [x64]

Memory 1GB
 Power Consumption 65 W Operating,
 30 W Ready,
 6 W Sleep

Dimension Printing : 1608 x 746 x 1128 mm
 (no ink or media)

Weight Approx. 129 Kg (without ink cartridges)

COMMERCIAL & INDUSTRIAL PRINTER

F-Series | Surecolor Fabric Series

SURECOLOR SC-F2230



Max Print Width

Print Head
Max Resolution
Min Droplet Size
Ink System
Colours
Cartridge Size
Print Speed

Interface
OS Compatibility
Memory
Power Consumption
Dimension
Weight



Standard & Medium Grooved Platen: 356 x 406 mm
406 x 508 mm (using optional large platen)

1.33" PrecisionCore® MicroTFP with VSDT

1200 dpi x 1200 dpi

12.8 pl

UltraChrome DG2 Ink

CMYK + White + Maintenance Liquid

800ml

Standard configuration

Fast: 28 s (colour only), 52 s (white only),

89 s (white + colour)

Production: 43 s (colour only), 86 s (white only),

142 s (white + colour)

Quality: 128 s (colour only), 213 s (white only),

321 s (white + colour)

Hi-Speed USB 2.0 x 2 (For PC x1, for USB flash

memory x 1), 1000 Base-T

Windows & Mac Compatible

1GB

Operating: Approx. 46W, Ready: Approx. 30W, Sleep:

Approx. 7.0W, Standby: Approx. 0.3W

981 W x 499 H x 1,361 mm D

94.5 kg

SURECOLOR SC-F1030



Max Print Width

Print Head
Max Resolution
Min Droplet Size
Ink System
Colours
Cartridge Size
Print Speed

Interface
OS Compatibility
Memory
Power Consumption
Dimension
Weight



Small Platen: 254 x 305 mm

PrecisionCore MicroTFP Printhead

2400 dpi x 1200 dpi

12.8 pl

UltraChrome DG2 Ink

Cyan, Magenta, Yellow, Black, White

250ml

PERFORMANCE

DTG Dark Shirt (White + Colour) Fast: 200s,

Production: 240s

DTG Light Shirt (Colour Only) Fast: 55s,

Production: 100s

Film (White + Colour) Fast: 200s, Production: 285s

DTG & Film (White Only) Fast: 105s, Production: 240s

Super-Speed USB 3.0 x1 (For PC x1), Hi-Speed USB2.0

x1 (USB flash memory x 1), 1000 Base-T/100

Base-TX/10 Base-T, IEEE802.11b/g/n/a/ac/k/v/r

Windows & Mac Compatible

1GB

Operating: Approx. 40W, Ready: Approx. 20W, Sleep:

Approx. 6.0W, Standby: Approx. 0.2W

899 x 699 x 426 mm

72 kg

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F3030



Max Print Width	406 x 508 mm (using optional Large Platen)
Print Head	Dual 2,6" PrecisionCore Micro TFP
Max Resolution	1,200 x 1,200 dp
Min Droplet Size	12.1 pl
Ink System	Epson Ultrachrome® DG
Colours	CMYK + White + Maintenance Liquid
Cartridge Size	1500ml
Print Speed	Fast 14s (Colour Only), 26s (White + Colour) Production: 21s (Colour Only), 40s (White + Colour) Quality: 36s (Colour Only), 47s (White + Colour) High Quality : 48s (Colour only) , 70s (White + Colour)
Interface	Rear High Speed USB 2.0 & Ethernet 100Base/T1000 Base- T/100 Base Front panel USB for file storage & Uploading (FAT32 format)
OS Compatibility	Windows & Mac Compatible.
Memory	4GB
Power Consumption	168 W Operating, 111W Ready, 20W Sleep

SURECOLOR SC-F130



Paper Width	A4, LTR, Legal
Printhead	PrecisionCore Micro TFP Printhead
Max. Resolution	600 x 1,200 dpi
Ink Type	Epson UltraChrome Dye Sublimation
Colours	Cyan, Magenta, Yellow, Black
Loading	150 page tray
Print Speed	Production : 65s, Quality : 152s
Interfaces	Hi-Speed USB *2, Ethernet (10BASE-T / 100BASE-TX), Wi-Fi (IEEE 802.11 b/g/n)
Memory	132 Kbyte (Input Buffer Memory)
Voltage	AC 220 - 240V (withstand voltage AC 400V)
W x D x H	375x503x187mm
Supply	120ml Black + 60ml x CYM CISS Tank System
Power	Operating: Approx. 13W
Consumption	Ready: Approx. 4.1W Sleep: Approx. 0.7W
Weight	Approx. 4.6 kg (without ink bottle)
Refills Ink	140 ml Bottles
Control Panel	Tilt-adjustable with button control, 2.4" colour LCD display and integrated help

COMMERCIAL & INDUSTRIAL PRINTER

F Series Surecolor Fabric Series

SURECOLOR SC-F530




Printer Width	24"
Print Head	PrecisionCore TFP Printhead
Maximum Resolution	2400 x 1200 dpi
Ink System	Epson Genuine Dye-Sublimation Ink
Colours	Cyan, Magenta, Yellow, Black
Print Speed	Production (2 pass), For Fabric: Up to 62 sec / 21 m ² (600 x 1200 dpi), Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m ² (1200 x 1200 dpi), Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m ² (2400 x 1200 dpi)
Interface	USB 2.0 Hi-speed, Ethernet 100BASE-TX / 1000BASE-T
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	Operating: Approx. 22W, Ready: Approx. 8W Sleep: Approx. 1.6W, Power Off (Stand by): Approx. 0.2W
Dimension	Storage (W x H x D): 970 mm x 245 mm x 577 mm Printing (W x H x D): 970 mm x 245 mm x 811 mm
Weight	29kg
Supply Refills Ink	4 x 106 ml Tank System 140 ml Bottles



Total Nilai
TKDN + BMP

36.88%

SURECOLOR SC-F531



Max. Print Width	24 inch
Print Head	PrecisionCore TFP [™] Printhead
Max. Resolution	2,400 x 1,200 dpi
Ink Type	Epson Genuine Dye-Sublimation Ink
Colours	4 Colours - Cyan, Fluorescent Pink, Fluorescent Yellow, Black
Print Speed	Production (2 pass), For Fabric: Up to 62 sec / 21 m ² (600 x 1200 dpi) ; Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m ² (1200 x 1200 dpi) Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m ² (2400 x 1200 dpi)
Interface	Super-Speed USB 100BASE-TX / 1000BASE-T / IEEE802.11 b/g/n
Memory	1 GB
Power Consumption	Ready: Approx. 8W; Sleep: Approx. 1.6 W Operating: Approx. 28W; Power Off: Approx 0.2W
Dimensions	970 x 505 x 230 (WxDxH)
Weight	29 kg (without ink cartridges)
Supply Refills Ink	4 x 106 ml Tank System 140 ml Bottles



Total Nilai
TKDN + BMP

37.37%

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F6430



- Max Print Width 44 inch
- Print Head 1,33" PrecisionCore MicroTFP with VSdT & Epson Precision Dot
- Max Resolution 600 x 1,200 dpi
- Ink System UltraChrome DS Ink (Cyan, Magenta, Yellow, High Density Black)
- Type Dye Sublimation
- Ink Capacity 4 x 1.5L Continuous Ink Supply System (CISS)
- Refill 1.6 L
- Paper Size Thickness Up to 0.5 mm
Width 254 mm to 1,118 mm (10" to 44")
- Interface Super Speed USB, 100BASE-TX/1000BASE-T
- Memory 1 GB
- Power Consumption 80W Operating,
36W Ready,
19W Sleep
- Weight With Take Up Reel: Approx. 133 kg
Without Take Up Reel: Approx. 120 kg
- Print Speed Max Speed 70.8sqm/hr 1.1 Pass 300 x 600dpi
Production Fabric 38.8sqm/hr 2.1 Pass 600 x 600dpi
Premium Fabric 19.9sqm/hr 4.0 Pass 600 x 600dpi

SURECOLOR SC-F6430H



- Max Print Width 44 inch
- Print Head: 1,33" PrecisionCore MicroTFP with VSdT & Epson Precision Dot
- Max Resolution 600 x 1,200 dpi
- Ink System UltraChrome DS 6 Ink (Cyan, Magenta, Yellow, High Density Black, Light Cyan, Light Magenta, Fluorescent Yellow, Fluorescent Pink, Orange, Violet)
- Type Dye Sublimation
- Ink Capacity 4 x 1.5L Continuous Ink Supply System (CISS)
- Refill 1.6 L
- Paper Size Thickness Up to 0.5 mm
Width 254 mm to 1,118 mm (10" to 44")
- Interface Super Speed USB, 100BASE-TX/1000BASE-T
- Memory 1 GB
- Power Consumption 80W Operating,
36W Ready,
19W Sleep
- Weight With Take Up Reel: Approx. 140 kg
Without Take Up Reel: Approx. 127 kg
- Print Speed PERFORMANCE
Fast Fabric 38.8sqm/hr 2.1 Pass 300 x 600dpi
Production Fabric 24.3sqm/hr 3.5 Pass 600 x 600dpi
Premium Fabric 17.6sqm/hr 4.7 Pass 600 x 600dpi

COMMERCIAL & INDUSTRIAL PRINTER

F Series Surecolor Fabric Series

SURECOLOR SC-F9530

Versatile
Media Handlingup to 64"
1 mm thickUp to 64"
Wide*

Ethernet



Max Print Width
Print Head
Max Resolution
Min Droplet Size
Ink System
Type
Colours
Supply
Refill
Print Speed

64 inch (1625.6 mm)
2,64" PrecisionCore Micro TFP
600 dpi x 1200 dpi
3,6 pl
Epson Ultrachrome® DS
Epson Sublimation
Dual CMYHdk
2 x 4 x 1,6 L pouch
1 Box 3,2L [1,6L x 2 pouch]
PERFORMANCE

Paper Size
Interface

Max Fabric 147 m²/hr 1.1 pass 300 x 600 dpi
Fast Fabric 114 m²/hr 1.5 pass 300 x 600 dpi
Production Fabric 80 m²/hr 2.2 pass 600 x 600 dpi
300 - 1626 mm wide x 250 mm diameter, 2"/3" core
High Speed USB 2.0
Ethernet 100Base-T/1000Base-T (recommended)
Also supports USB 3.0
Windows 10/11 (64-bit) Mac OS X 10.7 or later
4 GB
1040 W operating, 360 W ready, 3.2 W sleep

OS Compatibility
Memory
Power Consumption

SURECOLOR SC-F9530H

Versatile
Media Handlingup to 64"
1 mm thickUp to 64"
Wide*

Ethernet



Max Print Width
Print Head
Max Resolution
Min Droplet Size
Ink System
Type
Colours
Supply
Refill
Print Speed

64 inch (1625.6 mm)
2,64" PrecisionCore Micro TFP
600 dpi x 1200 dpi
3,6 pl
Epson Ultrachrome® DS6
Epson Sublimation
CYMHdk + LcLm or OrVi or FyFp
2 x 6 x 1.6 L pouches
1 Box 3,2L [1,6L x 2 pouch]
PERFORMANCE

Paper Size
Interface

Max Fabric 147 m²/hr 1.1 pass 300 x 600 dpi
Fast Fabric 114 m²/hr 1.5 pass 300 x 600 dpi
Production Fabric 80 m²/hr 2.2 pass 600 x 600 dpi
300 - 1626 mm wide x 250 mm diameter, 2"/3" core
High Speed USB 2.0
Ethernet 100Base-T/1000Base-T (recommended)
Also supports USB 3.0
Windows 10/11 (64-bit) Mac OS X 10.7 or later
4 GB
1040 W operating, 360 W ready, 3.2 W sleep


OS Compatibility
Memory
Power Consumption

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F11030



Max Media Width
Print Head
Maximum Resolution
Min Droplet Size
Colours
Supply Refills
Print Speed




76 inch (1950mm)
4 x 4.7" Epson PrecisionCore™ TFP
1200 x 1200dpi
3,8 pl
CYM +HDk
DUAL bulk ink supply with auto hot-swap
10L box
Fast Fabric 255 m2/hr, 300 x 600 dpi, (1.1 Pass)
Standard Fabric 200 m2/hr, 300 x 600 dpi2 (1.5 Pass)
Fast Apparel 150 m2/hr, 600 x 600 dpi2 (2.1 Pass)
Soft Signage 103 m2/hr, 600 x 600 dpi2 (3.1 Pass)
High Speed USB 3.0, Ethernet 1000Base-T
155GBI
3.9kW Operating / 221W Sleep / 9.6W Off
1303mm x 2886mm x 4607mm
(without media holders or ink)
CISS: 877 x 556 x 541mm, 53kg (no ink)
683kg (with ink supply, no ink)

Interface
Memory
Power Consumption
Dimensions (W x D x H)
Printer
Weight

SURECOLOR SC-F11030H



Max Media Width
Print Head
Maximum Resolution
Min Droplet Size
Colours
Supply Refills
Print Speed



76 inch (1950mm)
6 x 4.7" Epson PrecisionCore™ TFP
1200 x 1200dpi
3,8 pl
CYM +HDk + Fluorescent Pink, Fluorescent Yellow or
Light Magenta Light Cyan
DUAL bulk ink supply with auto hot-swap
10L box
PERFORMANCE
Fast Fabric 300 x 600 dpi, (1.1 Pass): 246 m2/hr
Standard Fabric 300 x 600 dpi, (1.5 Pass): 193 m2/hr
Fast Apparel 600 x 600 dpi, (2.1 Pass): 144 m2/hr
Soft Signage 600 x 600 dpi, (3.1 Pass): 99 m2/hr
High Speed USB 3.0, Ethernet 1000Base-T
155GBI
4.4 kW operating / 230 W sleep / 9.6 W off
5008 x 1303 x 1886 mm
(without media holders or ink)
CISS: 877 x 556 x 541mm, 53kg (no ink)
767kg (with ink supply, no ink)

Interface
Memory
Power Consumption
Dimensions (W x D x H)
Printer
Weight

COMMERCIAL & INDUSTRIAL PRINTER

Direct-To-Fabric Printer

ML-8000



Print Technology
Number of Print Head
Max Resolution

Print Speed

Power Consumption
Network
Dimensions

Weight

Print Speed

PrecisionCore Inkjet Technology
8
1,200 x 1,200 dpi (Pigment), 1,200 x 600 dpi
(Reactive, Acid, Disperse)
Print Speed Square : 312 (300 x 600 dpi, 1 pass) /
3,122
(300 x 600 dpi, 1 pass)[†]
Print Speed Linear : 208 (300 x 600 dpi, 1 pass) / 634
(300 x 600 dpi, 1 pass)[†]
12kVA
USB 3.0 Ethernet 1000BASE-T
Printer: 3,700 (W) x 2,690 (D) x 1,830 (H) mm
(146 x 106 x 72 in), Ink rack (with 10L ink) : 880 (W) x
960 (D) x 790 (H) mm(35 x 38 x 31 in)
Printer : Approx. 2,150 kg (4,740 lb), Ink rack :
Approx. 110 kg (243 lb, not including ink)
Typical printing speed
312 sqm/h (300x600) dpi, 1 pass
162 sqm/h (600x600) dpi, 2 pass

ML-13000




Printing Technology
Number of Print Head
Max Resolution
Print Speed

Humidity Dimension

Electrical Weight
Temperature

PrecisionCore inkjet technology
13
1,200 x 1,200 dpi
Maximum printing speed (m²/h) 252 (300x600 dpi, 1 pass) *2
Typical printing speed 1 (m²/h) 131 (600x600 dpi, 2 pass) *3
Typical printing speed 2 (m²/h) 87 (900x600 dpi, 3 pass) *4
Typical printing speed 3 (m²/h) 63 (1200x600 dpi, 4 pass) *5
Maximum printing speed (sq ft/hr) 2713 (300x600 dpi, 1 pass) *2
Typical printing speed 1 (sq ft/hr) 1410 (600x600 dpi, 2 pass) *3
Typical printing speed 2 (sq ft/hr) 936 (900x600 dpi, 3 pass) *4
Typical printing speed 3 (sq ft/hr) 678 (1200x600 dpi, 4 pass) *5
Operating: 40 — 60%RH (no condensation)
Printer (kg) Approx. 2,350 kg Not include ink
Operating: 20°C — 35°C, recommended: 22°C —
28°C

ML-16000



Printing Technology
Number of Print Head
Max Resolution
Print Speed

Humidity
Dimension
Electrical
Weight
Temperature

PrecisionCore inkjet technology
16
1,200 x 1,200 dpi
Maximum printing speed (m²/h) 417 (300 x 600 dpi, 1 pass)
Typical printing speed 1 (m²/h) 236 (600 x 600 dpi, 2 pass)
Typical printing speed 2 (m²/h) 158 (900 x 600 dpi, 3 pass)
Maximum printing speed (sq ft/hr) 4,489 (300 x 600 dpi, 1 pass)
Typical printing speed 1 (sq ft/hr) 2,540 (600 x 600 dpi, 2 pass)
Typical printing speed 2 (sq ft/hr) 1,701 (900 x 600 dpi, 3 pass)
Operating: 40-60%RH
(no condensation)
Approx. 3,900 kg
(8,598 lb)
Operating: 20°C - 30°C,
Recommended: 22°C - 28°C

COMMERCIAL & INDUSTRIAL PRINTER

Monna Lisa ML18000



Printing Technology
Number of Print Head
Max Resolution
Print Speed

PrecisionCore inkjet technology
18
1,200 x 1,200 dpi

Maximum printing speed (m²/h) 450 (300x600 dpi, 1 pass) *1
Typical printing speed 1 (m²/h) 252 (600x600 dpi, 2 pass) *2
Typical printing speed 2 (m²/h) 162 (900x600 dpi, 3 pass) *3
Maximum printing speed (sq ft/hr) 4844 (300x600 dpi, 1 pass) *1
Typical printing speed 1 (sq ft/hr) 2713 (600x600 dpi, 2 pass) *2
Typical printing speed 2 (sq ft/hr) 1744 (900x600 dpi, 3 pass) *3
Operating: 40 – 60%RH (no condensation)
Printer (kg) Approx. 2,190 kg Not include ink
Operating: 20°C – 35°C, recommended: 22°C – 28°C

Humidity
Dimension
Electrical Weight
Temperature

Monna Lisa ML32000



Print Technology
Number of Print Head
Max Resolution
Print Speed

PrecisionCore Inkjet Technology
32
1,200 x 1,200 dpi

Maximum Printing Speed (m²/h) 697 (300 x 600 dpi, 1 Pass)
Typical Printing Speed 1 (m²/h) 423 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (m²/h) 305 (900 x 600 dpi, 3 Pass)
Maximum Printing Speed (sq ft/hr) 7,502 (300 x 600 dpi, 1 Pass)
Typical Printing Speed 1 (sq ft/hr) 4,553 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (sq ft/hr) 3,283 (900 x 600 dpi, 3 Pass)
35 – 80% RH (no condensation)
Printing Machine: Approx. 4,610 (W) x 2,500 (D) x 2,070 (H) mm
Control Box: 660 (W) x 1,500 (D) x 2,290 (H) mm
Working Area: 8,110 (W) x 5,400 (D) x 2,290 (H) mm
400V, 3 phase + Neutral + Earth
Printer: Approx 3,900 kg (8,598 lb)
Control box: Approx 400 kg (882 lb)
Ink Rack: Approx 240 kg (529 lb) (exc ink)
20.7 kVA
Operating: 20°C-30°C (68°F-86°F)

Humidity
Dimension

Electrical
Weight

Power Consumption
Temperature

Monna Lisa ML64000



Print Technology
Number of Print Head
Max Resolution
Print Speed

PrecisionCore Inkjet Technology
64
1,200 x 1,200 dpi

Typical Printing Speed 1 (m²/h) 740 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (m²/h) 533 (900 x 600 dpi, 3 Pass)
Typical Printing Speed 1 (sq ft/hr) 7,965 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (sq ft/hr) 5,737 (900 x 600 dpi, 3 Pass)
40 – 60% (no condensation)
Printing Machine: Approx. 6,510 (W) x 4,960 (D) x 2,530 (H) mm
Working Area: 8,500 (W) x 7,270 (D) x 2,640 (H) mm
AC 220 – 240V (withstand voltage AC 400V)
Printer: Approx 7,000 kg (15,432 lb)
Control box: Approx 700 kg (1,543 lb)
Ink Rack: Approx 300 kg (661 lb) (exc ink)
Operating: 20°C-30°C (68°F-86°F)

Humidity
Dimension

Electrical
Weight

Temperature

COMMERCIAL & INDUSTRIAL PRINTER

P Surecolor Photographic Series

SURECOLOR SC-P6530E



Versatile Media Handling



Up to 1.5mm Thick



Up to 24" Wide



Borderless Printing

Max Print Width	24 Inch
Print Head	PrecisionCore Micro TFP printhead
Max Resolution	2400 dpl x 1200 dpl
Min Droplet Size	3.5pl
Ink System	Ultra Chrome Pro 6 Ink
Colours	6
Paper Handling	Roll Paper / Friction Head
Print Speed	111 Sec, A1 Size Premium Glossy
Printer Interface	1000 BASE-T
OS Compatibility	Mac OS X 10.6.8 or later, Mac os 11 or later
Memory	4 GB
Power Consumption	Operating approx 75W Ready approx 32W Sleep approx 2W Standby approx 0.3W

SURECOLOR SC-P8530D



Technology	PrecisionCore Inkjet Technology, Variable-Sized Droplet Technology
Max Resolution	2,400 x 1,200 dpi
Min Droplet Size	3.5pl
Ink System	UltraChrome Pro 6 Ink
Ink Capacity	350, 700 ml
Colours	Cyan, Magenta, Yellow, Gray, Photo Black, Matte Black
Interface	SuperSpeed USB, 100BASE-TX /1000BASE-T/IEEE802.11b/g/n/ac, USB memory stick
Power Consumption	Operating: Approx. 70W, Ready: Approx. 32W, Sleep: Approx. 2.0W, Standby: Approx. 0.3W
Dimension (WxHxD)	1,848 x 975 x 829 mm
Weight	Approx. 155 kg

SURECOLOR SC-P703



Versatile Media Handling



Up to 1.5mm Thick



Ethernet



Wi-Fi

Max Print Wide	13 inch wide
Technology	On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
Max Resolution	5760x1440 dpi
Min Droplet Size	1.5pl
Ink System	UltraChrome PRO10 ink
Colours	Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
Interface	Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
Power Consumption	22 W Operating/ 1.1 W Sleep
Dimension (WxDxH)	Close: 515x368x185 mm, Open: 515x769x420 mm
Weight	Main Unit: Approx. 12.6kg (without ink cartridge)

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-P903



- Max Print Wide Technology** 17 inch wide
- Max Resolution** On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
- Min Droplet Size** 5760x1440 dpi
- Ink System** 1.5pl
- Colours** UltraChrome PRO10 ink
Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
- Interface** Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
- Power Consumption** 24 W Operating/ 1.1 W Sleep
- Dimension (WxDxH)** Close: 615x368x199 mm, Open: 615x905x520 mm
- Weight** Main Unit: Approx. 14.8kg (without ink cartridge), Option roll unit: 3.1kg

SURECOLOR SC-P5330



- Max Print Width** 17 inch (432 mm)
- Print Head** PrecisionCore® TFP
- Max Resolution** 2880 dpi x 1440 dpi
- Min Droplet Size** 3.5 pl
- Ink System** Epson Ultrachrome® HDX
- Type** Aqueous all-pigment
- Colours** 11 (Configurable with Light Light Black OR Violet)
- Cartridge Size** 200 ml
- Print Speed (A2 sheet)** Draft: 360 dpi x 360 dpi 0.5 minutes
Normal: 360 dpi x 720 dpi 0.8 minutes
Fine: 720 dpi x 720 dpi 1.8 minutes
Super Fine: 720 dpi x 1440 dpi 3.6 minutes
Super Photo: 2880 dpi x 1440 dpi 7 minutes
- Paper Size** 8" x 10" (203 x 254 mm) - A2+ (432 x 610 mm) sheets, 203-432 mm wide x 150 mm diameter 3" core / 103 mm diameter 2" core rolls
- Interface** High Speed USB 2.0, Ethernet 10Base-T / 100Base-TX / 1000Base-T
- OS Compatibility** Mac OS X 10.6.8 or later, Windows 10, 8/8.1, 7, Vista, & Win XP SP1
- Memory** 256 MB Main and 128 MB Network
- Power Consumption** 52W Operating / Standby 20W / 5W Sleep (1000BASE-T)
- Dimensions (W x D x H)** 863 x 766 x 405 mm
(Sheet feed & output tray closed)
- Weight** 52kg (no ink)

COMMERCIAL & INDUSTRIAL PRINTER

P Surecolor Photographic Series

SURECOLOR SC-P7530



Max Print Width	24 inch
Print Head	Micro TFP Printhead
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome® Pro12 Pigment Ink
Colours	12
Paper Handling	Roll Paper / Friction Feed
Print Speed	97 sec (Level 1) 122 sec (Default) Premium Glossy Photo Paper 170 gsm A1 size/ISO Super Speed USB, 100 BASE - TX / 1000 BASE - T
Printer Interface	Mac OS X 10.6.8 or later, Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
OS Compatibility	
Memory	2 GB
Power Consumption	Operating : Approx 85 W Ready : Approx 32 W Sleep : Approx 3.4 W Power Off (Stand by) : Approx 0.3 W

SURECOLOR SC-P9530



Max Print Width	44 inch
Print Head	Micro TFP Printhead
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome® Pro12 Pigment Ink
Colours	12
Paper Handling	Roll Paper / Friction Feed
Print Speed	219 sec (Level 1) 285 sec (Default) Premium Glossy Photo Paper 170 gsm B0 size/ISO
Printer Interface	USB Interface (Hi-Speed USB/USB, 100 BASE - TX / 1000 BASE - T
OS Compatibility	Mac OS X 10.6.8 or later, Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
Memory	2 GB
Power Consumption	Operating : Approx 110 W Ready : Approx 32 W Sleep : Approx 3.4 W Power Off (Stand by) : Approx 0.3 W

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-P8000



- Print Head PrecisionCore™ TFP printhead, Epson Variable-Sized Droplet Technology
- Max Resolution 2880x1440 dpi
- Min Droplet Size 3.5 pl
- Ink System Epson UltraChrome HD
- Colours Cyan, Photo Black, Matte Black, Vivid Magenta, Yellow, Light Cyan, Vivid Light Magenta, Light Black, Light Light Black
- Paper Path Friction Feed
- Roll Dimensions 254mm-1118mm, 2inch-core/ 3inch-core
2inch-core: Max 103mm/ 3inch-core: Max 150mm
- Paper Size (w) and Thickness 254mm [10"] - 1118mm [44"]: Roll paper 210mm [A4] - 1118mm [44"]: Cut Sheet 0.08-1.50mm
- Borderless 728mm [29in.], 841mm [A0/33in.], 914mm [36in.], 1118mm [44in.] 728mm [29in.], 841mm [A0/33in.], 914mm [36in.], 1118mm [44in.]
- Interface Hi-Speed USB, 10BASE-T/100BASE-T/1000BASE-T
- Dimension (W x D x H) 1,864 x 667 x 1,218 mm
- Weight Approx. 135kg

SURECOLOR SC-P20530



- Max Print Width 17 inch [432 mm]
- Print Head PrecisionCore MicroTFP Printhead
- Max Resolution 2000 dpi x 1200 dpi
- Min Droplet Size 3.5 pl
- Ink System UltraChrome PRO 12 Ink
- Type Pigment Ink
- Colours 12 [Configurable with Light Light Black OR Violet]
- Cartridge Size 1,600ml
- Print Speed (A2 sheet) Plain Paper Draft Mode: Approx. 122 m2h
- Paper Size 254 [10"] - 1,626 [64"] mm
- Interface SuperSpeed USB, 100BASE-TX / 1000BASE-T (Option)
- OS Compatibility Windows XP, Vista, 7, 8, 8.1 [32/64bit] or later
Macintosh Mac OS X 10.6.8 or later
- Memory Physical 6GB [Printer H/W]
- Power Consumption 95W Operating / Standby 0.5W / 2.2W Sleep
- Dimensions (W x D x H) 2,740 x 760 x 1,145 mm
- Weight 224 kg

COMMERCIAL & INDUSTRIAL PRINTER

P-Series

Surecolor Photographic Series



SURECOLOR SC-P7330

Max Printing Technology
Max Resolution
Ink System
Min droplet size
Nozzle Configuration

PrecisionCore inkjet technology
2,400x1,200 dpi
Epson Ultra Chrome PRO 10 Ink
8000 nozzles (800 nozzles x 10 Colors)
Black:3200(PK:800, MK:800, GY:800,LGY:800)
Color:4800(Y:800, VM:800, C:800, VLM:800,
LC:800, V:800)

Colours
Cyan, Vivid Magenta, Yellow, Light Cyan, Vivid Light
Magenta, Violet, Photo Black, Matte Black, Gray,
Light Gray

Temperature
Power Consumption
Temperature(Operating) 10°C to 35°C
Operation 70W / Ready 32W / Sleeping 3.2W



SURECOLOR SC-P9330

Max Printing Technology
Max Resolution
Ink System
Min droplet size
Nozzle Configuration

Precision Core inkjet technology
2,400x1,200 dpi
Epson Ultra Chrome PRO 10 Ink
3.5pt
8000 nozzles (800 nozzles x 10 Colors)
Black:3200(PK:800, MK:800, GY:800,LGY:800)
Color:4800(Y:800, VM:800, C:800, VLM:800,
LC:800, V:800)

Colours
Cyan, Vivid Magenta, Yellow, Light Cyan, Vivid Light
Magenta, Violet, Photo Black, Matte Black, Gray,
Light Gray


Temperature
Power Consumption
Temperature(Operating) 10°C to 35°C
Operation 80W / Ready 32W / Sleeping 3.2W

COMMERCIAL & INDUSTRIAL PRINTER



S Surecolor Signage Series

SURECOLOR SC-S7130



Max Print Width 300 to 1625.6 mm
Print Head 1.33" PrecisionCore MicroTFP
Max Resolution 1200 x 1200 dpi
Ink System UltraChrome GS3 Ink
Type Eco-Solvent Based
Colours CMYK
Cartridge Size 800 ml
Print Speed Max speed 75.1 m²/hr, 1 pass 300 x 600 dpi
Billboard production 38.7 m²/hr,
2 pass 600 x 600 dpi
Banner production 19.2 m²/hr, 4 pass 600 x 600 dpi
Vinyl production 13.5 m²/hr, 6 pass 600 x 1200 dpi
Film production 4.7 m²/hr, 16 pass 1200 x 1200 dpi
Interface USB 3.0, Ethernet 100Base-TX/ 1000 Base-T
Memory 1GB
Power Consumption Operating: Approx. 1100W
Ready: Approx. 520W
Sleep: Approx. 3.0W
Dimension 2620 x 989 x 1338 mm
Weight Approx. 287 Kg

SURECOLOR SC-S8130/S9130



Max Print Width 300 to 1625.6 mm
Print Head 2.64" PrecisionCore MicroTFP
Max Resolution 1200 x 1200 dpi
Ink System UltraChrome GS3 Ink
Type Eco-Solvent Based
Colours **S8130:** C, M, Y, K, Lc, Lm
S9130: C, M, Y, K, Lc, Lm, Lk, Rd, Or, Gr, W or Cl
Cartridge Size 800 ml/1500ML
Print Speed Max speed 119.4 m²/hr, 1 pass (300 x 300 dpi)
Billboard 63.0 m²/hr, 2 pass (300 x 600 dpi)
Banner high speed 35.6 m²/hr, 4 pass HS
(600 x 600 dpi)
Banner speed 29.9 m²/hr, 4 pass (600 x 600 dpi)
Banner production 20.1 m²/hr, 6 pass
(600 x 600 dpi)
Banner quality 14.8 m²/hr, 8 pass (600 x 600 dpi)
Vinyl, canvas, paper & textile production
14.0 m²/hr, 10 pass (1200 x 600 dpi)
Film production (1 layer) 7.2 m²/hr, 17 pass
(1200 x 600 dpi)
Film production (2 layer) 4.0 m²/hr, 30 pass
(1200 x 600 dpi)
Paper Size 300 to 1625.6 mm
Interface SuperSpeed USB*1, 100BASE-TX/1000BASE-T
Memory 4GB
Power Consumption Operating: Approx. 1190W
Ready: Approx. 500W
Sleep: Approx. 3.4W
Power Off (Standby): Approx. 0.3W
Printing: 2,620 x 1,004 x 1,021 mm (W x D X H)
Stowed: 2,620 x 925 x 1,021 mm (W x D X H)
Dimension
Weight **S8130:** Approx. 340 Kg
S9130: Approx. 323.4 Kg

COMMERCIAL & INDUSTRIAL PRINTER

UV
UV-Series

Surecolor UV Series

SURECOLOR SC-V1030



Print up to
A4



Up to 70mm
Media Thickness



Auto Height
Adjustment



Compact
Footprint



Low
Maintenance



Print Head
Nozzle Configuration
Max Resolution
Print Speed

1" MicroPiezo with VSDT
1,440 nozzles (180 nozzles x 8 lines x 1 head)
1,440 x 1,440 dpi
Colour 0,9 m²/h (720x720 dpi)
White 0,6 m²/h (1440x720 dpi)
Matte Varnish 0,9 m²/h (720x720 dpi)
Wide Gap Mode 0,4 m²/h (720x720 dpi)

Curing Method
Ink Type
Colours
Ink Capacity
Max Printing Area
Interface

LED-UV type
UV Curable Ink
Black, Cyan, Magenta, Yellow, White, Varnish
140 ml (Ink Supply Unit)
up to 210x297 mm, 70 mm thickness
SuperSpeed USB (Compatible with the USB 3.0 Specification), 100BASE-TX / 1000BASE-T / IEEE802.11b/g/n/az/ac

OS Compatibility

Windows 7 (32/64) or later
Mac OS 10.6.8 or later

Dimensions (W x D x H)

Printing: 699 x 426 (Cover Closed) / 942 (Cover Opened) x 699 mm
Stowed: 699 x 426 x 699 mm

Weight
Power Consumption

59 kg (With ink cartridges)
170 W operating / 0.1 W standby / 80 W ready / 2.6 W sleep

SURECOLOR SC-V7000

Epson 1st UV Flatbed Printer



Print Head
Nozzle Configuration
Max Resolution
Print Speed

8 x Epson 1" PrecisionCore Micro TFP
11,520 nozzles (180 nozzles x 8 lines x 8 head)
720 x 1,440 dpi
High Speed 43.1 m²/hr (360 x 720dpi)
Speed 23.2 m²/hr (720 x 720dpi)
Production 15.3 m²/hr (720 x 720dpi)
Quality 10.5 m²/hr (720 x 1080dpi)
High Quality 4.8 m²/hr (720 x 1440dpi)
Fine Production 7.8 m²/hr (720 x 720dpi)

Curing Method
Ink Type
Colours

LED-UV type
UV Curable Ink
Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Gray, Red, White, Varnish

Ink Capacity
Max Media Size

1,000 ml (Ink Bottle)
1.25 x 2.50m max size, 80mm max thickness.
50kg/m² max weight

Interface
Power Consumption
Dimensions (W x D x H)
Weight

Super-Speed USB (Type-B)
Operating: Approx. 4.8kW
4,635mm x 2,768mm x 1,730mm
1,370 kg (With ink cartridges)

COMMERCIAL & INDUSTRIAL PRINTER

SD-10

Digital Colour Spectrophotometer



Technology	Spectroscopic Device
Spectral Range	400 – 700nm
Sampling Interval	Colour Measurement
Photometric Range	10 nm (Interpolation by software)
Light Source	LED (Including UV)
Measurement Conditions	M0: Including UV light component, ISO 13655:2017 measurement condition M0 M1e: D50 - Including UV light component, measurement conditions equivalent to ISO 13655:2017 measurement condition M1 (Measurement conditions held with a radiant power at all wavelengths from 400 to 700 nm, and power ratios in the 300 to 400 nm and 400 to 500 nm regions similar to D50) M2: Without UV, ISO 13655:2017 measurement condition M2
Calibration	White reference built in the sensor cover
Scan Length	400mm
Interfaces	USB Type-C, USB 2.0 Full-Speed BLE Bluetooth Low Energy
Dimensions (W x D x H)	35 x 80 x 80 mm (Shutter Closed) 35 x 80 x 77.6 mm (Shutter Opened)
Weight	Approx. 190g

GO BIG

WITH GORGEOUS
PRINTS ON A WIDE
VARIETY OF MATERIALS



ENGINEERED FOR good

EPSON



GO
BIG

**WITH SUPERB
PHOTO PRINTS**

**Efficient
workflow
solution**

Maximum printing
convenience

**Vivid
colours**

Stunning vibrancy
in every photo

**Precision
printhead**

Crisp clarity and sharp
detail reproduction

**Improved
design**

Ergonomic design,
flexible installation



COMMERCIAL & INDUSTRIAL PRINTER



Surelab Photolab Series

SURELAB SL-D1030



Print Head	Micro Piezo Printhead
Max Resolution	1,440 x 720 dpi
Min Droplet Size	2.5 pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Ink Capacity	250ml
Colours	Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black
Paper Size	Width: 89mm – 210mm ; Length: 148mm – 297mm
Print Size	Roll: Max. 1,000mm, Min. 50mm / Manual Feed: 1,000mm / Auto Sheet Feeder (ASF): 297mm
Interface	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n, Wi-Fi
OS Compatibility	Windows® 10, Windows® 8.1 for each 32bit/64bit, Macintosh Mac OS X (10.9.5 or later), Mac OS 11.X
Power Consumption	Operating: Approx. 80W / Ready : Approx. 14W / Sleep: Approx. 1.2W / Standby: Approx. 0.2W
Dimensions (W x D x H)	Single-sided Model: 460 x 683 x 359 mm Double-sided Model: 460 x 747 x 441 mm
Weight	Single-sided model: 17.6kg Double-sided model: 23.1kg Main unit: 17.6kg, Duplex Feeder: 5.5kg

SURELAB SL-D530



Print Method	Micro Piezo Inkjet Technology with Variable Sized Droplet Technology
Max Resolution	1440 x 720dpi (High Quality) / 720 x 720 dpi (Standard) / 720x360 (Draft)
Max Droplet Size	2.5pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Colours	Colours 6 (Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black) 70 ml per colour
Media Handling	Auto Sheet Feeder Width: 89mm – 102mm ; Length: 127mm – 152mm Auto Sheet Feeder: 3.5" x 5", 4" x 6" (100 sheets)
Printer Interface	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n
OS Compatibility	Windows®11, Windows®10, Windows®8.1 for each 32bit/64bit, Macintosh Mac OS X (10/9/5 or later), Mac OS 11.X
Memory	0.5 GB
Power Consumption	18W Operating/ 3.8W Ready/1.4W Sleep/ 0.2W Standby

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product
C13T738100	Black	SC-B6070
C13T738200	Cyan	
C13T738300	Magenta	
C13T738400	Yellow	
C13T904100	Black	SC-B9070
C13T904200	Cyan	
C13T904300	Magenta	
C13T904400	Yellow	
C13T725100	Epson UltraChrome DG Ink - Black 600ml	SC-F2130
C13T725200	Epson UltraChrome DG Ink - Cyan 600ml	
C13T725300	Epson UltraChrome DG Ink - Magenta 600ml	
C13T725400	Epson UltraChrome DG Ink - Yellow 600ml	
C13T725A00	Epson UltraChrome DG Ink - White 600ml	
C13S400080	DS Transfer General Purpose 24 inch Roll	SC-F530
C13S400079	DS Transfer General Purpose 17 inch Roll	
C13S400081	DS Transfer General Purpose A3 Roll	
C13S400082	DS Transfer General Purpose A4 Roll	
C13S400077	DS Transfer General Purpose A3 Sheet	
C13S400078	DS Transfer General Purpose A4 Sheet	
C12C933151	Stand [24"]	
C12C935701	Roll Feed Spindle [24"]	
C13S210057	Maintenance Box	
C13S210055	Auto Cutter Spare Blade	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	SC-F6630
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L	
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L	
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L	
C13T741200	Epson UltraChrome DS Ink - Cyan 1L x 6pcs	SC-F7270
C13T741300	Epson UltraChrome DS Ink - Magenta 1L x 6pcs	
C13T741400	Epson UltraChrome DS Ink - Yellow 1L x 6pcs	
C13T741X00	Epson UltraChrome DS Ink - HD Black 1L x 6pcs	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	SC-F9340
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L	
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L	
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L	
C13T46H600	Epson UltraChrome DS Ink - FY 1.1L	
C13T46H500	Epson UltraChrome DS Ink - FP 1.1L	
C13T327100	Photo Black	SC-P407
C13T327200	Cyan	
C13T327300	Magenta	
C13T327400	Yellow	
C13T327700	Red	
C13T327800	Matte Black	
C13T327900	Orange	
C13T327000	Gloss Optimizer	
C13T763100	Photo Black	SC-P607
C13T763200	Cyan	
C13T763300	Vivid Magenta	
C13T763400	Yellow	
C13T763500	Light Cyan	
C13T763600	Vivid Light Magenta	
C13T763700	Light Black	
C13T763800	Matte Black	
C13T763900	Light Light Black	
C13T853100	Photo Black	SC-P807
C13T853200	Cyan	
C13T853300	Vivid Magenta	
C13T853400	Yellow	
C13T853500	Light Cyan	
C13T853600	Vivid Light Magenta	
C13T853700	Light Black	
C13T853800	Matte Black	
C13T853900	Light Light Black	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P6000
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P7000
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	

Order Code	Description	Product
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	SC-P8000
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	SC-P7000
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824A00	Epson UltraChrome HDX 350ml Orange Pigment Ink Cartridge	
C13T824B00	Epson UltraChrome HDX 350ml Green Pigment Ink Cartridge	
C13T824D00	Epson UltraChrome HDX 350ml Violet Pigment Ink Cartridge	
C13T809000	Epson UltraChrome Pro 700ml Light Grey Pigment Ink Cartridge	SC-P20070
C13T809100	Epson UltraChrome Pro 700ml Photo Black Pigment Ink Cartridge	
C13T809200	Epson UltraChrome Pro 700ml Cyan Pigment Ink Cartridge	
C13T809300	Epson UltraChrome Pro 700ml Vivid Magenta Pigment Ink Cartridge	
C13T809400	Epson UltraChrome Pro 700ml Yellow Pigment Ink Cartridge	
C13T809500	Epson UltraChrome Pro 700ml Light Cyan Pigment Ink Cartridge	
C13T809600	Epson UltraChrome Pro 700ml Vivid Light Magenta Pigment Ink Cartridge	
C13T809700	Epson UltraChrome Pro 700ml Dark Grey Pigment Ink Cartridge	
C13T809800	Epson UltraChrome Pro 700ml Matte Black Pigment Ink Cartridge	
C13T809900	Epson UltraChrome Pro 700ml Grey Pigment Ink Cartridge	
C13T913100	Epson UltraChrome HD 200ml Photo Black Pigment Ink Cartridge	SC-P5000
C13T913200	Epson UltraChrome HD 200ml Cyan Pigment Ink Cartridge	
C13T913300	Epson UltraChrome HD 200ml Vivid Magenta Pigment Ink Cartridge	
C13T913400	Epson UltraChrome HD 200ml Yellow Pigment Ink Cartridge	
C13T913500	Epson UltraChrome HD 200ml Light Cyan Pigment Ink Cartridge	
C13T913600	Epson UltraChrome HD 200ml Vivid Light Magenta Pigment Ink Cartridge	
C13T913700	Epson UltraChrome HD 200ml Light Black Pigment Ink Cartridge	
C13T913800	Epson UltraChrome HD 200ml Matte Black Pigment Ink Cartridge	
C13T913900	Epson UltraChrome HD 200ml Light Light Black Pigment Ink Cartridge	
C13T913A00	Epson UltraChrome HDX 200ml Orange Pigment Ink Cartridge	
C13T913B00	Epson UltraChrome HDX 200ml Green Pigment Ink Cartridge	
C13T913D00	Epson UltraChrome HDX 200ml Violet Pigment Ink Cartridge	
C11CH12402	SC-P7530	SC-P7530
C13T44N100	SC-P7530 PK IC (700ml)	
C13T44N200	SC-P7530 CY IC (700ml)	
C13T44N300	SC-P7530 VM IC (700ml)	
C13T44N400	SC-P7530 YL IC (700ml)	
C13T44N500	SC-P7530 LC IC (700ml)	
C13T44N600	SC-P7530 VL IC (700ml)	
C13T44N700	SC-P7530 LB IC (700ml)	

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product
C13T44N800	SC-P7530 MK IC (700ml)	SC-P7530
C13T44N900	SC-P7530 LI IC (700ml)	
C13T44NA00	SC-P7530 OR IC (700ml)	
C13T44NB00	SC-P7530 GR IC (700ml)	
C13T44ND00	SC-P7530 VI IC (700ml)	
C13T44V100	SC-P7530 PK IC (350ml)	
C13T44V200	SC-P7530 CY IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ml)	
C13T44V400	SC-P7530 YL IC (350ml)	
C13T44V500	SC-P7530 LC IC (350ml)	
C13T44V600	SC-P7530 VL IC (350ml)	
C13T44V700	SC-P7530 LB IC (350ml)	
C13T44V800	SC-P7530 MK IC (350ml)	
C13T44V900	SC-P7530 LI IC (350ml)	
C13T44VA00	SC-P7530 OR IC (350ml)	
C13T44VB00	SC-P7530 GR IC (350ml)	
C13T44VD00	SC-P7530 VI IC (350ml)	
C13T44V100	SC-P7530 P BLACK IC (350ml)	
C13T44V200	SC-P7530 CYAN IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ml)	
C13T44V400	SC-P7530 YELLOW IC (350ml)	
C13T44V500	SC-P7530 LT CYAN IC (350ml)	
C13T44V600	SC-P7530 VLM IC (350ml)	
C13T44V700	SC-P7530 GREY IC (350ml)	
C13T44V800	SC-P7530 M BLACK IC (350ml)	
C13T44V900	SC-P7530 LT GREY IC (350ml)	
C13T44VA00	SC-P7530 ORANGE IC (350ml)	
C13T44VB00	SC-P7530 GREEN IC (350ml)	
C13T44VD00	SC-P7530 VIOLET IC (350ml)	
C13T49V110	SC-V7000 Black IC (1000ml)	SC-V7000
C13T49V210	SC-V7000 Cyan IC (1000ml)	
C13T49V310	SC-V7000 Magenta IC (1000ml)	
C13T49V410	SC-V7000 Yellow IC (1000ml)	
C13T49V510	SC-V7000 Light Cyan IC (1000ml)	
C13T49V610	SC-V7000 Light Magenta IC (1000ml)	
C13T49V710	SC-V7000 Gray IC (1000ml)	
C13T49V810	SC-V7000 Red IC (1000ml)	
C13T49V910	SC-V7000 White IC (1000ml)	
C13T49VA10	SC-V7000 Varnish IC (1000ml)	
C13T48R100	SC-P8530D PHOTO BLACK 700ML	SC-P8530D
C13T48R200	SC-P8530D CYAN IC 700ML	
C13T48R300	SC-P8530D MAGENTA IC 700ML	
C13T48R400	SC-P8530D YELLOW IC 700ML	
C13T48R800	SC-P8530D MATTE BLACK IC 700ML	
C13T48RE00	SC-P8530D GRAY IC 700ML	
C13T821100	INK CARTRIDGE,BK 3L	L-6534VW
C13T821200	INK CARTRIDGE,C 3L	
C13T821300	INK CARTRIDGE,M 3L	
C13T821400	INK CARTRIDGE,Y 3L	
C13T821500	INK CARTRIDGE,DV 3L	
C13T821600	INK CARTRIDGE,WH 2.6L	
C13T52S200	L-4733 Cyan Ink Cartridge	L-4733AW
C13T52S600	L-4733 Orange Ink Cartridge	
C13T52S700	L-4733 Green Ink Cartridge	
C13T52S400	L-4733 Yellow Ink Cartridge	
C13T52S300	L-4733 Magenta Ink Cartridge	
C11CH13402	SC-P9530	SC-P9530
C13T44N100	SC-P9530 PK IC (700ml)	
C13T44N200	SC-P9530 CY IC (700ml)	
C13T44N300	SC-P9530 VM IC (700ml)	
C13T44N400	SC-P9530 YL IC (700ml)	
C13T44V500	SC-P9530 LC IC (350ml)	
C13T44V600	SC-P9530 VL IC (350ml)	
C13T44V700	SC-P9530 LB IC (350ml)	
C13T44V800	SC-P9530 MK IC (350ml)	
C13T44V900	SC-P9530 LI IC (350ml)	
C13T44VA00	SC-P9530 OR IC (350ml)	
C13T44VB00	SC-P9530 GR IC (350ml)	
C13T44VD00	SC-P9530 VI IC (350ml)	
C13T44V100	SC-P9530 P BLACK IC (350ml)	
C13T44V200	SC-P9530 CYAN IC (350ml)	
C13T44V300	SC-P9530 VM IC (350ml)	
C13T44V400	SC-P9530 YELLOW IC (350ml)	
C13T44V500	SC-P9530 LT CYAN IC (350ml)	
C13T44V600	SC-P9530 VLM IC (350ml)	
C13T44V700	SC-P9530 GREY IC (350ml)	
C13T44V800	SC-P9530 M BLACK IC (350ml)	
C13T44V900	SC-P9530 LT GREY IC (350ml)	
C13T44VA00	SC-P9530 ORANGE IC (350ml)	
C13T44VB00	SC-P9530 GREEN IC (350ml)	
C13T44VD00	SC-P9530 VIOLET IC (350ml)	
C13T892100	Black Ink Cartridge (700 ml)	
C13T892200	Cyan Ink Cartridge (700 ml)	
C13T892300	Magenta Ink Cartridge (700 ml)	
C13T892400	Yellow Ink Cartridge (700 ml)	

Order Code	Description	Product
C13T892500	SC-S80670 LIGHT CYAN IC (700ML)	SC-S80670
C13T892600	SC-S80670 LIGHT MAGENTA IC (700ML)	
C13T892700	SC-S80670 LIGHT BLACK IC (700ML)	
C13T892800	SC-S80670 ORANGE IC (700ML)	
C13T892900	SC-S80670 RED IC (700ML)	
C13T892A00	SC-S80670 WHITE IC (600ML)	
C13T45R100	SC-R5030 Black 3000ml (1.5L X2)	SC-R5030
C13T45R200	SC-R5030 Cyan 3000ml (1.5L X2)	
C13T45R300	SC-R5030 Magenta 3000ml (1.5L X2)	
C13T45R400	SC-R5030 Yellow 3000ml (1.5L X2)	
C13T45R500	SC-R5030 Light Cyan 3000ml (1.5L X2)	
C13T45R600	SC-R5030 Light Magenta 3000ml (1.5L X2)	
C13T45R700	SC-R5030 Optimizer 3000ml (1.5L X2)	
C13T45R800	SC-R5030 Maintenance Liquid 3L (1.5L X2)	
C13T43Y100	Epson UltraChrome D6r-S 200ml Black Ink Cartridge	SL-D830
C13T43Y200	Epson UltraChrome D6r-S 200ml Cyan Ink Cartridge	
C13T43Y300	Epson UltraChrome D6r-S 200ml Magenta Ink Cartridge	
C13T43Y400	Epson UltraChrome D6r-S 200ml Yellow Ink Cartridge	
C13T43Y500	Epson UltraChrome D6r-S 200ml Light Cyan Ink Cartridge	
C13T43Y600	Epson UltraChrome D6r-S 200ml Light Magenta Ink Cartridge	
C13T710100	Epson UltraChrome D6 700ml Black Dye Ink Cartridge	
C13T710200	Epson UltraChrome D6 700ml Cyan Dye Ink Cartridge	SL-D3000
C13T710300	Epson UltraChrome D6 700ml Magenta Dye Ink Cartridge	
C13T710400	Epson UltraChrome D6 700ml Yellow Dye Ink Cartridge	
C13T710500	Epson UltraChrome D6 700ml Light Cyan Dye Ink Cartridge	
C13T710600	Epson UltraChrome D6 700ml Light Magenta Dye Ink Cartridge	
C13T46P100	SL-D1030 Black RIPS 250ML	SL-D1030
C13T46P200	SL-D1030 Cyan RIPS 250ML	
C13T46P300	SL-D1030 Magenta RIPS 250ML	
C13T46P400	SL-D1030 Yellow RIPS 250ML	
C13T46P500	SL-D1030 Light Cyan RIPS 250ML	
C13T46P600	SL-D1030 Light Magenta RIPS 250ML	
C13T54H100	SL-D530 BLACK INK	SL-D530
C13T54H200	SL-D530 CYAN INK	
C13T54H300	SL-D530 MAGENTA INK	
C13T54H400	SL-D530 YELLOW INK	
C13T54H500	SL-D530 LIGHT CYAN INK	
C13T54H600	SL-D530 LIGHT MAGENTA INK	
C13T56R190	SC-P7330/9330 PHOTO BLACK IC (700ML)	SC-P7330
C13T56R290	SC-P7330/9330 CYAN IC (700ML)	
C13T56R390	SC-P7330/9330 VIVID MAGENTA IC (700ML)	
C13T56R490	SC-P7330/9330 YELLOW IC (700ML)	
C13T56R590	SC-P7330/9330 LIGHT CYAN IC (700ML)	
C13T56R690	SC-P7330/9330 VIVID LM IC (700ML)	
C13T56R790	SC-P7330/9330 GREY IC (700ML)	
C13T56R890	SC-P7330/9330 MATTE BLACK IC (700ML)	
C13T56R990	SC-P7330/9330 LIGHT GREY IC (700ML)	
C13T56RD90	SC-P7330/9330 VIOLET IC (700ML)	
C13T56W190	SC-P7330/9330 PHOTO BLACK IC (350ML)	
C13T56W290	SC-P7330/9330 CYAN IC (350ML)	
C13T56W390	SC-P7330/9330 VIVID MAGENTA IC (350ML)	
C13T56W490	SC-P7330/9330 YELLOW IC (350ML)	
C13T56W590	SC-P7330/9330 LIGHT CYAN IC (350ML)	
C13T56W690	SC-P7330/9330 VIVID LM IC (350ML)	
C13T56W790	SC-P7330/9330 GREY IC (350ML)	
C13T56W890	SC-P7330/9330 MATTE BLACK IC (350ML)	
C13T56W990	SC-P7330/9330 LIGHT GREY IC (350ML)	
C13T56WD90	SC-P7330/9330 VIOLET IC (350ML)	
C13T56R190	SC-P7330/9330 PHOTO BLACK IC (700ML)	SC-P9330
C13T56R290	SC-P7330/9330 CYAN IC (700ML)	
C13T56R390	SC-P7330/9330 VIVID MAGENTA IC (700ML)	
C13T56R490	SC-P7330/9330 YELLOW IC (700ML)	
C13T56R590	SC-P7330/9330 LIGHT CYAN IC (700ML)	
C13T56R690	SC-P7330/9330 VIVID LM IC (700ML)	
C13T56R790	SC-P7330/9330 GREY IC (700ML)	
C13T56R890	SC-P7330/9330 MATTE BLACK IC (700ML)	
C13T56R990	SC-P7330/9330 LIGHT GREY IC (700ML)	
C13T56RD90	SC-P7330/9330 VIOLET IC (700ML)	
C13T56W190	SC-P7330/9330 PHOTO BLACK IC (350ML)	
C13T56W290	SC-P7330/9330 CYAN IC (350ML)	
C13T56W390	SC-P7330/9330 VIVID MAGENTA IC (350ML)	
C13T56W490	SC-P7330/9330 YELLOW IC (350ML)	
C13T56W590	SC-P7330/9330 LIGHT CYAN IC (350ML)	
C13T56W690	SC-P7330/9330 VIVID LM IC (350ML)	
C13T56W790	SC-P7330/9330 GREY IC (350ML)	
C13T56W890	SC-P7330/9330 MATTE BLACK IC (350ML)	
C13T56W990	SC-P7330/9330 LIGHT GREY IC (350ML)	
C13T56WD90	SC-P7330/9330 VIOLET IC (350ML)	