



In creating the next wave of printing innovations, Epson introduces the world's first truly affordable 6 colour A3+ original EcoTank system printer. The L1800 comes with borderless printing capabilities and great colour fidelity, along with low running costs. It's the perfect solution for large, stunning photos, graphics, posters and more.





up to A3+







Ink Bottles Warranty







The Epson L1800 is bundled with 6 bottles x 70 mL of photo colour Epson inks, allowing up to 1,500 4R photo prints.

## **ENGINEERED FOR BUSINESS**

#### A3+ Borderless Photo Printing

Supports borderless A3+ photo quality printing for superior photos, graphics and more.

# Superb Savings and Page Yield

Large integrated EcoTanks and highly affordable ink bottles at just ₹609<sup>†</sup> each.

#### **Unsurpassed Print Quality**

With a resolution of 5760 dpi and the expanded colour gamut of 6 inks, you can be assured of the highest quality in photo printing.







The L1800 is the world's first A3+ 6-colour original EcoTank printer, giving you the ability to produce borderless, photo quality prints at ultra-low running costs. When it comes to sharing high-impact visuals on a larger scale, the L1800 is the solution you've been waiting for.



#### A3+ Borderless Photo Printing



The L1800 allows you to print borderless, photo quality images up to A3+ in size. It delivers superior colour reproduction for large photos, graphics and more to achieve the best impression on your audience.

### Superb Savings and Page Yield

High capacity integrated EcoTanks and highly affordable genuine photo ink bottles at just ₹609<sup>+</sup> each add up to greater savings. The L1800 is bundled with 6 photo ink bottles that yield up to 1,500<sup>^</sup> borderless 4R photos.

'Refer to specifications.

#### **Unsurpassed Print Quality**



Designed for continuous printing performance, Epson's renowned Micro Piezo™ printhead is not only highly reliable in operation, it also delivers an astoundingly high resolution of 5760 dpi. Paired with

the expanded colour gamut of 6 photo inks, the L1800 delivers superior colour, gradation and photographic tones in every printout.



#### **Designed for High Productivity**



The L1800 is designed to achieve fast print speeds of up to 15 ppm (draft/black) and 45 sec per 4R borderless photo.

#### Media Flexibility



The L1800 supports printing to a wide variety of printing media from 4R photo prints all the way up to A3+ sizes, allowing you to accomplish all your printing jobs, from the simplest to the most demanding.

## 1-year Warranty for Peace of Mind



Enjoy Epson's warranty coverage of one year or 30,000 pages, whichever comes first, for maximum value from your printer and freedom from maintenance worries.

### **Hassle-free Operation**

Epson's original EcoTank system is engineered for easy, mess-free refills. The special tubes in the printer are designed to ensure smooth and reliable ink flow at all times.



Specially fitted tubes ensure reliable ink flow without leakage



Smart tip design for easy, mess-free refills

## Quality that Shines. Value that Lasts.

Epson genuine ink bottles are individually sealed to ensure the purity of its contents and formulated to deliver outstanding high-volume print quality with L series printers. Choose Epson genuine ink bottles to enjoy lasting quality with your L series printer and low printing costs.



MODEL NUMBER	L1800	
Printing		
Print Method	On-demand inkjet	
Nozzle Configuration	90 nozzles each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black)	
Print Direction	Bi-directional printing, Uni-directional printing	
Maximum Resolution	5760 x 1440 dpi (with Variable-Sized Droplet Technology)	
Minimum Ink Droplet Volume	1.5 pl	
Print Speed *1		
Max Draft Text - Memo A4	Approx. 15 / 15ppm (Bk #1 / Cl #2)	
Photo Default - 10x15cm/4x6" *2 #3	Approx. 45 sec per photo (Borderless)	
Double-sided Printing	Yes (Manual)	
Paper Handling		
Paper Feed Method	Friction feed	
Number of Paper Trays	1	
Paper Hold Capacity		
Input Capacity	100 sheets, A4 Plain paper (75 g/m²), 30 sheets, Premium Glossy Phot	o Paper
Output Capacity	50 sheets, A4 Plain paper, 20 sheets, Premium Glossy Photo Paper	
Paper Size	A3+, A3, B4, A4, A5, A6, B5, 10 cm x 15cm (4 x 6), 13 cm x 18 cm (5 x 7), 16:9 wide	
	size, Letter (8.5" x11"), Legal (8.5" x 14"), Half Letter (5.5" x 8.5"), 9 cm x 13 cm	
	(3.5 x 5), 13 cm x 20 cm (5 x 8), 20 cm x 25 cm (8 x 10), Envelopes: #10 (4.125" x	
	9.5"), DL (110 mm x 220 mm), C4 (229 mm x 324 mm), C6 (114 mm x 162mm)	
Maximum Paper Size	12.95" x 44"	
Print Margin	0 mm top, left, right, bottom via custom settings. Otherwise 3 mm top, left	t. right. bottom.
Connectivity	3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	, , , , , ,
Standard	USB 2.0 Hi-speed	
Printer Software	· · · · · · · · · · · · · · · · · · ·	
Operating System Compatibility	Windows XP/XP Professional x64 Edition/Vista/7/8/8.1	
	Mac OS X 10.5.8, 10.6.x, 10.7.x, 10.8.x, 10.9.x	
Electrical Specifications		
Rated Voltage	AC 220-240 V (Rated voltage will vary depending on area)	
Rated Frequency	50~60 Hz	
Power Consumption		
Printing	Approx. 16 W	
Standby	Approx. 6.8 W	
Sleep	Approx. 2.2 W	
Power Off	Approx. 0.4 W	
Epson Genuine Ink Bottle	Photo Page Yield (4R) *3 Photo Page Yield (4R) *4	Order Code
Black	2,600 pages	T6731
Cyan	/··· F-V-	T6732
Magenta		T6733
Yellow	4,700 pages (Composite Yield) 1,500 pages	T6734
Light Cyan	., F-3 (	T6735
Light Magenta		T6736

1 year or 30,000 pages whichever comes first

Dimensions & Weight

L1800

Weight: 12.5 kg (27.6 lb)



322 mm (12.7")

705 mm (27.8")

\*1 Print speed (Pages Per Minute) is calculated Print speed (Hages Per Minute) is calculated when printed on A4 plain paper in the fastlest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.







Black text

- '2 When printed on Epson Premium Glossy Paper. '3 Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/TEC 29103. Quoted yields are NOT based on ISO/TEC 29103. Quoted yields are NOT based on ISO/TEC 29103. Quoted yields may vary depending on the province of the prints and environmental conditions such as temperature. temperature.
- \*4 Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103. Quoted yields are NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

© 2019 Epson India Pvt. Ltd. All Rights Reserved Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information

Information correct as of April 2019.

#### EPSON INDIA PVT. LTD.

Warranty

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-4566 5000 Fax: 080-4566 5005

Regional Offices: Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699





