

Business Printing Solutions

2024 Line Guide






Printers shown with optional accessories.

The Future of Printing

From a world leader in imaging technology, Epson business printers enable today's businesses to enter a modern era of printing. Featuring revolutionary PrecisionCore[®] Heat-Free technology¹, these innovative printers are designed to enhance productivity and offer a low total cost of ownership with distinct environmental benefits. There's no need to heat up toner, so you get fast speeds and a fast first page out. A remarkably simple design means very few maintenance parts, allowing for minimal intervention and helping to maximize productivity. Engineered for speed, reliability and the ability to work seamlessly within existing systems, Epson printers bring the future of business printing to today's professionals.



A Limitations apply. Promo valid for ST-C2100, ST-C4100, ST-M1000, ST-M3000, ST-C8000 and ST-C8090 printers through authorized Epson resellers only from 04/01/24 to 03/31/25. Product must be registered before 04/30/25. Limit 8 additional bottles of 502[™] inks or 542 inks per printer. Max. 8 claims per printer. Each claim cannot contain multiple bottles of the same color. Limit 2 additional bottles of 532 inks per printer. Limit one bottle per claim. Based on average monthly document print volumes of about 150 pages (ST-C2100), 200 pages (ST-C4100) and 300 pages (ST-M1000/ST-M3000/ST-C8000/ST-C8000). Promo applies to ink only. Printer covered by Epson 2-year limited warranty. For promo participation, you must register your product.

Powered by PrecisionCore

Epson's business printers are powered by PrecisionCore, advanced print chip technology that is disruptively simple, smart and clean.

Simple

Engineered for Reliable Performance

The all-in-one chip design contains the printing parts of a 4-color printer, which means fewer parts that can break down.

Smart

Built for Productivity

This scalable and modular solution delivers consistent quality with no warm-up time required, resulting in less downtime and fast first page out.

Clean

Designed for Efficiency

Heat-Free technology is designed for efficient ink usage and low power consumption, to help minimize waste and decrease energy consumption.

Heat-Free Technology vs. Laser





1.33 inches: 400 nozzles x 2 rows

Epson Solutions Suite – Streamlined Configuration and Management for Your Printer Fleet

Epson business printers offer a full suite of advanced printing solutions designed to help businesses easily manage the installation, configuration and operation of their print environment. With workflow administration, fleet management, remote services and third-party integration, Epson Solutions Suite has you covered.



Epson Device Admin

A powerful device management solution, Epson Device Admin was designed to simplify the installation, configuration and management of networked Epson printers with alert notifications and usage reporting.



Epson Print Admin

A cost-effective administration tool, Epson Print Admin helps customers increase document output security, manage print costs and improve productivity with its user-friendly software integration. Also available on select models as an embedded solution with **Epson Print Admin Serverless**.



Epson Remote Services

A cloud-based printer fleet management tool, Epson Remote Services was built to help partners remotely diagnose customer service needs, perform remote operations, generate alerts and more all from the convenience of the cloud. OF

Epson Open Platform

A third-party integration solution, Epson Open Platform allows users to gain control of their printing operations by interacting with embedded software from a variety of third-party Independent Software Vendor (ISV) solutions.

Compatibility varies by model.

Epson Security Features

Printer security is essential to an organization's information security strategy. That's why Epson builds security features into its business printers. Whether you're concerned with user, network or data security, Epson business printer technology is designed to meet your business requirements.



Protection Against External Threats Epson solutions can help block unapproved computer connections and disable external interfaces.



Secure Network Protocols

WorkForce Enterprise, WorkForce Pro and other select printers can utilize IPsec/IP filtering, TLS communication and SNMPv3.



Document Security

Secure confidential documents, utilize anti-copy patterns, add watermarks and encrypt PDFs with select Epson printers.



Automated Security

Easily streamline the installation, configuration and management of all Epson networked devices with Epson Device Admin.

Compatibility varies by model.

| | | | | | | | | | | 2024 |
|---|--|---|---|---|------------------------------------|------------------------------------|--|--|--|--|
| Business | Single User | WorkForce / WorkForce Pro | | | | | | | | |
| Printers | | | | | | | | | | |
| • Included — Not included | | | | | | | | | | |
| | Mobile printer with built-in battery | | | | Individual ink cart | ridges or packs that | t you replace as you | go | | |
| Model Name | WorkForce EC-C110* | WorkForce Pro WF-C4310* | WorkForce Pro WF-C4810* | WorkForce EC-C7000* | WorkForce Pro WF-M5399* | WorkForce Pro WF-M5899* | WorkForce Pro WF-C5390* | WorkForce Pro WF-C5890* | WorkForce Pro WF-C8190* | WorkForce Pro WF-C8690* |
| Product Code | C11CH25202 | C11CK18201 | C11CJ05205 | C11CH67202 | C11CK77201 | C11CK76201 | C11CK25201 | C11CK23201 | C11CG70201 | C11CG68201 |
| Color/Monochrome | Color | Color | Color | Color | Monochrome | Monochrome | Color | Color | Color | Color |
| Limited Warranty | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year |
| Features | Printer | Printer | MFP | MFP | Printer | MFP | Printer | MFP | Printer | MFP |
| ISO Print Speed (1-sided; 2-sided) [†] | Up to 6.7/3.8 ISO ppm (bk/clr) with AC adapter (1-sided) | 21/11 ISO ppm (bk/clr) 12/7 ISO ppm (bk/clr) | 25/12 ISO ppm (bk/clr) 16/9 ISO ppm (bk/clr) | 25/12 ISO ppm (bk/clr) 16/9 ISO ppm (bk/clr) | 25 ISO ppm (bk) 16 ISO ppm (bk) | 25 ISO ppm (bk) 16 ISO ppm (bk) | 25 ISO ppm (bk/clr) 16 ISO ppm (bk/clr) | 25 ISO ppm (bk/clr) 16 ISO ppm (bk/clr) | 24 ISO ppm (bk/clr) 16 ISO ppm (bk/clr) | 24 ISO ppm (bk/clr) 16 ISO ppm (bk/clr) |
| First Page Out Time (FPOT) (sec) / First Set Out Time (FSOT) (sec) ⁺⁺ | 20.6/71.7 (clr) | 8.6/26.7 (clr) | 8.1/24.6 (clr) | 8.1/25.8 (clr) | 4.6/11.9 (bk) | 4.6/11.9 (bk) | 4.7/12.2 (clr) | 4.7/12.2 (clr) | 5.2/12.9 (clr) | 5.2/12.9 (clr) |
| First Copy Out Time (FCOT) (sec) ⁺⁺ | _ | _ | 10 (clr) | 14 (clr) | _ | 7 (bk) | _ | 7 (clr) | _ | 6 (clr) |
| Recommended Monthly Page Volume ² | Up to 250 | Up to 1,600 | Up to 1,600 | Up to 2,500 | Up to 5,000 | Up to 5,000 | Up to 5,000 | Up to 5,000 | Up to 7,000 | Up to 7,000 |
| Maximum Paper Capacity | Up to 20 sheets | Up to 250 sheets | Up to 500 sheets | Up to 550 sheets | Up to 1,830 sheets ³ | Up to 1,830 sheets ³ | Up to 1,830 sheets ³ | Up to 1,830 sheets ³ | Up to 1,835 sheets ³ | Up to 1,835 sheets ³ |
| Maximum Paper Handling Size | 8.5" x 14" | 8.5" x 47.2" | 8.5" x 47.2" | 13" x 47.2" | 8.5" x 236.2" | 8.5" x 236.2" | 8.5" x 236.2" | 8.5" x 236.2" | 13" x 47.2" | 13" x 47.2" |
| ADF Capacity | — | — | Duplex: 50 sheets | Duplex: 50 sheets | _ | Duplex: 50 sheets | — | Duplex: 50 sheets | _ | Duplex: 50 sheets |
| Scan Bed Size | _ | _ | 8.5" x 11.7" | 11.7" x 17" | _ | 8.5" x 11.7" | — | 8.5" x 11.7" | _ | 11.7" x 17" |
| PCL ⁴ and PostScript [®] Support | _ | _ | _ | _ | • | • | • | • | • | • |
| Epson Open Platform and Epson Print Admin | _ | _ | _ | _ | • | • | • | • | • | • |
| SAP® Compliant | — | _ | _ | _ | • | • | • | • | • | • |
| Dimensions: Printer (W x D x H) | 12.2" x 9.3" x 8.5" | 16.7" x 19.4" x 6.5" | 16.7" x 19.8" x 13.0" | 20.3" x 38.4" x 20.5" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 24.1" x 34.1" x 22.5" | 24.1" x 34.1" x 22.5" |
| Dimensions: Storage (W x D x H) | 12.2" x 6.3" x 2.4" | 16.7" x 14.9" x 6.5" | 16.7" x 15.3" x 13.0" | 20.3" x 17.7" x 13.8" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 24.1" x 29.7" x 15.2" | 24.1" x 29.7" x 19.4" |
| Connectivity | USB, Wireless | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet |
| Epson Connect™ ⁵ | • | • | • | • | • | • | • | • | • | • |
| Wi-Fi Direct ^{®6} | • | • | • | • | • | • | • | • | • | • |
| AirPrint® | • | • | • | • | • | • | • | • | • | • |
| Ink Supplies | 215 Series | 924 Series | 924 Series | 812 Series | 12 Series | 12 Series | 10 Series | 10 Series | 912 Series | 912 Series |
| Maximum Replacement Ink Yield | ~250 pgs. bk/ ~200 pgs. clr ⁷ | ~2,200 pgs. bk/ ~1,700 pgs. clr ⁷ | ~2,200 pgs. bk/ ~1,700 pgs. clr ⁷ | ~2,200 pgs. bk/ ~1,100 pgs. clr ⁷ | ~40,000 pgs. bk ⁸ | ~40,000 pgs. bk ⁸ | ~10,000 pgs. bk/ ~5,000 pgs. clr ⁷ | ~10,000 pgs. bk/ ~5,000 pgs. clr ⁷ | ~11,500 pgs. bk/ ~8,000 pgs. clr ⁷ | ~11,500 pgs. bk/ ~8,000 pgs. clr ⁷ |
| Included Ink Yield | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| Ink Delivery | Cartridge | Cartridge | Cartridge | Cartridge | Pack | Pack | Pack | Pack | Cartridge | Cartridge |

* Designed for use exclusively with Epson cartridges or ink packs (ink delivery varies by model). ** Main unit when configured with either the optional dual cassette or cabinet.

| Business Printers | Supertank | | | | | | | | | |
|---|--|-----------------------------------|--|---|---|---|--|--|--|--|
| • Included — Not included | 1990). (1990). | | | | | | | | | |
| | | | High-yield bot | tles for high-volume | printing, plus IT adm | inistrative tools | | | | |
| Model Name | WorkForce ST-M1000 | WorkForce ST-M3000 | WorkForce ST-C2100 | WorkForce ST-C4100 | WorkForce Pro ST-C5000 | WorkForce Pro ST-C5500 | WorkForce ST-C8000 | WorkForce ST-C8090 | | |
| Product Code | C11CG94201 | C11CG93201 | C11CJ63203 | C11CJ60203 | C11CJ29203 | C11CJ28202 | C11CH71202 | C11CH71203 | | |
| Color/Monochrome | Monochrome | Monochrome | Color | Color | Color | Color | Color | Color | | |
| Limited Warranty | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | 2-year | | |
| Features | Printer | MFP | MFP (No fax) | MFP | MFP | MFP | MFP | MFP | | |
| ISO Print Speed (1-sided; 2-sided) [†] | 20 ISO ppm (bk) 9 ISO ppm (bk) | 20 ISO ppm (bk) 9 ISO ppm (bk) | 10.5/5 ISO ppm (bk/clr) 6/4 ISO ppm (bk/clr) | 15.5/8.5 ISO ppm (bk/clr) 6.5/4.5 ISO ppm (bk/clr) | 25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr) | 25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr) | 25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr) | 25 ISO ppm (bk/clr) 21 ISO ppm (bk/clr) | | |
| First Page Out Time (FPOT) (sec) / First Set Out Time (FSOT) (sec) ^{††} | 5.9/14.4 (bk) | 5.8/14.4 (bk) | 14.3/47.1 (clr) | 11.9/32.7 (clr) | 5.1/12.4 (clr) | 5.1/12.4 (clr) | 5.1/12.5 (clr) | 5.1/12.5 (clr) | | |
| First Copy Out Time (FCOT) (sec) ⁺⁺ | — | 13 (bk) | 33 (clr) | 31 (clr) | 10 (clr) | 10 (clr) | 13 (clr) | 13 (clr) | | |
| Recommended Monthly Page Volume ² | Up to 1,500 | Up to 1,500 | Up to 600 | Up to 800 | Up to 3,300 | Up to 3,300 | Up to 3,300 | Up to 3,300 | | |
| Maximum Paper Capacity | Up to 250 sheets | Up to 250 sheets | Up to 100 sheets | Up to 250 sheets | Up to 500 sheets | Up to 500 sheets | Up to 550 sheets | Up to 550 sheets | | |
| Maximum Paper Handling Size | 8.5" x 47.2" | 8.5" x 47.2" | 8.5" x 47.2" | 8.5" x 47.2" | 8.5" x 236.2" | 8.5" x 236.2" | 13" x 236.2" | 13" x 236.2" | | |
| ADF Capacity | _ | 35 sheets | | 30 sheets | Duplex: 50 sheets | Duplex: 50 sheets | 50 sheets | 50 sheets | | |
| Scan Bed Size | _ | 8.5" x 11.7" | 8.5" x 11.7" | 8.5" x 11.7" | 8.5" x 11.7" | 8.5" x 11.7" | 11.7" x 17" | 11.7" x 17" | | |
| PCL ⁴ and PostScript [®] Support | PCL only | PCL only | _ | _ | _ | • | _ | • | | |
| Epson Open Platform and Epson Print Admin | _ | _ | _ | _ | _ | _ | _ | • | | |
| SAP® Compliant | — | _ | — | _ | _ | — | • | • | | |
| Dimensions: Printer (W x D x H) | 14.8" x 13.7" x 5.9" | 14.8" x 13.7" x 13.6" | 14.8" x 22.3" x 10.2" | 16.4" x 19.8" x 10.0" | 16.7" x 32.4" x 18.1" | 16.7" x 32.4" x 18.1" | 20.3" x 38.4" x 20.5" | 20.3" x 38.4" x 20.5" | | |
| Dimensions: Storage (W x D x H) | 14.8" x 13.7" x 5.9" | 14.8" x 13.7" x 13.6" | 14.8" x 13.7" x 7.4" | 14.8" x 13.7" x 9.1" | 16.7" x 19.7" x 13.8" | 16.7" x 19.7" x 13.8" | 20.3" x 19.7" x 13.8" | 20.3" x 19.7" x 13.8" | | |
| Connectivity | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | USB, Wireless, Ethernet | | |
| Epson Connect™ ⁵ | • | • | • | • | • | • | • | • | | |
| Wi-Fi Direct ^{®6} | • | • | • | • | • | • | • | • | | |
| AirPrint® | • | • | • | • | • | • | • | • | | |
| Ink Supplies | 532 Series | 532 Series | 502 Series | 502 Series | 542 Series | 542 Series | 542 Series | 542 Series | | |
| Maximum Replacement Ink Yield | ~6,000 pgs. bk^9 | ~6,000 pgs. bk ⁹ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | ~7,500 pgs. bk/ ~6,000 pgs. clr ¹⁰ | | |
| Included Ink Yield | ~11,000 pgs. bk ⁹ | ~11,000 pgs. bk ⁹ | ~6,500 pgs. bk/ ~5,200 pgs. clr ¹⁰ | ~14,000 pgs. bk/ ~11,200 pgs. clr ¹⁰ | ~12,000 pgs. bk/ ~8,800 pgs. clr ¹⁰ | ~12,000 pgs. bk/ ~8,800 pgs. clr ¹⁰ | ~19,500 pgs. bk/ ~14,800 pgs. clr ¹⁰ | ~19,500 pgs. bk/ ~14,800 pgs. clr ¹⁰ | | |
| Ink Delivery | Bottle | Bottle | Bottle | Bottle | Bottle | Bottle | Bottle | Bottle | | |

* Designed for use exclusively with Epson cartridges or ink packs (ink delivery varies by model). ** Main unit when configured with either the optional dual cassette or cabinet.

www.epson.com/businessinkjet

2024

Business Printers

WorkForce Pro HC

WorkForce Enterprise



Included Ink Yield

Ink Delivery

_

Pack

_

Pack

Included

Not included



















SHEER P

| | Ultra high-cap | | nk packs for high-vo T tools | olume printing, | Breakthrough speed for mid- and high-volume printing, plus IT tools and networking | | | | | | | |
|---|---|---|---|---|--|--|--|--|--|--|--|--|
| Model Name | WorkForce Pro WF-C529R* | WorkForce Pro WF-C579R* | WorkForce Pro WF-C878R* | WorkForce Pro WF-C879R* | WorkForce Enterprise AM-C400 | WorkForce Enterprise AM-C550 | WorkForce Enterprise AM-C4000 | WorkForce Enterprise AM-C5000 | WorkForce Enterprise AM-C6000 | WorkForce Enterprise WF-C20750 | WorkForce Enterprise WF-C21000 | WorkForce Enterprise WF-M21000 |
| Product Code | C11CG79201 | C11CG77201 | C11CH60201 | C11CH35201 | C11CJ93201 | C11CJ92201 | C11CJ43201 | C11CJ42201 | C11CJ91201 | C11CH87201 | C11CH88201 | C11CJ87201 |
| Color/Monochrome | Color | Color | Color | Color | Color | Color | Color | Color | Color | Color | Color | Monochrome |
| Limited Warranty | 1-year | 1-year | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead | 90-day for hardware/ 3-year for printhead |
| Features | Printer | MFP | MFP | MFP | MFP | MFP | MFP | MFP | MFP | MFP | MFP | MFP |
| ISO Print Speed (1-sided; 2-sided) [†] | 24 ISO ppm (bk/clr) 15 ISO ppm (bk/clr) | 24 ISO ppm (bk/clr) 15 ISO ppm (bk/clr) | 25/24 ISO ppm (bk/clr) 17/16 ISO ppm (bk/clr) | 26/25 ISO ppm (bk/clr) 18/17 ISO ppm (bk/clr) | 40 ISO ppm (bk/clr) 40 ISO ppm (bk/clr) | 55 ISO ppm (bk/clr) 55 ISO ppm (bk/clr) | 40 ISO ppm (bk/clr) 40 ISO ppm (bk/clr) | 50 ISO ppm (bk/clr) 50 ISO ppm (bk/clr) | 60 ISO ppm (bk/clr) 60 ISO ppm (bk/clr) | 75 ISO ppm (bk/clr) 75 ISO ppm (bk/clr) | 100 ISO ppm (bk/clr) 100 ISO ppm (bk/clr) | 100 ISO ppm (bk) 100 ISO ppm (bk) |
| First Page Out Time (FPOT) (sec) / First Set Out Time (FSOT) (sec) ⁺⁺ | 4/4.5 (bk/clr)/ 15 (bk/clr) | 4.8/5.3 (bk/clr)/ 14 (bk/clr) | 5.5 (bk/clr)/ 12/13 (bk/clr) | 5.5 (bk/clr)/ 13 (bk/clr) | 4.9 (bk/clr) FPOT | 4.3 (bk/clr) FPOT | 6 (bk/clr) FPOT | 5.1 (bk/clr) FPOT | 4.5 (bk/clr) FPOT | 7 (bk/clr) FPOT | 7 (bk/clr) FPOT | 6.2 (bk) FPOT |
| First Copy Out Time (FCOT) (sec) ⁺⁺ | _ | 7 (bk/clr) | 6.5/7.1 (bk/clr) | 6.5/7 (bk/clr) | 6.4 (standard)/ 5.2 (FCOT Priority Mode) | 5.7 (standard)/ 5.0 (FCOT Priority Mode) | 10 (standard) / 6.1 (FCOT Priority Mode) | 9 (standard) / 5.5 (FCOT Priority Mode) | 8 (standard) / 5.2 (FCOT Priority Mode) | 9.5/9.6 (bk/clr) | 9.5/9.6 (bk/clr) | 8.8 (bk) |
| Recommended Monthly Page Volume ² | 2,500 to 10,000 | 2,500 to 10,000 | 5,000 to 30,000 | 5,000 to 30,000 | 3,500 to 30,000 | 4,500 to 30,000 | 6,000 to 60,000 | 8,000 to 60,000 | 10,000 to 60,000 | 15,000 to 100,000 | 25,000 to 100,000 | 50,000 to 100,000 |
| Maximum Paper Capacity | Up to 1,330 sheets ³ | Up to 1,330 sheets ³ | Up to 1,835 sheets ³ | Up to 1,900 sheets ³ | Up to 2,100 sheets ³ | Up to 2,100 sheets ³ | Up to 5,150 sheets ³ | Up to 5,150 sheets ³ | Up to 5,150 sheets ³ | Up to 5,350 sheets ³ | Up to 5,350 sheets ³ | Up to 5,350 sheets ³ |
| Maximum Paper Handling Size | 8.5" x 47.2" | 8.5" x 47.2" | 13" x 47.5" | 13" x 47.5" | 8.5" x 14" | 8.5" x 14" | 11.7" x 47.2" | 11.7" x 47.2" | 11.7" x 47.2" | 13" x 47.2" | 13" x 47.2" | 13" x 47.2" |
| ADF Capacity | | 50 sheets | Duplex: 50 sheets | Duplex: 150 sheets | Duplex: 100 sheets | Duplex: 100 sheets | Duplex: 150 sheets | Duplex: 150 sheets | Duplex: 150 sheets | Duplex: 150 sheets | Duplex: 150 sheets | Duplex: 150 sheets |
| Scan Bed Size | | 8.5" x 14" | 11.7" x 17" | 11.7" x 17" | 8.5" x 14" | 8.5" x 14" | 11.7" x 17" | 11.7" x 17" | 11.7" x 17" | 11.7" x 17" | 11.7" x 17" | 11.7" x 17" |
| PCL ⁴ and PostScript [®] Support | • | • | • | • | • | • | • | • | • | • | • | • |
| Epson Open Platform and Epson Print Admin | • | • | • | • | • | • | • | • | • | • | • | • |
| SAP® Compliant | • | • | • | • | • | • | • | • | • | • | • | • |
| Dimensions: Printer (W x D x H) | 16.7" x 22.8" x 23.8" | 16.7" x 22.8" x 23.8" | 24.4" x 33.9" x 28.3" | 24.4" x 37.0" x 29.9" | 18.3" x 19.3" x 22.4" | 18.3" x 19.3" x 22.4" | 21.9" x 24.4" x 47.8"** | 21.9" x 24.4" x 47.8"** | 21.9" x 24.4" x 47.8"** | 26.5" x 29.8" x 48.9" | 26.5" x 29.8" x 48.9" | 26.5" x 29.8" x 48.9" |
| Dimensions: Storage (W x D x H) | 16.7" x 21.1" x 20.2" | 16.7" x 21.1" x 20.2" | 24.4" x 25.7" x 25.2" | 24.4" x 29.6" x 28.0" | 18.3" x 19.3" x 22.4" | 18.3" x 19.3" x 22.4" | 21.9" x 24.4" x 47.8" | 21.9" x 24.4" x 47.8" | 21.9" x 24.4" x 47.8" | 26.5" x 29.8" x 48.9" | 26.5" x 29.8" x 48.9" | 26.5" x 29.8" x 48.9" |
| Connectivity | USB, Wireless, Ethernet, Fax | USB, Wireless, Ethernet, Fax | USB, Wireless, Ethernet, Fax | USB, Wireless, Ethernet, Fax | USB, Ethernet, Wireless LAN (optional), Fax (optional) | USB, Ethernet, Wireless LAN (optional), Fax (optional) | USB, Ethernet, Wireless LAN (optional), Fax (optional) | USB, Ethernet, Wireless LAN (optional), Fax (optional) | USB, Ethernet, Wireless LAN (optional), Fax (optional) | USB, Wireless, Ethernet, Fax (optional) | USB, Wireless, Ethernet, Fax (optional) | USB, Wireless, Ethernet, Fax (optional) |
| Epson Connect ^{™5} | • | • | • | • | • | • | • | • | • | • | • | • |
| Wi-Fi Direct ^{®6} | • | • | • | • | • | • | • | • | • | • | • | • |
| AirPrint® | • | • | • | • | • | • | • | • | • | • | • | • |
| Ink Supplies | 01C/01D Series | 01C/01D Series | 05A/05B Series | 05A/05B Series | 08K Series | 08M Series | 08D Series | 08C Series | 08C Series | 02S Series | 02Y Series | 04Q Series |
| Maximum Replacement Ink Yield | ~50,000 pgs. bk/ ~20,000 pgs. clr ⁷ | ~50,000 pgs. bk/ ~20,000 pgs. clr ⁷ | ~86,000 pgs. bk/ ~50,000 pgs. clr ⁷ | ~86,000 pgs. bk/ ~50,000 pgs. clr ⁷ | ~31,500 pgs. bk/ ~28,000 pgs. clr ⁷ | ~31,500 pgs. bk/ ~28,000 pgs. clr ⁷ | ~50,000 pgs. bk/ ~30,000 pgs. clr ⁷ | ~50,000 pgs. bk/ ~30,000 pgs. clr ⁷ | ~50,000 pgs. bk/ ~30,000 pgs. clr ⁷ | ~50,000 (x2) pgs. bk/ ~50,000 pgs. clr ⁷ | ~50,000 (x2) pgs. bk/ ~50,000 pgs. clr ⁷ | ~60,000 (x2) pgs. bk ³ |

_

Cartridge

—

Cartridge

Cartridge

_

Cartridge

Pack

_

Pack

_

Cartridge

—

Cartridge

_

Cartridge

_

Cartridge

Epson

EPSON

why .

is a leading provider of innovative technology solutions that help businesses succeed.

In fact, you'll find our projectors, scanners and printers—and even robots—hard at work in companies all over the globe.

| A Legacy of Innovation | Seiko Epson Corporation holds 1,620 U.S. patents (50,000 patents globally) in imaging and printing technology. |
|------------------------|---|
| Market Leadership | Epson is a worldwide leader in point-of-sale printers. But our leadership doesn't stop there. We are also the best-selling projector brand worldwide. |
| Global Presence | Epson has 23 manufacturing locations around the world, providing the infrastructure needed to reach a global marketplace. |
| Extensive Expertise | Over 1,000 engineers are continually pioneering groundbreaking Epson technology. |
| Great Accountability | Epson provides precision-engineered solutions for your business technology needs. And we give you added peace of mind with world-class service and support. |

EPSON[®]

Epson Business Solutions

Driven by a relentless pursuit of innovation and market leadership, Epson empowers organizations to achieve their unique goals through a wide breadth of precision-engineered solutions. With a full suite of efficient and compact products ranging from printers to projectors and robots to microdevices, Epson is uniquely positioned to provide enduring partnerships and world-class expertise to those we serve every step of the way.

Discover how Epson can support your business at www.epson.com/forbusiness



Scan to learn more.

+ Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | 🕂 FPOT is measured on letter-size paper in accordance with ISO/IEC 17629. FSOT is measured on letter-size paper in accordance with ISO/IEC 24735. FCOT is measured on letter-size paper in accordance with ISO/IEC 29183. | 1 EC-C110 and ST-C2100 feature MicroPiezo® technology. | 2 Monthly duty cycle is the highest duty a user could expect in a month, based on near-constant operation of a device of this kind. It is not recommended that the device be run at this duty. For best device performance, run the device at the recommended monthly page volume. | 3 With optional paper tray(s). Number of optional travs varies by model, | 4 Not all media types are supported for PCL printing, | 5 Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | 6 Wi-Fi CERTIFIEDTM; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | 7 Replacement ink cartridge and ink pack yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors have to be installed for printing. For print quality, part of the ink from the included ink cartridges or ink packs is used for printer startup and a variable amount of ink remains in the cartridges or packs after the "replace cartridge" or "replace pack" signal. For details, see www.epson.com/inkinfo | 8 Replacement ink cartridge and ink pack yields are based on the ISO/IEC 24711 standard using the ISO/IEC 19752 pattern in Default Mode printing continuously. Yields vary considerably for reasons including images printed, print settings, temperature, humidity, and frequency of use. Yields may be lower when printing infrequently. Ink is used for printing and printer maintenance. For print quality, part of the ink from the included ink cartridges or ink packs is used for printer startup and a variable amount of ink remains in the ink cartridge or ink pack after the "replace cartridge" or "replace pack" signal. For details, see www.epson.com/inkinfo | 9 Part of the ink from the included bottle is used for initial setup. Yields are lower than those of replacement ink bottles. Included and replacement ink bottle yields based on the ISO/IEC 19752 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Ink is used for printing and printer maintenance, and the ink must be available for printing. For more information, visit www.epson.com/inkinfo | 10 Part of the ink from the included bottles is used for initial setup. Yields are lower than those of replacement ink bottles. Included and replacement ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colors. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. For more information, visit www.epson.com/inkinfo



Epson America, Inc. 3131 Katella Ave., Los Alamitos, CA 90720 Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON, MicroPiezo, PrecisionCore, the PrecisionCore Heat-Free logo and WorkForce are registered trademarks and Epson Connect is a trademark of Seiko Epson Corporation. 502 is a trademark of Epson America, Inc. AirPrint is a trademark of Apple Inc., registered in the U.S. and other countries. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIEDTM is a trademark of Wi-Fi Alliance®. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2024 Epson America, Inc. CPD-52185R8 6/24