

Compatible Label Media



Ratings
 NR - Not recommended. After the test, image is completely removed.
 OK - After the test, image is still readable. There could be slight damage to media or some smearing of image.
 Good - After the test, image remains the same and there is no damage to media.
 Blank - untested.

Description	Manufacturer (alphabetical order)	Product	C7500, C3500, C831	C7500G, C6000, C6500	Level of Water Resistance (NR/ OK/ Good)	Level of Alcohol Resistance (NR/ OK/ Good)	BS5609 approved? (Yes/No)	UL Certified? (Yes/No)	May Show Star Wheel Marks with C7500*	Link to Vendor Spec sheet
SUPER GLOSS										
High-Gloss Polypropylene	Avery Dennison	79659	X			NR				TDS
DemandJet™ 500HG	Avery Dennison	53109/ 53110	X			NR				TDS
DemandJet™ 500HG R195 40#SCK	Avery Dennison	53684	X			NR				
DemandJet™ 500HG FasCover™ S2501 40#SCK	Avery Dennison	53966	X			NR				TDS
White Polypropylene	Mactac	JWP9501		X	NR	NR			X	Data sheet
MACjet® High Gloss Paper	Mactac	JG1802		X	NR				X	Data sheet
White Glossy Polyester	Wausau	W024545	X	X	NR	NR	No	No		Data sheet
White Glossy Polypropylene (50# Liner)	Wausau	W025324	X	X	NR	NR	No	No	X	Data sheet
White Glossy Polypropylene (40# Liner)	Wausau	W024556	X	X	NR	NR	No	No	X	Data sheet
GLOSS										
Gloss White BOPP WBIJ S7000 40#BG	Avery Dennison	79659	X	X		NR			X	TDS
Gloss Clear BOPP WBIJ S7000 40#BG	Avery Dennison	79668	X	X		NR				TDS
Gloss-Coated Photorealistic Paper	Green Bay Packaging	1GINK		X						Data sheet
Cascade™ Gloss Inkjet Paper	Spinnaker	48889		X			No			Data sheet
Cascade™ Gloss Clear Polypropylene	Spinnaker	48614		X		NR	No			Data sheet
Cascade™ Gloss White Polypropylene	Spinnaker	48613		X		NR	No			Data sheet
JETGLOSS-FSC / RP51 / 2.8 mil WHITE KRAFT	UPM Raflatac	LS235H		X					X	
JETGLOSS / RH15 / 40# WHITE KRAFT	UPM Raflatac	LS335J		X					X	
JETGLOSS PRO RP51 40# WHITE KRAFT	UPM Raflatac	LS275Z		X		NR			X	
JETGLOSS PRO RH25 40# WHITE KRAFT	UPM Raflatac	LX300X		X					X	
POLYJET Gloss White Polypropylene	UPM Raflatac	SY836N		X		NR				
POLYJET Gloss White Polypropylene	UPM Raflatac	SY841T		X		NR				
POLYJET Gloss White PET	UPM Raflatac	SY849B		X		NR				
60# Glossy Paper (AT Adhesive)	Wausau	W018890	X	X	OK	OK	No	No		Data sheet
60# Glossy Paper (PCT Adhesive)	Wausau	W023070	X	X	OK	OK	No	No		Data sheet
60# Glossy Paper (Removable Adhesive)	Wausau	W032012	X	X	OK	OK	No	No		Data sheet
60# Glossy Paper (Blockout Adhesive)	Wausau	W032315	X	X	OK	OK	No	No		Data sheet
SATIN/SEMI-GLOSS										
DemandJet SG WBIJ AT20 40#SCK	Avery Dennison	54197	X	X		NR				TDS
DemandJet SG WBIJ S2501 40#LF	Avery Dennison	54166	X	X		NR				TDS
Satin White BOPP WBIJ AT20 40#BG	Avery Dennison	79800	X	X		NR				TDS
Semi-Gloss Paper	Mactac	JSG9002	X	X						Data sheet
Cascade™ Satin Inkjet Paper	Spinnaker	45772	X	X			No			Data sheet
JETCOLOR Satin Paper	UPM Raflatac	LS276A	X	X						
60# Satin Paper	Wausau	W024062	X	X	NR	NR	No	No		Data sheet
55# Semi Gloss	Wausau	W026126	X	X	NR	NR	No	No		Data sheet
MATTE										
2 mil Matte White Polyester IJ	3M	7850-IJ	X	X						Data sheet
2 mil Matte White Polyester IJ	3M	7882-IJ	X	X						Data sheet
5 mil Matte White Polyolefin	3M	FP033-IJ	X	X						Data sheet
Premium Matte Inkjet S2501 41#LF	Avery Dennison	53708	X	X		NR				TDS
Premium Matte Inkjet AT20 40#SCK	Avery Dennison	54049	X	X		NR				TDS

Compatible Label Media



Description	Manufacturer (alphabetical order)	Product	C7500, C3500, C831	C7500G, C6000, C6500	Level of Water Resistance (NR/ OK/ Good)	Level of Alcohol Resistance (NR/ OK/ Good)	BS5609 approved? (Yes/No)	UL Certified? (Yes/No)	May Show Star Wheel Marks with C7500*	Link to Vendor Spec sheet
MATTE										
Premium Matte Inkjet S246 40#SCK	Avery Dennison	54058	X	X		NR				TDS
Standard Matte WBIJ S2501 40#SCK <i>Note: Caliper = 8.1 mils</i>	Avery Dennison	54060	X	X	NR	NR				TDS
Matte White BOPP WBIJ AT20 40#BG	Avery Dennison	79799	X	X						TDS
3 Mil Matte White Synthetic S8001 50#SCK	Avery Dennison	79404	X	X	NR	NR				TDS
2 Mil White Inkjet PET C2500 50#SCK	Avery Dennison	79119	X	X	NR	NR				TDS
3.2 Mil White Inkjet Vinyl S730 50#SCK	Avery Dennison	79330	X	X	NR	NR				TDS
5 Mil Matte Inkjet S8001 50#SCK (UL listed) <i>Note: Caliper = 8.8 mils</i>	Avery Dennison	79673	X	X	OK	OK		Yes		TDS
Matte-Coated Water-Resistant Paper	Green Bay Packaging	06INK	X	X						Data sheet
MACjet® Matte Paper	Mactac	JM1802	X	X						Data sheet
Cascade™ Premium Matte Inkjet Paper	Spinnaker	48845	X	X			No			Data sheet
Cascade™ Diversiprint Poly	Spinnaker	47245	X	X			No			Data sheet
JETCOLOR RP54 Paper	UPM Raflatac	LS111C	X	X						
60# Premium Matte Paper	Wausau	W019909	X	X	OK	NR	No	No		Data sheet
60# Premium Matte Paper (AT Adhesive)	Wausau	W019909	X	X	OK	NR	No	No		Data sheet
60# Premium Matte Paper (Removable Adhesive)	Wausau	W030781	X	X	OK	NR	No	No		Data sheet
60# Premium Matte Paper (Blockout Adhesive)	Wausau	W030668	X	X	OK	NR	No	No		Data sheet
3.3 mil Satin White Squeezable Polyolefin	Wausau	W031075	X	X	OK	NR	No	No		Data sheet
3.1 mil Matte Inkjet Polypropylene	Wausau	W022805	X	X	NR	NR	No	No		Data sheet
3.3 mil Matte Inkjet Polypropylene	Wausau	W027107	X	X	Good	Good	No	No		Data sheet
GHS										
5 mil Matte White Polyolefin (BS5609 Approved)	3M	7790-IJ	X	X			Yes	Yes		Data sheet
5 mil Matte White Kimdura® Drum Label (BS5609 Approved for C831, C3500) <i>Note: Caliper = 8.8 mils</i>	Avery Dennison	79348	X	X	OK	OK	Yes - 831/6000			TDS
3.5 Mil Matte White Synthetic WBIJ AT20 50#SCK (BS 5609 Approved for all printers)	Avery Dennison	79724	X	X		NR	Yes - 831/6000			TDS
MACjet® Drum Matte White Kimdura® Ink Jet (BS5609 Approved)	Mactac	JK8011	X				Yes			Data sheet
Cascade™ 5.0mil Matte White Polypropylene	Spinnaker	45696	X	X			No			Data sheet
POLYJET Matte White Polypropylene	UPM Raflatac	SY848A	X	X						
POLYJET MATTE WHITE DL RP37 3.2 mil WHITE KRAFT	UPM Raflatac	SY829F	X	X						
POLYJET MATTE WHITE DL RP37 40# WHITE KRAFT	UPM Raflatac	SY881K	X	X						
POLYJET MATTE WHITE PP / RP78 / 3.2 mil WHITE KRAFT	UPM Raflatac	SY879H	X	X						
POYJET Matte White Vinyl (BS5609 Approved)	UPM Raflatac	SY823Z	X	X			Yes			
3.4 Mil Matte GHS Poly	UPM Raflatac	SY921B	X	X						
White 4 mil Matte Drum PPE Label (BS5609 Approved) <i>Note: Caliper = 7.4 mils</i>	Wausau	W018769	X	X	Good	Good	Yes	No		Data sheet
White 5 mil Matte Drum Label (BS5609 Approved) <i>Note: Caliper = 8.4 mils</i>	Wausau	W019985/ W023050	X	X	Good	Good	Yes	No		Data sheet
White 3.5 Mil Matte Drum Label (BS5609 Approved) <i>Note: Caliper = 7.76 mils</i>	Wausau	W027572	X	X	Good	Good	Yes	No		Data sheet
White 3.3 mil Matte Drum Label (BS5609 Approved)	Wausau	W030841/ W030842	X	X	Good	Good	Yes	No		Data sheet

Compatible Label Media



Description	Manufacturer (alphabetical order)	Product	C7500, C3500, C831	C7500G, C6000, C6500	Level of Water Resistance (NR/ OK/ Good)	Level of Alcohol Resistance (NR/ OK/ Good)	B55609 approved? (Yes/No)	UL Certified? (Yes/No)	May Show Star Wheel Marks with C7500*	Link to Vendor Spec sheet
UNCOATED										
79812 Rapid-Roll® 7.5 Mil Kimdura WBIJ	Avery Dennison	79812	X	X						TDS
79816 Rapid-Roll® 6Mil C2S Premium Matte WBIJ FSC	Avery Dennison	79816	X	X						TDS
79817 Rapid-Roll® 10Mil C2S Glossy WBIJ FSC	Avery Dennison	79817	X	X						TDS
79932 Rapid-Roll® 9.5 Mil Kimdura WBIJ	Avery Dennison	79932	X	X						TDS
50# Uncoated Smudge-Resistant EDP Paper	Green Bay Packaging	050ED	X							Data sheet
50# Uncoated Super Bright Paper	Green Bay Packaging	050LJ	X							Data sheet
50# Uncoated 100% PCW Bright White Paper	Green Bay Packaging	R51LJ	X							Data sheet
MACcopy® 50# Standard Paper	Mactac	LAS1812	X		NR					Data sheet
MACcopy® 40# Standard Paper	Mactac	LAS1802	X							Data sheet
MACcopy® Standard Paper with acrylic all-temperature/ cold temp permanent adhesive	Mactac	LAS2612	X							Data sheet
MACcopy® Standard Paper with acrylic general purpose permanent adhesive	Mactac	LAS9512	X							Data sheet
MACcopy® Standard Paper with acrylic general purpose removable adhesive	Mactac	LAS5112	X							Data sheet
MACcopy® Standard Paper with acrylic general purpose removable adhesive	Mactac	LAS8612	X							Data sheet
MACcopy® Standard Paper with acrylic low tack removable adhesive	Mactac	LAS8412	X							Data sheet
MACcopy® Standard Paper with acrylic short-term removable adhesive	Mactac	LAS0912	X							
Cascade™ Diversisprint Paper	Spinnaker	4216	X				No			Data sheet
50# JETLASER RP54 Paper	UPM Raflatac	LS21D	X							
50# JETLASER Plus Paper	UPM Raflatac	LS158D	X							
54# LASER Paper	UPM Raflatac	LS153Y	X							
50# High Performance Inkjet / PCT-241 / 40# SC	Wausau	W032892	X	X	OK	NR	No	No		Data sheet
55# Natural Kraft Inkjet <i>Note: Caliper = 9.74 mils</i>	Wausau	W030692	X	X	NR	NR	No	No		Data sheet
50# Premium Uncoated Laser/IJ	Wausau	W002378	X	x	OK	NR	No	No		Data sheet
TEXTURED PAPER (BEER/WINE)										
60# Classic® Linen WS FSC® S100R 44#PK (8.5 mil)	Avery Dennison	12571	X	X	NR	NR				TDS
60# Estate Label® No. 4 WS FSC S100R 44#PK (9.5 mil)	Avery Dennison	01533	X	X	NR	NR				TDS
50# Natural Label™ AT20 40#SCK (8.8 mil)	Avery Dennison	16328	X	X	NR	NR				TDS
60# Classic Crest® Solar White Wet-Strength Paper	Green Bay Packaging	OWCSW	X							Data sheet
70# Eggshell Felt w/30% PCW Wet Strength Paper <i>Note: Caliper = 10.61 mils</i>	Wausau	W027650	X	X	OK	NR	No	No		Data sheet
60# Estate® #4 Laid - White Wet Strength Paper <i>Note: Caliper = 9.04 mils</i>	Wausau	W027827	X	X	OK	NR	No	No		Data sheet
60# Avon Brilliant White Classic® Linen Text Wet Strength <i>Note: Caliper = 8.34 mils</i>	Wausau	W027802	X	X	OK	NR	No	No		Data sheet
70# Bright White Felt w/30% PCW Wet Strength Paper <i>Note: Caliper = 10.4 mils</i>	Wausau	W026460	X	X	OK	NR	No	No		Data sheet

Compatible Label Media



Description	Manufacturer (alphabetical order)	Product	C7500, C3500, C831	C7500G, C6000, C6500	Level of Water Resistance (NR/ OK/ Good)	Level of Alcohol Resistance (NR/ OK/ Good)	B55609 approved? (Yes/No)	UL Certified? (Yes/No)	May Show Star Wheel Marks with C7500*	Link to Vendor Spec sheet
WOVEN/FABRIC										
Repositionable Woven Fabric Label	Worthen	PS418WWF	X							
Aqueous IJ Cotton Label	Worthen	CS497W	X							
Dupont™ Tyvek® 8740D Grade Facestock	Worthen	TD401W	X							
Dupont™ Tyvek® 1056DR Grade Facestock	Worthen	TY401W	X							
CLEAR										
2.0 Frosted PET	Green Bay Packaging	MCINK		X		NR			X	Data sheet
Clear Polypropylene	Mactac	JCP9501		X		NR			X	Data sheet
Cascade™ Gloss Clear Polypropylene	Spinnaker	48614		X		NR	No			Data sheet
Polyjet Clear Polypropylene	UPM Raflatac	SY863R		X		NR			X	
3.2 mil Clear Glossy Inkjet Polypropylene	Wausau	W024557	X	X	NR	NR	No	No	X	Data sheet
METALLIC										
Metallized PET WBIJ AT20 40#SCK	Avery Dennison	79979	X	X						IDS

Last updated May 2020

* Various coatings (especially stickier and waxy coatings) can be vulnerable to accumulating on C7500's star wheels, which may create a path of small white dots on the printed image.

Mention of third party products and companies on this site are for informational purposes only and constitute neither an endorsement nor a recommendation. Epson makes no representations regarding the quality, safety or suitability of any third party company products or their application. Epson does not endorse or have any responsibility for or control over the security of content, information or products detailed in any third party websites and makes no representations in respect thereof. Epson does not have any responsibility for or control over the performance or change in specification of third party company products. Accordingly, specifications must be checked with the media vendors before ordering directly from them. Given the variety of factors that can affect the use and performance of the tested media, end-users are solely responsible for assessing media specifications and its intended use by first directly contacting media suppliers before making a decision to buy it, in order to determine whether it is an appropriate fit for a particular application.