

EPSON

LIFESTUDIO

CREATE THE MOMENT



**EF-73 GoogleTV Laser Projector**

New Feature |  Wireless Charging Station

MODEL		EF-73	
Projection System		RGB liquid crystal shutter projection system	
Specification of Main Parts	LCD	Size	0.62-inch
		Driving Method	Poly-silicon TFT active matrix
		Pixel Number	2,073,600 dots (1,920 x 1,080) x 3
		Native Resolution	1080p
		Aspect Ratio	16:9
	Projection Lens	Type	No Optical zoom / Focus (Powered)
		F-Number	1.6
		Focal Length	16.6mm
		Zoom Ratio	1.0-3.33 (Digital Zoom)
		Throw Ratio	1.2
		Screen Size (Projected Distance, Zoom: Wide)	30" to 150" [0.77 to 4.02 m]
		Projected Distance	Standard size: 60" screen 1.59 m
		Offset	7.4:1
	Light Source	Lens Cover	Cover glass
Type		LED	
Resolution on Screen (Max)	Light Source Life (Normal)	over 20000 hours	
	Resolution	4K	
Light Output (Brightness)	Pixel Number	4,147,200 dots (1920x1080x2)	
	Normal (High)	1000 lm	
Contrast	Auto iris : ON (Dynamic)	Over 5,000,000:1	
Light Output Uniformity		85%	
Color Reproduction		Up to 1.07 billion colors	
Internal Speaker(s)	Sound Output	5W + 5W stereo with dual passive radiator	
Audio specification for marketing communication of Sound by Bose		Audio: Sound by Bose Audio output: 2.0 Stereo EQ modes: 4 tuned with Sound by Bose technology (Cinema, Dialogue, Music, Standard)	
Projection Orientation		Vertical: Upper: 45 degrees to Lower: 15 degrees Horizontal: ±90 degrees	
Foot Adjuster		Vertical: Upper: 45 degrees to Lower: 15 degrees Horizontal: ±90 degrees	
High Dynamic Range		Yes (HDR10)	
Dolby Certification (Audio)	Certification	Dolby Audio (Dolby Digital Plus Consumer Decoder)	
	Input	Streaming, HDMI	
Network I/O	Wireless LAN Built-in	Yes (Smart Media Player Function)	
Smart Eye Protection		Yes	
Wall Color Adjustment		Yes	
Operating Temperature (low altitude)		Yes 5 °C to 35 °C * <41 °F to 95 °F> 20% - 80% humidity/No condensation	
Operating Altitude		0 m to 3048 m <0 ft to 10000 ft>	
Storage Temperature		-10 °C to 60 °C <14 °F to 140 °F> (10% - 90% humidity, No condensation)	
Exhaust Direction		Rear	
Intake Direction		Bottom	
Air Filter	Maintenance Cycle (Power consumption: Normal/ECO)	5000H/5000H	
Power Supply Voltage		100 - 240 V AC +/- 10%, 50/60 Hz	
Power Consumption	LD On (Power consumption: Normal, Custom)	135W	
	LD On (Power consumption: Quiet, Extended)	82W	
	Networked Standby	2W	
	Energy Saving	0.5W	
Dimension	Exclude Feet (W x H x D)	190 x 250.4 x 198.1	
	Maximum Dimension (W x H x D)	190x 251.4 x 198.1	
Weight		Approx. 8.6 lbs./3.9 kg	
Fan Noise	Power consumption: Normal	28dB	
	Power consumption: ECO	23dB	

**EPSON**

[www.epson.com.hk](http://www.epson.com.hk)

**Epson Hong Kong Limited**

Unit 715-722A, 7/F Trade Square, 681 Cheung Sha Wan Road, Cheung Sha Wan, Kowloon, H.K.  
\*Please call our sales hotlines for demonstration at our showroom.

**Epson Authorized Customer Service Centre**

**Wah Fung Computer Services Ltd.**  
Unit 901, 9/F, Westin Centre, 26 Hung To Road, Kwun Tong, Kowloon, Hong Kong

**HK Sales Hotline :** (852) 2827 8711 | **HK Technical Hotline :** (852) 2827 8911 | **Macau Hotline :** (853) 2850 8065