

**PICTURE PERFECT.
PRINT TO BELIEVE IT.**

The Epson SureColor™ SC-P607/P807 brings out true quality in your photo collection. Epson's UltraChrome® HD ink set delivers unprecedented black density, true-to-life colour gradations and definitions. Enhanced by a practical and productive design, along with efficient connectivity features, Epson is your choice for stunning, unforgettable photo results.



SureColor SC-P607



SureColor SC-P807



Versatile
Media
Handling



Up to 1.5mm
Thick*



Ethernet



Wi-Fi



Epson
Connect

ENGINEERED FOR BUSINESS

Professional Quality

The Epson UltraChrome® HD ink set delivers superb black density, smooth gradation, sharp definition and colour stability.

Versatile Media Handling

Supports three-way paper feeding and dynamic photo printing on a variety of media, from fine art and roll papers to panoramas over 10 feet long.

Superior Print Productivity

Enjoy unparalleled speed and productivity with 80ml high-capacity ink cartridges* and practical features such as auto-switching of photo black and matte black.



The new Epson UltraChrome® HD inks help you attain exceptional quality and enhanced visual brilliance in your photo prints. The nine-colour ink set delivers a wider range of colours, so the prints exhibit phenomenal longevity and impressive vividness. Whether you're a professional or a hobbyist, now you can produce consistent, stunning, exhibition-quality prints that stand the test of time.




Professional Quality


Infuse the highest black density, colour stability and exceptional print permanence into your photos. The SureColor™ SC-P607 and P807 printers use a three-level Black Ink technology that simultaneously employs Black, Light Black and Light Light Black ink, to produce a black density never before seen with pigment ink, and an unsurpassed grey balance. To add to that, the advanced black-and-white print mode achieves professional-level neutral or toned black-and-white prints.

Equipped with Epson's proprietary Micro Piezo™ printhead, these inkjet printers deliver crisp, precise prints that exhibit minimal misting and spots. Print in sizes of up to A3+ with dots as small as 2 picolitres with the SC-P607, and up to A2 size with dots of 3.5 picolitres with the SC-P807. By employing the Epson Variable-Sized Droplet technology, the UltraChrome® HD ink is enhanced to deliver 10 shadings per ink droplet at a unit area. Additionally, ink-repellent coating decreases maintenance while increasing reliability.


Higher Photo Black pigment density



Higher Matte Black pigment density at media surface



Dot placement



Versatile Media Handling

Easily print on fine art, roll papers, canvas and create panoramas over 10 feet long. Both the SureColor™ SC-P607/P807 printers allow users to change media on the fly with three paper paths, through a high-capacity cut-sheet feeder – a single-sheet front-in and front-out thick paper path for media and poster board up to 1.5mm* thick, an optional rear-mounted 2 or 3-inch core roll feeder for P807, and a rear-mounted 2-inch core roll feeder for P607.

The sturdy optional roll holder on the P807 enables users to print on 17"-wide roll media. Ideal for printing panoramic photos.



* Available on SureColor SC-P807 only.

Superior Print Productivity

With the Epson SureColor™ SC-P607/P807 series, you get a meticulously balanced printer designed for speed and quality. High-capacity ink cartridges let you devote more time on production and spend less time on maintenance.

The precision front-feed mechanism, and a redesigned paper path, allows for fine art paper handling, and loading from the front. This eliminates the need for rear feeding, thereby reducing the printer's footprint.

Both photo black and matte black ink cartridges are loaded simultaneously. Depending on the selected media types, the P607 and P807 switch between the two black inks via the printer driver to match the media in use, achieving ideal large photo print runs at a lower cost per print. With nine 80 ml high-yield ink cartridges, the P807 promises superior print productivity like never before. Photo black produces prints with minimal grey for rich, highly detailed prints, while matte black significantly increases ink density when printing on more absorbent matte surfaces.



Convenient Connectivity

Wherever you may be, all you need is an internet connection and a mobile device fitted with Apple® AirPrint™ or Google Cloud Print™ to print directly from your screen. Equipped with connectivity features such as 100 Mbit Ethernet, Wi-Fi Direct, Wireless n1 and Hi-Speed USB 2.0, the SureColor SC-P607 and P807 printers provide flexible options for seamless and effortless connectivity across platforms and devices.



Ease of Use

2.7" LCD Panel

The backlit 2.7-inch Tilting Colour LCD touch panel allows for most functions to be accessed and controlled from the screen, including the initial setting up – without the need to turn on the PC.

Epson Layout Manager

The Epson Print Layout interface supports the use of advanced Adobe® Photoshop® and Adobe® Lightroom plug-ins, eliminating the hassle of dealing with multiple software interfaces by providing all-in-one access to image previews, printer driver settings and colour settings.



Epson Colorbase 2

To ensure that the exact print quality and resolution is preserved whenever needed, the Epson Colorbase 2 software is the go-to utility to calibrate your company's professional range.

With a few simple and intuitive steps, this user-friendly application only needs a one-time calibration when using genuine media. There is no need to recalibrate when switching between media – this means greater productivity and output consistency.

PARTNERS IN PERFECTION



Epson Signature Worthy Media

Designed in collaboration with the world's leading creative professionals, Epson Signature Worthy Papers have been developed and tested at the highest levels to work in concert with Epson's industry-leading professional printers and inks.



Perfection™ V800 Photo Scanner

Boasting up to 6400 dpi with Optical Density of 4.0 Dmax for film scanning, and enhanced by an energy-efficient ReadyScan LED technology, so you can expect images refined in brilliant resolutions, with zero warm-up time.

MODEL NUMBER	SC-P607	SC-P807
Maximum Print Size	13" wide	17" wide
Printing Technology	On-demand ink jet (piezo electric), Variable-Sized Droplet Technology	
Printing Method	Black: 180 nozzles for each 3 black ink, Colour: 180 nozzles for each 5 colour ink	
Nozzle Configuration	Bi-directional printing, Uni-directional printing	
Print Direction	New LUT Technology	
LUT		
Print Quality		
Maximum Resolution	5760 x 1440 dpi	2880 x 1440 dpi
Minimum Ink Droplet Volume	2 pl	3.5 pl
Print Speed*		
4" x 6" PGPP Borderless	44 sec	72 sec
8" x 10" A4 PGPP with Border	92 sec	120 sec
11" x 14" A3 + PGPP with Border	153 sec	197 sec
Ink System		
Name	Epson UltraChrome HD ink	
Colour	Cyan, Vivid Magenta, Photo Black / Matte Black, Light Black, Light Light Black, Yellow, Vivid Light Magenta, Light Cyan	
Ink Capacity	25.9ml	80ml (Initial Ink 64ml)
Control Panel		
Colour & Size	2.7" colour LCD touchscreen	
Paper Handling		
Paper Feed Method	Friction Feed	
Printing Area (width)	Cut Sheet: 89mm (3.5") - 329mm (13") Roll Paper: 329mm only, 2" core CD / DVD Printing: Yes	Cut Sheet: 89mm (3.5") - 431.8mm (17") Roll paper: 329 (13") - 431.8mm (17"), 2" or 3" core
Thickness	Back Loading Plain Paper: 0.08 - 0.11 mm Back Loading Genuine Media: 0.08 - 0.3 mm Front Loading Fine Art Paper: 0.3 - 0.7 mm Front Loading Straight Path: 0.7 - 1.3 mm	Back Loading Plain Paper: 0.08 - 0.11 mm Back Loading Genuine Media: 0.08 - 0.3 mm Front Loading Fine Art Paper: 0.3 - 0.7 mm Front Loading Straight Path: 1.20 - 1.50 mm Roll Path: 0.25 - 0.70 mm
Back Tray Input Capacity	Plain Paper (73g/m²): 120 Sheets	
Required Minimum Margin	N/A	4" x 6", 5" x 7", 8" x 10", 11" x 14", 16" x 20", 17" x 22": all directions 3mm Thick paper: Top and bottom 20mm Roll paper: Top 50mm, Bottom 14mm Other sizes: all directions 3mm
Support Operation System	Windows XP SP1 / Vista / 7 / 8 / 8.1 / MacOS X 10.6.8 or later	
Interface	Wired Connection: Hi-Speed USB, 10 BASE-T / 100 BASE-TX Wireless Connection: Wi-Fi (IEEE802.11 b/g/n)	
Memory	256MByte	
Environmental Characteristics		
Temperature	Operating: 10°C - 35°C, Storage: -20°C - 40°C	
Humidity	Operating: 20 - 80% (no condensation), Storage: 5 - 85% (no condensation)	
Dimensions / Weight (Main Unit)		
Dimension (W x D x H)	Close: 616 x 369 x 228 mm Open: 616 x 814 x 424 mm	Close: 684 x 376 x 250 mm Open: 684 x 963 x 550 mm
Weight	Approx. 15kg (without ink cartridge)	Approx. 19.5kg (without ink cartridges)
Dimensions / Weight (Roll Paper Unit)		
Dimension Roll Paper Unit (excluding spindles)	N/A	564 x 227 x 277 mm
Dimension With Main Unit (including a spindle)	N/A	Close: 684 x 586 x 286 mm Open: 684 x 769 x 286 mm
Weight	N/A	Approx. 2.6kg (including a spindle)
Electrical Characteristics		
Rated Power Supply Voltage	AC 100 - 120 V / 220 - 240 V (Rated Voltage will vary depending on area)	
Rated Frequency	50 - 60Hz	
Power Consumption	Operating: Approx. 20W Sleep: Approx. 1.4W (100 - 120 V) Sleep: Approx. 1.4W (220 - 240 V) Power off: Approx. 0.15W (100 - 120 V) Power off: Approx. 0.3W (220 - 240 V)	Operating: Approx. 21W Sleep: Approx. 1.8W(100 - 120 V, 120V) Sleep: Approx. 1.8W (220 - 240 V) Power off: Approx. 0.3W (100 - 120 V, 120V) Power off: Approx. 0.5W (220 - 240 V)
Rated Power Supply Current	N/A	0.6A (100 - 120 V, 120V) 0.3A (220 - 240 V)
Acoustic Noise Level	Colour printing: Approx. 48.2dB according to ISO 7779	
Bundled Item	Initial Ink Cartridge, Printer Driver, CD / DVD Tray, CD - Dummy, Roll Holder Assy, Setup Guide, USB Cable, Supplement, Warranty	Initial Ink Cartridge, Printer Driver, Setup Guide, Power Cable, Supplement, Warranty
Available Utility Software	Printer Driver, XPS Driver, Print CD, iPrint, Epson Creative Print, Epson Easy Photo Print, EpsonNet Config, EpsonNet Setup, EpsonNet Print, Software Updater, Firmware Updater, Adobe ICC Profile, Print Layout, ColorBase 2, E-Web Print, Uninstaller, Google Cloud Print	Printer Driver, XPS Driver, Epson Easy Photo Print, EpsonNet Config, EpsonNet Setup, EpsonNet Print, Software Updater, Firmware Updater, Adobe ICC Profile, Epson Print Layout, ColorBase2, E-Web Print, Uninstaller, Imaging WorkShop, iPrint, Epson Creative Print

Dimensions & Weight

SC-P607

Weight: Approx. 15kg



SC-P807

Weight: Approx. 19.5kg



Ink Cartridges

	SC-P607 Product Code	SC-P807 Product Code
Photo Black	C13T763100	C13T853100
Cyan	C13T763200	C13T853200
Vivid Magenta	C13T763300	C13T853300
Yellow	C13T763400	C13T853400
Light Cyan	C13T763500	C13T853500
Vivid Light Magenta	C13T763600	C13T853600
Light Black	C13T763700	C13T853700
Matte Black	C13T763800	C13T853800
Light Light Black	C13T763900	C13T853900

*Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.



© 2017 Epson India Pvt. Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct at time of printing.
Printed January 2018

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore - 560 008.
Tel: 080-30515000 Fax: 080-30515005

Regional Offices:

Ahmedabad - 3314 8500, Chennai - 3967 7500, Cochin - 4012 315,
Coimbatore - 98942 19200, Hyderabad - 6463 9640/41, Kolkata - 6500 9370/77, Mumbai - 3079 8200,
New Delhi - 3312 0300/01, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Harishankar 098802 85075 **NORTH** Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550,
Sudhir Kumar 093898 35156 **EAST** Sourov Kumar 098746 72616 **WEST** Milind 098209 74733, Devendra 098509 49453.



Epson Helpline: For product info or service - 1800 425 0011
For service - 1860 3000 1600 (9AM - 6PM) (Mon - Sat)
Email: ifp@epsonindia.in

www.epson.co.in

Dealer's Stamp