

ENGINEERED FOR good

EPSON

GENUINE TKDN



30 tahun

Beroperasi di
Indonesia

2

Pabrik

10.000+

Lapangan Kerja untuk
Karyawan Lokal

55+

Produk Bersertifikat
TKDN



**KATALOG PRODUK EPSON
TKDN FY25**

Inovasi untuk Negeri



PINDAI DISINI

UNTUK
INFORMASI
TKDN LEBIH LANJUT

MENGENAL TKDN DAN MANFAATNYA

**TOTAL 59 UNIT
TERSERTIFIKASI TKDN**

**TKDN+BMP TERTINGGI
SAMPAI DENGAN 75%**



**2 PABRIK
DI INDONESIA &
>10.000 TENAGA KERJA**

BATAM

CIKARANG



**SUDAH
BERSERTIFIKAT
TKDN**

IDUL ADHA

TREE
PLANTING

CSR MANGROOVE

BLOOD DONATION

CSR

EGTS



**>120
SUPLIER LOKAL**

**“Hati-hati jangan asal pilih!
Pilih produk TKDN yang sebenarnya,
sebagai wujud Bangga Karya
Anak Bangsa!”**

Epson Indonesia telah menciptakan
produk dengan persentase komponen
dalam negeri yang tinggi

Berdasarkan Peraturan Menteri
Perindustrian No.16 Tahun 2011:

- Berinvestasi di Indonesia
- Berlokasi di Indonesia
- Berproduksi di Indonesia

APA ITU TKDN?

Tingkat Komponen Dalam Negeri (TKDN) merupakan suatu aspek penting dalam hal rantai pasokan di dalam negeri. Secara garis besar TKDN adalah nilai persentase dari komponen berbagai produksi di dalam negeri. Adapun Komponen Produk barang TKDN meliputi aspek produksi (material yang digunakan, kewarganegaraan tenaga kerja, serta negara kepemilikan alat kerja yang digunakan) dan aspek pengembangan (Piranti Lunak, Desain Industri, dan Desain Tata Letak).

Penerapan TKDN dalam pengadaan barang dan jasa dalam pemberdayaan industri dalam negeri, merupakan upaya pemerintah dalam meningkatkan P3DN (Penggunaan Produk Dalam Negeri).*



SCAN HERE

MANFAAT TKDN

TKDN memiliki berbagai manfaat bagi pemerintah maupun masyarakat Indonesia. Secara singkat, penerapan TKDN dapat meminimalisasi produk impor dan meningkatkan daya saing produk di dalam negeri.

- Tercipta Lapangan Kerja Baru
- Penghematan Devisa Negara
- Meningkatkan Pemasukan PPh
- Dukungan Untuk Ekonomi Dalam Negeri
- Meningkatkan Rasa Bangga dengan Produk Dalam Negeri

KOMITMEN EPSON MENDUKUNG TKDN



PRINTER INK TANK ALL-IN-ONE

[ALL-IN-ONE INKTANK PRINTER]

Total Nilai
TKDN + BMP

66.45%



L3211



Print

Scan

Copy

Printer Type

Print, Scan, Copy

Technology

On Demand Inkjet (Piezoelectric)

Ink

4 Colours Epson Genuine Ink Bottle

Print Resolution

5,760 x 1,440 dpi
(with Variable-Sized Droplet Technology)

Print Speed

Approx. 33 ppm / 15 ppm

Copy Resolution

600 x 600 dpi

Copy Speed

Up to 7.0 ipm / 1.7 ipm

Scan Resolution

600 x 1,200 dpi

Scan Speed

Monochrome 200 dpi: 11 sec

Colour 200 dpi: 32 sec

Connectivity

USB 2.0 Hi-speed

Warranty

2 years or 30,000 pages

**Free Additional 1 year with sign-up
to MyEpson Portal**

Ink Model

003 (CMYK)

Total Nilai
TKDN + BMP

75.28%



L3251



Print

Scan

Copy

Wi-Fi
Direct

Epson
Connect

Epson
Smart
Panel

Printer Type

Print, Scan, Copy

Technology

On Demand Inkjet (Piezoelectric)

Ink

4 Colours Epson Genuine Ink Bottle

Print Resolution

5,760 x 1,440 dpi
(with Variable-Sized Droplet Technology)

Print Speed

Approx. 33 ppm / 15 ppm

Copy Resolution

600 x 600 dpi

Copy Speed

Up to 7.7 ipm / 3.8 ipm

Scan Resolution

1200 x 2400 dpi

Scan Speed

Monochrome 200 dpi: 11 sec

Colour 200 dpi: 28 sec

Connectivity

USB 2.0, Wi-Fi, Wi-Fi Direct

Epson Connect

Epson iPrint, Epson Email Print,

Remote Print Driver

Epson Smart Panel

2 years or 30,000 pages

**Free Additional 1 year with sign-up
to MyEpson Portal**

Ink Model

003 (CMYK)

**Other Mobile Solution
Warranty**

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP
40.18%

L15150



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4800 x 2400 dpi [with Variable-sized Droplet Technology]
Print Speed	Approx; 32.0 ppm / 22.0 ppm
Copy Resolution	600 x 600 dpi
Copy Speed	23.0 ipm / 10.0 ipm
Scan Resolution	1200 x 2400 dpi
Scan Speed	Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
Connectivity	USB 2.0 Hi-speed, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
Epson Connect	Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Epson Smart Panel
Warranty	2 years or 80,000 pages
Ink Model	008 [CMYK – Pigment]

EPSON TKDN – PDN

Total Nilai
TKDN + BMP
41.27%

L15160



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4800 x 2400 dpi [with Variable-sized Droplet Technology]
Print Speed	Approx; 32.0 ppm / 32.0 ppm
Copy Resolution	600 x 600 dpi
Copy Speed	23.0 ipm / 23.0 ipm
Scan Resolution	1200 x 1200 dpi
Scan Speed	Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
Connectivity	USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (8 connections)
Epson Connect	Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service
Ink Model	008 [CMYK – Pigment]

PRINTER BISNIS INKJET

[BUSINESS INKJET PRINTER]

Total Nilai
TKDN + BMP

41.08%

L15180



- Printer Type** Print, Scan, Copy, Fax with ADF
- Technology** PrecisionCore Printhead
- Ink** 4 Colours Epson Genuine Ink Bottle
- Print Resolution** 4800 x 1200 dpi (with Variable-sized Droplet Technology)
- Print Speed** Approx; 32.0 ppm / 32.0 ppm
- Copy Resolution** 600 x 600 dpi
- Copy Speed** 23.0 ipm / 23.0 ipm
- Scan Resolution** 1200 x 2400 dpi
- Scan Speed** Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm
Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
- Connectivity** USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (8 connections)
- Epson Connect** Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
- Other Mobile Solutions** Apple AirPrint, Mopria Print Service
- Ink Model** 008 [CMYK - Pigment]

Total Nilai
TKDN + BMP

50.66%

M15140




- Printer Type** Print, Scan, Copy with ADF
- Technology** PrecisionCore™ Printhead
- Ink** Black Pigment Epson genuine Ink Bottle
- Print Resolution** 4800 x 2400 dpi (with Variable-sized Droplet Technology)
- Print Speed** up to 32.0 ppm
- Copy resolution** 600 x 600 dpi
- Copy speed** up to 23.0 ipm
- Scan Resolution** 1200 x 2400 dpi
- Scan Speed** Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm
- Connectivity** USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
- Epson Connect** Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
- Other Mobile Solution** Apple AirPrint, Mopria Print Service, Smart Panel
- Warranty** 4 years or 150.000 pages
- Ink Model** 008 [K - Pigment]

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP
47.77%

M15180



Printer Type Technology Ink

Print Resolution

Print Speed

Copy Resolution

Copy Speed

Scan Resolution

Scan Speed

Connectivity

Epson Connect

Other Mobile Solutions Ink Model

Print, Scan and Copy with ADF
PrecisionCore Printhead
Black Pigment Epson Genuine Ink Bottle
4800 x 2400 dpi (with Variable-sized Droplet Technology)
Up to 32 ppm
600 x 600 dpi
Up to 23 ipm
1200 x 2400 dpi
Black 200 dpi : Flatbed : 5 sec / ADF
[Simplex / Duplex] : 26.0 ipm / 11.5 ipm
Colour 200 dpi : Flatbed : 10 sec / ADF
[Simplex / Duplex] : 9.0 ipm / 6.0 ipm
USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (8 connections)
Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Apple AirPrint, Mopria Print Service
008 (K - Pigment)

WORKFORCE PRO WF-C579R



Total Nilai
TKDN + BMP
34.33%



Print Tech

Print Type

Print Resolution

Print Speed

Copy Speed

Scan Speed

Scan Resolution

Paper Size

Power Consumption

Connectivity

Epson Connect

Other Mobile Solutions

Consumable

PrecisionCore™ Printhead
Print, Scan, Copy, Fax with ADF
4,800 x 1,200 dpi
[with Variable-Sized Droplet Technology]
Up to 34 ppm / 34 ppm [Black#1 / Colour#2] - Draft Text - Memo (A4)
Up to 24 ipm / 24 ipm [Black / Colour] - ISO 24734, A4, Simplex
Up to 22 ipm / 22 ipm [Black / Colour] - ISO 29183, A4, Simplex
Up to 22 ipm / 22 ipm [Black / Colour] - ISO 29183, A4, Simplex
Up to 22 ipm / 22 ipm [Black / Colour] - ISO 24735, A4, 1:1
Monochrome 200 dpi: 5 sec (flatbed, A4 Landscape)
Colour 200 dpi: 5 sec (flatbed, A4 Landscape)
ADF (duplex), 5 sec / 24 ppm / 8 ipm
1,200 x 2,400 dpi
A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Operating: 29 Watt
Standby: 14 Watt
Sleep: 1.3 Watt
USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct
Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Apple AirPrint, Google Cloud Print, Mopria Print Service
Up to 50,000 pages* ink packs

PRINTER BISNIS INKJET

[BUSINESS INKJET PRINTER]

Total Nilai
TKDN + BMP

44.29%



L6550



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Print Resolution	4,800 x 2,400 dpi
Print Speed	Up to 32 ppm / 22 ppm 25/12 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 10 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Monochrome: 200dpi Up to 5.0sec / 27.5 ppm / 11 ipm Colour: 200dpi Up to 10sec / 9.0 ppm / 6.0 ipm
Connectivity	USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution	Apple AirPrint, Mopria Print Service
Ink Model	008 (CMYK – Pigment)

Total Nilai
TKDN + BMP

43.81%



L6580



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4,800 x 1,200 dpi
Print Speed	Up to 32 ppm / 32 ppm 25/25 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 23 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Monochrome: 5 sec / Up to 27.5 ipm / 11.5 ipm Colour: 10 sec / Up to 9.0 ipm / 6.0 ipm
Connectivity	USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution	Apple AirPrint, Mopria Print Service
Ink Model	008 (CMYK – Pigment)

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP

41.96%

WORKFORCE PRO WF-C878R



Print Method
Max Resolution
Min Droplet Size
Print Speed

PrecisionCore™ Print Head
4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
4.6 pl

Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour)
ISO 24734, A4, Simplex : Approx. 25 ipm / 24 ipm (Black / Colour)
ISO 24734, A4, Duplex : Approx. 17 ipm / 16 ipm (Black / Colour)
ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour)
ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)

Copy Resolution
Copy Speed

600 x 600 dpi
ISO 29183, A4, Simplex (Flatbed) Approx. 23 ipm / 22 ipm (Black / Colour)
ISO 24735, A4, Simplex (ADF) Approx. 21 ipm / 21 ipm (Black / Colour)
ISO 24735, A4, Duplex (ADF) Approx. 15 ipm / 15 ipm (Black / Colour)

Scan Resolution
Scan Speed

1,200 x 2,400 dpi
[A4 Landscape, Flatbed / ADF Simplex / ADF Duplex]
Monochrome 200 dpi: 4.0 sec / 25 ppm / 45 ipm
Colour 200 dpi: 5.0 sec / 25 ppm / 45 ipm

Memory

3,072 MB

WORKFORCE PRO WF-C879R



Total Nilai
TKDN + BMP

32.14%



Print Method
Max Resolution
Min Droplet Size
Print Speed

PrecisionCore™ Print Head
4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
4.6 pl

Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour)
ISO 24734, A4, Simplex : Approx. 26 ipm / 25 ipm (Black / Colour)
ISO 24734, A4, Duplex : Approx. 18 ipm / 17 ipm (Black / Colour)
ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour)
ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)

Copy Resolution
Copy Speed

600 x 600 dpi
ISO 29183, A4, Simplex (Flatbed) : Approx. 24 ipm / 23 ipm (Black / Colour)

Scan Resolution
Scan Speed

600 x 600 dpi
[A4 Landscape, Flatbed / ADF Simplex / ADF Duplex]
Monochrome 200 dpi: 3.7 sec / 50 ppm / 100 ipm
Colour 200 dpi: 3.7 sec / 50 ppm / 100 ipm

Memory

4,224 MB

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE PRO WF-C20750



Total Nilai
TKDN + BMP

26.25%



Print Tech
Print Type
Print Resolution
Print Speed

PrecisionCore™ Linehead Inkjet Technology
Print, Scan, Copy, Fax
600 x 2,400 dpi
Approx. 75 ipm / 75 ipm (Black / Colour) -
ISO 24734, A4, Simplex / Duplex
Approx. 45 ipm / 25.4 ipm (Black / Colour) -
ISO 24734.2, A3, Simplex / Duplex
Approx. 5.5 sec / 5.5 sec (Black / Colour) -
ISO First Page Out Time

Copy Speed

Approx. 75 ipm (Black / Colour) - ISO 29183, A4, Simplex (Flatbed)
Approx. 75 ipm (Black / Colour) - ISO 24735, A4, Simplex (ADF 1:1)
Approx. 75 ipm (Black / Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)

Scan Speed

3.7 sec / 60 ppm / 110 ppm
(200 dpi; Mono / Colour)

Scan Resolution
Paper Size

600 x 1,200 dpi
A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4

Power Consumption

Operating: 160 Watt
Standby: 77 Watt
Sleep: 1.4 Watt

Connectivity

USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC

Epson Connect

Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud

Other Mobile Solutions
Consumable

Google Cloud Print, Mopria Print Service
Up to 100,000 pages* for black ink pack

WORKFORCE PRO WF-C21000



Total Nilai
TKDN + BMP

26.08%



Print Tech
Print Type
Print Resolution
Print Speed

PrecisionCore™ Linehead Inkjet Technology
Print, Scan, Copy, Fax
600 x 2,400 dpi
Approx. 100 ipm / 100 ipm (Black / Colour) -
ISO 24734, A4, Simplex / Duplex
Approx. 54 ipm / 36.3 ipm (Black / Colour) -
ISO 24734.2, A3, Simplex / Duplex
Approx. 5.0 sec / 5.0 sec (Black / Colour) -
First Page Out Time

Copy Speed

Approx. 100 ipm (Black / Colour) -
ISO 29183, A4, Simplex (Flatbed)
Approx. 100 ipm (Black / Colour) -
ISO 24735, A4, Simplex (ADF 1:1)
Approx. 100 ipm (Black / Colour) -
ISO 24735, A4, Duplex (ADF 1:2 / 2:2)

Scan Speed

3.7 sec / 60 ppm / 110 ppm
(200 dpi; Mono / Colour)

Scan Resolution
Paper Size

600 x 1,200 dpi
A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4

Power Consumption

Operating: 170 Watt
Standby: 77 Watt
Sleep: 1.4 Watt

Connectivity

USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC

Epson Connect

Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud

Other Mobile Solutions
Consumable

Apple AirPrint, Google Cloud Print, Mopria Print Service
Up to 100,000 pages* for black ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE PRO WF-M21000



Total Nilai
TKDN + BMP
26.06%



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 100 ipm / 100 ipm (Black) - ISO 24734, A4, Simplex / Duplex Approx. 54 ipm / 36.3 ipm (Black) - ISO 24734.2, A3, Simplex / Duplex Approx. 5.0 sec / 5.0 sec (Black) - First Page Out Time
Copy Speed	Approx. 100 ipm / 100 ipm (black) - ISO 29183, A4, Simplex (Flatbed) Approx. 100 ipm / 100 ipm (black) - ISO 24735, A4, Simplex (ADF, 1:1)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 180 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

WORKFORCE ENTERPRISE AM-C4000



Total Nilai
TKDN + BMP
26.76%



Print Tech	PrecisionCore™ Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 23 ipm / 11 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 7.6 sec / 7.6 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 40 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

PRINTER BISNIS INKJET

[BUSINESS INKJET PRINTER]

WORKFORCE ENTERPRISE AM-C5000



Total Nilai
TKDN + BMP
26.76%



Print Tech	PrecisionCore™ Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 30 ipm / 15 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.7 sec / 6.7 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 50 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

WORKFORCE ENTERPRISE AM-C6000



Total Nilai
TKDN + BMP
26.78%



Print Tech	PrecisionCore™ Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 36 ipm / 20 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.1 sec / 6.1 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 60 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE PRO WF-C5890



Total Nilai
TKDN + BMP
39.56%



Print Tech	PrecisionCore™ Printhead
Print Type	Print, Scan, Copy, Fax with ADF
Print Resolution	4,800 x 1,200 dpi [with Variable-Sized Droplet Technology]
Print Speed	Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4) Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex Up to 15 ipm / 15 ipm (Black / Colour) - ISO 24734, A4, Duplex
Copy Speed	Up to 22 ipm / 22 ipm (Black / Colour) - ISO 29183, A4, Simplex Up to 22 ipm / 22 ipm (Black / Colour) - ISO 24735, A4, 1:1
Scan Speed	Monochrome 200 dpi: Flatbed / ADF (simplex) / ADF (duplex), 5 sec / 24 ppm / 8 ipm Colour 200 dpi: Flatbed / ADF (simplex) / ADF (duplex), 5 sec / 24 ppm / 8 ipm
Scan Resolution	1,200 x 2,400 dpi
Paper Size	A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Power Consumption	Operating: 25 Watt Standby: 12 Watt Sleep: 1.5 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable	Up to 10,000 pages* for black ink pack & 3,000 pages* for color ink pack

WORKFORCE PRO WF-5390



Total Nilai
TKDN + BMP
37.79%



Print Tech	PrecisionCore™ Printhead
Print Type	Print (Single Function)
Print Resolution	4,800 x 1,200 dpi [with Variable-Sized Droplet Technology]
Print Speed	Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4) Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex Up to 15 ipm / 15 ipm (Black / Colour) - ISO 24734, A4, Duplex
Paper Size	A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Power Consumption	Operating: 22 Watt Standby: 7 Watt Sleep: 1.2 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver
Other Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable	Up to 10,000 pages* for black ink pack & 3,000 pages* for color ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)



WORKFORCE PRO WF-M5899



Print Tech	PrecisionCore™ Printhead
Print Type	Print (Single Function)
Print Resolution	1,200 x 2,400 dpi
Print Speed	Black Draft Text - Memo, A4 Up to 34 ppm ISO 24734, A4 Simplex, Up to 25 ipm ISO 24734, A4 Duplex, Up to 16 ipm First Page Out Time, Approx. 4.8 sec
Copy Speed	Up to 22 ipm (Black) - ISO 29183, A4, Simplex Up to 22 ipm (Black) - ISO 24735, A4, 1:1
Scan Speed	Monochrome 200 dpi: 5.0 sec / 30 ppm / 60 ipm Colour 200 dpi: 5.0 sec / 30 ppm / 60 ipm
Scan Resolution	1,200 x 2,400 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, 16K, Indian Legal, Letter, 8.5 x 13in, Legal, Photo Paper: 4 x 6", 16:9 Wide, 5 x 7", 8 x 10", Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 25 Watt Standby: 9.8 Watt Sleep: 1.1 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct (up to 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver
Other Mobile Solutions	Apple AirPrint, Mopria, Microsoft Universal Print, ChromeOS
Consumable	Up to 40,000 pages for black ink pack



WORKFORCE PRO WF-M5399



Print Tech	PrecisionCore™ Printhead
Print Type	Print (Single Function)
Print Resolution	1,200 x 2,400 dpi
Print Speed	Black Draft Text - Memo, A4 Up to 34 ppm ISO 24734, A4 Simplex, Up to 25 ipm ISO 24734, A4 Duplex, Up to 16 ipm First Page Out Time, Approx. 4.8 sec
Paper Size	A6, A5, A4, B6, B5, Half Letter, 16K, Indian Legal, Letter, 8.5 x 13in, Legal, Photo Paper: 4 x 6", 16:9 Wide, 5 x 7", 8 x 10", Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 25 Watt Standby: 9.8 Watt Sleep: 1.1 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct (up to 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver
Other Mobile Solutions	Apple AirPrint, Mopria, Microsoft Universal Print, ChromeOS
Consumable	Up to 40,000 pages for black ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)



WORKFORCE ENTERPRISE AM-C400



Print Tech	PrecisionCore™ Line Head Inkjet Technology
Print Type	Print, Scan, Copy with ADF
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 6.4 sec / 6.4 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 40 ipm (Black and Colour) - ISO 29183, A4, Flatbed Copy Speed Approx. 40 ipm (Black/ Colour) - ISO 24735, A4 (1:1, 1:2, 2:2), ADF Copy Speed
Scan Speed	3.9 sec / 50 ppm / 100 ipm Monochrome 200 dpi (Flatbed / ADF Simplex / ADF Duplex) 3.9 sec / 50 ppm / 100 ipm Colour 200 dpi (Flatbed / ADF Simplex / ADF Duplex)
Scan Resolution	600 x 600 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Letter, Legal, Custom Size: 85 x 140 mm – 215.9 x 297 mm
Power Consumption	Operating: 84 Watt, Standby: 39 Watt, Sleep: 0.9 Watt
Connectivity	USB 3.0, Ethernet, Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, ChromeOS, Microsoft Universal Print
Consumable	Up to 31,500 pages for black ink pack Up to 28,000 pages for colour ink pack



WORKFORCE ENTERPRISE AM-C550



Print Tech	PrecisionCore™ Line Head Inkjet Technology
Print Type	Print, Scan, Copy with ADF
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 55 ipm / 55 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 5.9 sec / 5.9 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 55 ipm (Black and Colour) - ISO 29183, A4, Flatbed Copy Speed Approx. 55 ipm (Black/ Colour) - ISO 24735, A4 (1:1, 1:2, 2:2), ADF Copy Speed
Scan Speed	3.9 sec / 50 ppm / 100 ipm Monochrome 200 dpi (Flatbed / ADF Simplex / ADF Duplex) 3.9 sec / 50 ppm / 100 ipm Colour 200 dpi (Flatbed / ADF Simplex / ADF Duplex)
Scan Resolution	600 x 600 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Letter, Legal, Custom Size: 85 x 140 mm – 215.9 x 297 mm
Power Consumption	Operating: 86 Watt, Standby: 39 Watt, Sleep: 0.9 Watt
Connectivity	USB 3.0, Ethernet, Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, ChromeOS, Microsoft Universal Print
Consumable	Up to 31,500 pages for black ink pack Up to 28,000 pages for colour ink pack

PEMINDAI DOKUMEN

[DOCUMENT SCANNER]

Total Nilai
TKDN + BMP

48.49%



WORKFORCE DS-1630



Scan up to A4



Scan 1200 dpi



RGB LED Lighting



USB 2.0 Bus-powered

Scanner Type

Flatbed colour image scanner with ADF

Sensor Type

Colour Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

1200 dpi x 1200 dpi

Document Size (Min)

89 x 127 mm (ADF Simplex), 89 x 170 mm

(ADF Duplex)

216 x 297 mm (Flatbed), 215.9 x 3048 mm

(ADF Simplex)

50 - 120 g/m²

Supported Paper Weight

ADF Capacity

50 sheets (80g/m²)

Daily Scan Volume

Up to 1,500 sheets/day

Scanning Speed

Colour

Flatbed

200-300 dpi

approx. 7.0 sec, 1.4 msec/line

600 dpi

approx. 26 sec, 3.2 msec/line

ADF

200-300 dpi

25 ppm / 10 ipm

600 dpi

9.0 ppm / 6.0 ipm

Operating System

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016 /

2019, Mac OS X 10.6.8 or later

Interface

USB 3.0

Dimensions

450x318x121mm

Weight

4.1kg

Total Nilai
TKDN + BMP

49.65%



WORKFORCE DS-730N



Scan up to A4



Colour LCD



One Pass Duplex Scanning



Ethernet

Scanner Type

Sheet-fed, one pass duplex colour scanner

Sensor Type

Colour Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 6096 mm

Supported Paper Weight

27 - 413 g/m²

ADF Capacity

100 sheets (80 g/m²)

Daily Scan Volume

Up to 6,500 sheets/day

Scanning Speed

Resolution (A4, Colour/Monochrome)

300 dpi

40 ppm / 80 ipm

600 dpi

12 ppm / 24 ipm

Operating System

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10 /

Server 2003 / Server 2008 / Server 2012 /

Server 2016 / Server 2019, Mac OS X 10.6.8

or later

Interface

USB2.0 and Ethernet

(1000BASE-T/100BASE-TX/10BASE-T)

Dimensions

296 x 169 x 167 mm

Weight

3.6kg

PEMINDAI DOKUMEN

(DOCUMENT SCANNER)

Total Nilai
TKDN + BMP

45.76%



WORKFORCE ES-580W



Scanner Type	A4 Sheet-fed, one pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 6096 mm
Supported Paper Weight	27 - 413 g/m2
ADF Capacity	100 sheets (80 g/m ²)
Daily Scan Volume	Up to 4.000 sheets/day
Scanning Speed	
Resolution (A4, Colour/Monochrome)	
300 dpi	35 ppm / 70 ipm
600 dpi	12 ppm / 24 ipm
Operating System	Windows 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 / Server 2019 Mac OS X 10.6.8 or later
Interface	USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n), Wi-Fi Direct (max 8 connections)
Dimensions	296 x 169 x 167 mm
Weight	3.7kg




EPSON TKDN - PDN

Total Nilai
TKDN + BMP

46.69%



WORKFORCE DS-530II



Scanner Type	A4 Sheet-fed, one-pass duplex colour scanner
Sensor Type	Contact Image Scanner (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 6096 mm
Supported Paper Weight	27 - 413 g/m2 (A8 or less 127 - 413 g/m2)
ADF Capacity	50 sheets (80g/m ²)
Daily Scan Volume	Up to 4.000 pages/day
Scanning Speed	
Resolution (Colour/Greyscale/Mono)	Simplex / Duplex
200/300 dpi	35 ppm / 70 ipm
600 dpi	12 ppm / 24 ipm
Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later
Interface	USB 3.2 Gen 1
Dimensions	296 x 169 x 176 mm
Weight	3.7 kg



PEMINDAI DOKUMEN

(DOCUMENT SCANNER)

Total Nilai
TKDN + BMP

45.97%



WORKFORCE DS-570WII



Scan
up to A4



Scan from
27gsm to
413gsm



One Pass
Duplex
Scanning



Wi-Fi**



Epson Smart
Panel**

Scanner Type	A4 Sheet-fed, one-pass duplex colour scanner
Sensor Type	Contact Image Scanner (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 609.6 mm
Supported Paper Weight	27 - 413 g/m2 (A8 or less : 127 - 413 g/m2)
ADF Capacity	50 sheets (80g/m2)
Daily Scan Volume	Up to 4.000 pages/day
Scanning Speed	
Resolution (Colour/Greyscale/Mono)	Simplex / Duplex
200/300 dpi	35 ppm / 70 ipm
600 dpi	12 ppm / 24 ipm
Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)
Interface	
Dimensions	296 x 169 x 176 mm
Weight	3.7 kg



Total Nilai
TKDN + BMP

46.74%



WORKFORCE DS-770II



Scan
up to A3*



Scan from
27gsm to
413gsm



One Pass
Duplex
Scanning

Scanner Type	A4 Sheet-fed, one pass duplex colour scanner
Sensor Type	Contact Image Sensor (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 609.6 mm
Supported Paper Weight	27 - 413 g/m2 (A8 or less 127 - 413 g/m2)
ADF Capacity	100 sheets (80g/m2)
Daily Scan Volume	Up to 7.000 sheets/day
Scanning Speed	
Resolution (Colour/Greyscale/Mono)	Simplex / Duplex
200/300 dpi	45 ppm / 90 ipm
600 dpi	12 ppm / 24 ipm
Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 USB 3.2 Gen 1
Interface	
Dimensions	296 x 169 x 176 mm
Weight	3.7 kg



PEMINDAI DOKUMEN

(DOCUMENT SCANNER)

Total Nilai
TKDN + BMP

35.79%



WORKFORCE DS-870



Scanner Type

A4 Sheet-fed, one pass duplex colour scanner

Sensor Type

Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 609.6 mm

Supported Paper Weight

27 - 413 g/m² (A8 or less 127 - 413 g/m²)

ADF Capacity

100 sheets (80 g/m²)

Daily Scan Volume

Up to 10,000 sheets/day

Scanning Speed

Resolution (Colour/Greyscale/Mono)

Simplex / Duplex

200/300 dpi

600 dpi

Operating System

65 ppm / 130 ipm

16 ppm / 32 ipm

Windows XP / Vista / 7 / 8 / 8.1 / 10

Mac OS X 10.6.8 or later

Interface

Dimensions

USB 3.0

Weight

296 x 169 x 167 mm

3,6kg



EPSON TKDN - PDN

Total Nilai
TKDN + BMP

35.79%



WORKFORCE DS-970



Scanner Type

A4 Sheet-fed, one pass duplex colour scanner

Sensor Type

Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

600 x 600 dpi

Scan Area

A4 (support F4)

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 609.6 mm

Supported Paper Weight

27 - 413 g/m² (A8 or less 127 - 413 g/m²)

ADF Capacity

100 sheets (80 g/m²)

Daily Scan Volume

Up to 14,000 sheets/day

Scanning Speed

Resolution (Colour/Greyscale/Mono)

Simplex / Duplex

300 dpi

85 ppm / 170 ipm

23 ppm / 46 ipm

Operating System

Windows XP / Vista / 7 / 8 / 8.1 / 10

Mac OS X 10.6.8 or later

Interface

Dimensions

USB 3.0

Weight

296 x 169 x 167 mm

3,6kg



PEMINDAI DOKUMEN

[DOCUMENT SCANNER]



Total Nilai
TKDN + BMP

34.20%



WORKFORCE DS-30000



Scan up to
A3



Scan
600 dpi



USB 3.0
Bus-powered



White LED
Lighting

Scanner Type
Sensor Type
Light Source

Optical Resolution
Document Size (Min)
(Max)

Supported Paper Weight
ADF Capacity
Daily Scan Volume
Scanning Speed

Resolution (A4, Colour/Monochrome)
200/300 dpi
600 dpi

Operating System

Interface
Dimensions
Weight

A3 sheet-fed, one-pass duplex colour scanner
Colour Contact Image Sensor (CIS)

White LED

600 x 600 dpi

50.8 x 69 mm

304.8 x 5.588 mm

27-413 g/m²

A4 : 120 sheets, A3 : 60 sheets (80 g/m²)

Up to 30.000 sheets/day

Simplex / Duplex

70 ppm / 140 ipm

22 ppm / 44 ipm

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016 /

2019, Mac OS X 10.6.8 or later

USB 3.0

371 x 208 x 219 mm

5.8 kg



Total Nilai
TKDN + BMP

37.14%



WORKFORCE DS-32000



Scan up to
A3



Scan
600 dpi



USB 3.0
Bus-powered



White LED
Lighting

Scanner Type
Sensor Type
Light Source

Optical Resolution
Document Size (Min)
(Max)

Supported Paper Weight
ADF Capacity

Daily Scan Volume
Scanning Speed

Resolution (A4, Colour/Monochrome)
200/300 dpi
600 dpi

Operating System

Interface
Dimensions
Weight

A3 sheet-fed, one-pass duplex colour scanner
Colour Contact Image Sensor (CIS)

White LED

600 x 600 dpi

50.8 x 69 mm

304.8 x 5.588 mm

20 - 413 (80 g/m²)

A4 120 sheets, A3 : 60 sheets

Delicate Feed Mode : 20 sheets (A4),

10 sheets (A3)

Up to 40.000 sheets/day

Simplex / Duplex

90 ppm / 180 ipm

26 ppm / 52 ipm

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016 /

2019, Mac OS X 10.6.8 or later

USB 3.0

371 x 167 x 245mm

6.9 kg

PEMINDAI DOKUMEN

(DOCUMENT SCANNER)



WORKFORCE DS-C330



Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Light Source	RGB LEDx2
Optical Resolution	600 x 600 dpi
Scan Area	A4 (support F4)
Document Size (Min)	50.8 x 50.8 mm
(Max)	215,9 x 3.048 mm
Supported Paper Weight	
Vertical Path	40-127 g/m2, Less than A6 size: 40-209 g/m2
Straight Path	40-413 g/m2
ADF Capacity	20 sheets (80 g/m2)
Daily Scan Volume	Up to 5.000 sheets/day
Scanning Speed	
Resolution (Colour/Monochrome)	Simplex / Duplex
	30 ppm / 60 ipm
	5 ppm / 10 ipm
Operating System	Windows 7/8/8.1/10/11, Server
	2008/2012/2016/2019/2022
	MAC OS x 10.9 or later, MAC OS 11 or later
Interface	USB 2.0
Dimensions	296 x 104 x 125 mm
Weight	1,8 kg



WORKFORCE ES-C320W/C380W



Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Light Source	RGB LEDx2
Optical Resolution	600 x 600 dpi
Scan Area	A4 (support F4)
Document Size (Min)	50.8 x 50.8 mm
(Max)	215,9 x 3.048 mm [C320W], 215,9 x 5.588 mm [C380W]
Supported Paper Weight	
Vertical Path	40-127 g/m2, Less than A6 size: 40-209 g/m2
Straight Path	40-413 g/m2
ADF Capacity	20 sheets (80 g/m2)
Daily Scan Volume	Up to 3.500 sheets/day
Scanning Speed	
Resolution (Colour/Monochrome)	Simplex / Duplex
	30 ppm / 60 ipm
	5 ppm / 10 ipm
Operating System	Windows 7/8/8.1/10/11, Server
	2008/2012/2016/2019/2022
	MAC OS x 10.11 or later, MAC OS 11 or later
Interface	USB 2.0, Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct, USB 2.0 Host [C380W]
Dimensions	296 x 104 x 125 mm
Weight	1,8 kg

PEMINDAI DOKUMEN

[DOCUMENT SCANNER]



PDN



WORKFORCE DS-790WN



Scan up to A3*



Scan 600 dpi



USB 3.0 Bus-powered



RGB LED Lighting

Scanner Type

A4 sheet-fed, one-pass duplex colour scanner

Sensor Type

Colour Contact Image Sensor (CIS) x 2

Light Source

RGB LED x 2

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 609.6 mm

Supported Paper Weight

27 - 413 g/m² (A8 or less 127 - 413 g/m²)

ADF Capacity

100 sheets (80 g/m²)

Daily Scan Volume

Up to 7,000 sheets/day

Scanning Speed

Resolution (Colour/Greyscale/Mono)

Simplex / Duplex

200/300 dpi

45 ppm / 90 ipm

600 dpi

12 ppm / 24 ipm

Operating System

Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11, Server

2003 / 2008 / 2012 / 2019 / 2022

Mac OS X 10.6.8 or later

Interface

USB 3.2 Gen 1, Ethernet

(1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi

(IEEE 802.11 b/g/n), Wi-Fi Direct (max 8 connections), USB 2.0 Host

Dimensions

296 x 169 x 167 mm

Weight

3,7kg



PDN



PERFECTION V39II



Scan up to A4*



Scan 4800 x 4800 dpi



RGB LED Lighting



USB 2.0 Bus-powered

Scanner Type

A4 Flatbed Colour Image Scanner

Sensor Type

Contact Image Sensors (CIS)

Light Source

RGB LED

Optical Resolution

4,800 x 4,800 dpi

Output Resolution

50 - 4,800 dpi (in 1 dpi increments), 7,200 dpi, 9,600 dpi

Document Size

216 x 297 mm

Scanning Speed

DPI Speed

Reflective Scanning

Monochrome

300 10 sec

600 12 sec

1,200 37 sec

24 bit Colour

300 10 sec

600 29 sec

1,200 103 sec

Operating System

Windows 7 / 8 / 8.1 / 10 / 11, Server 2003 / 2008 /

2012 / 2016 / 2019

Mac OS X 10.11 or later

Interface

USB 2.0

Dimensions

249 x 364 x 39 mm

Weight

1.4 kg

PRINTER DOT MATRIX DAN BUKU TABUNGAN

(SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER)



Total Nilai
TKDN + BMP
38.99%



LQ-310



Print



Cost
Effective



High Speed
Printing

Print Method
Number of Pins
Number of Columns
Print Speed

Impact dot matrix
24 pins
80 columns (10 cpi)
High speed: 347 / 416 cps
Draft: 260 / 312 / 390 cps
NLQ: 86 / 103 / 129 cps
Printhead life: Approx. 400 million
strokes/wire
MVBF: Approx. 20 million lines
(except print head)
MTBF: Approx. 10,000 POH (25% Duty)

Reliability

Ribbon Life
Operating System

Approx. 2.5 million characters
Windows 95 / 98 / 2000 / Me / XP /
Vista / 7 / 8 / 8.1 / 10

Memory Buffer
Interface

128 KB
Bi-directional parallel interface
(IEEE-1284 nibble mode supported),
USB 2.0 Full-Speed, Serial

Power Consumption
Dimension
Weight

Approx. 24W
362 x 275 x 154 mm
Approx. 4.1 kg



Total Nilai
TKDN + BMP
38.78%



LX-310



Print



Cost
Effective



High Speed
Printing

Print Method
Number of Pins
Number of Columns
Print Speed

Impact dot matrix
9 pins
80 columns (10 cpi)
High speed: 347 / 357 / 390 cps
Draft: 260 / 312 / 223 cps
NLQ: 65 / 78 / 55 / 47 / 56 cps
Printhead life: Approx. 400 million
strokes/wire
MVBF: Approx. 20 million lines (Ex-
cept print head)
MTBF: Approx. 10,000 POH
(25% Duty)

Reliability

Ribbon Life
Operating System

Approx. 4.0 million characters
Microsoft® Windows® 2000 / XP /
Vista / 7 / 8 / 8.1 / 10

Memory Buffer
Interface

128 KB
Bi-directional parallel (IEEE-1284
nibble mode supported), USB 2.0
Full-Speed, Serial

Power Consumption
Dimension
Weight

Approx. 27W
362 x 275 x 154 mm
Approx. 4.1 kg

PRINTER DOT MATRIX DAN BUKU TABUNGAN

[SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER]



Total Nilai
TKDN + BMP

40.54%



LQ-2190



Print



Cost
Effective



High Speed
Printing

Print Method
Number of Pins
Number of Columns
Print Speed

Impact dot matrix
24 pins
136 columns (10 cpi)
High speed: 480 / 576 cps
Draft: 360 / 432 / 540 cps
NLQ: 120 / 144 / 180 cps

Reliability

Printhead life: Approx. 400 million
strokes/wire

Ribbon Life
Operating System

MVBF: Approx. 40 million lines
(except print head)
MTBF: 20,000 Power On Hours (POH)
(25% Duty)
Approx. 15 million characters
Microsoft® Windows® 2000 / XP / Vista
/ 7 / 8 / 8.1 / 10

Memory Buffer
Interface

128 KB
Bi-directional Parallel Interface
(IEEE-1284 nibble mode supported),
USB 2.0 (Full Speed), Type B I/F Level
2 (Option)

Power Consumption
Dimension
Weight

Approx. 46W
639 x 402 x 256 mm
Approx. 13 kg



Total Nilai
TKDN + BMP

35.78%



PLQ-35



Print



Cost
Effective



High Speed
Printing

Print Method
Number of Pins
Number of Columns
Print Speed

Impact Dot Matrix
24 pins
94 columns (10 cpi)
Ultra High Speed 540 cps
High Speed 480 cps
Draft 360 cps

Reliability

Printhead Life 400 million strokes / wire
MVBF 21 million lines
MTBF 30000 POH

Ribbon Life
Operating System

Approx. 5 million characters
Microsoft Windows XP, Vista, 7, 8, 8.1, 10,
Windows Server 2003, 2008, 2012, 2016

Interface

Bi-directional parallel interface
(IEEE-1284 nibble mode supported),
Serial I/F, High Speed USB 2.0

Power Consumption
Dimension
Weight

61W Operational / 0.7 W Sleep Mode
384 x 280 x 203 mm
7.8 kg

PRINTER DOT MATRIX DAN BUKU TABUNGAN

(SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER)



Total Nilai
TKDN + BMP

35.25%



PLQ-50



Print



High Speed
Printing



Colour LED
Control Panel



Cost Effective



Power
Savings

Print Method	Impact Dot Matrix
Number of Pins	24 pins
Number of Columns	94 columns (10 cpi)
Print Speed	Ultra High Speed 630 cps High Speed 560 cps Draft 420 cps
Reliability	Printhead Life 600 million strokes / wire MVBF 24 million lines MTBF 35000 POH
Ribbon Life	Approx. 5 million characters
Operating System	Microsoft Windows XP, Vista, 7, 8, 8.1, 10, Windows Server 2003, 2008, 2012, 2016
Interface	Bi-directional parallel interface (IEEE-1284 nibble mode supported), Serial I/F, High Speed USB 2.0
Power Consumption	77W Operational / 0.8 W Sleep Mode
Dimension	384 x 280 x 203 mm
Weight	7.9 kg

EPSON TKDN - PDN

GENUINE TKDN



Printer EcoTank

Hingga

75.28%

Rasio TKDN dan BMP tertinggi
dalam kategori printer

No.1

Printer tangki tinta selama
15 tahun berturut-turut di Dunia*

100+ Pemasok

Bekerja sama dengan pemasok lokal
untuk memproduksi produk di
Indonesia

*2010 - 2024 IDC WW Quarterly Hardcopy Peripherals Tracker,
04 2024



Inovasi untuk Negeri

PRINTER LABEL

(COLORWORK PRINTER)



CW-C6050A



Print



Batch Printing



High Capacity



Auto Cutter

Total Nilai
TKDN + BMP

28.77%



Print Technology

Serial Inkjet PrecisionCore TFP® with
Nozzle Verification Technology

Print Resolution

1,200 x 1,200 dpi (Max.)

Colour

CMYK

Printing Width

Max. 108 mm

Printing Speed

Max speed (300x600dpi): 119 mm/sec.

Max speed for Glossy media (600x600dpi): 48 mm/sec; *When printing 101.6 mm width

Interfaces

USB 2.0 High-Speed, Ethernet 10/100 BASE-T

Extended: Dsub-25 pin

Media Type

Matte, synthetic, glossy, high glossy

External Roll Diameter

Max. 203.2 mm

Power Consumption

Printing: Approx. 39.4W

Standby: Approx. 7.51W

Dimensions

565 x 340 x 326 mm

Weight

Approx. 22.5 kg



CW-C6050P



Print



Batch Printing



High Capacity



Auto Peeler

Total Nilai
TKDN + BMP

29.88%



Print Technology

Serial Inkjet PrecisionCore TFP® with
Nozzle Verification Technology

Print Resolution

1,200 x 1,200 dpi (Max.)

Colour

CMYK

Printing Width

Max. 108 mm

Printing Speed

Max speed (300x600dpi): 119mm/sec.

Max speed for Glossy media (600x600dpi): 48 mm/sec; *When printing 101.6 mm width

Interfaces

US 2.0 High-Speed, Ethernet 10/100 BASE-T

Extended: Dsub-25 pin

Media Type

Matte, synthetic, glossy, high glossy

External Roll Diameter

Max. 203.2 mm

Power Consumption

Printing: Approx. 39.4W

Standby: Approx. 7.51W

Dimensions

565 x 340 x 326 mm

Weight

Approx. 22.8 kg

PRINTER LABEL

(COLORWORK PRINTER)



CW-C6550A



Total Nilai
TKDN + BMP
28.53%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1,200 x 1,200 dpi (max.)
Colour	CMYK
Printing Width	Max. 211.9mm (A4 Size)
Printing Speed	Max speed (300x600dpi): 85 mm/sec. Max speed for Glossy media (600x600dpi): 34 mm/sec. *When printing 203.2 mm width
Interfaces	US 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 152.4 mm
Power Consumption	Printing: Approx. 38.7W Standby: 5.82W
Dimensions	515 x 444 x 326 mm
Weight	Approx. 25.5 kg



CW-C6550P



Total Nilai
TKDN + BMP
28.32%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1200 x 1200 dpi (max.)
Colour	CMYK
Printing Width	Max. 211.9mm (A4 Size)
Printing Speed	Max speed (300x600dpi): 85 mm/sec. Max speed for Glossy media (600x600dpi): 34 mm/sec. *When printing 203.2 mm width
Interfaces	US 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 152.4 mm
Power Consumption	Printing: Approx. 38.7W Standby: 5.82W
Dimensions	515 x 444 x 326 mm
Weight	Approx. 26.3 kg

PRINTER TEKNIKAL / PLOTTER

[TECHNICAL PRINTER / PLOTTER]



Total Nilai
TKDN + BMP

38.94%



SURECOLOR SC-T3130



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 24"
Wide*

Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore™ TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Print Speed (A1 sheet)	CAD A1: 34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610 mm wide, 110 mm max diameter, 3kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6W Sleep
Dimensions (W x D x H)	970 x 505 x 230
Weight	38 kg



Total Nilai
TKDN + BMP

36.12%



SURECOLOR SC-T3130N



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 24"
Wide*

Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore™ TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K50/80 ml
Print Speed (A1 sheet)	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions (W x D x H)	970 x 505 x 230 cm
Weight	27 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP
37.30%



SURECOLOR SC-T3130X




Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.8pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	140 ml
Print Speed (A1 sheet)	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions (W x D x H)	970 x 577 x 245 cm
Weight	29 kg



Total Nilai
TKDN + BMP
36.93%



SURECOLOR SC-T3130M



Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore™ TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle / RGB LED
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed (A1 sheet)	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB+8GB*For scanner data processing
Power Consumption	24W Operating, 11W Standby, 2.0 W Sleep
Dimensions (W x D x H)	970 x 292 x 230
Weight	44.4 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP

39.84%



SURECOLOR SC-T5130M



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 36"
Wide

Max Print Width
Print Head

36 inch wide [914 mm]
Precision Core TFP with VSDT and Auto Head Alignment

Max Resolution

2400 dpi x 1200 dpi

Min Droplet Size

4.0pl

Ink System

Epson Ultrachrome XD2 Pigment Ink

Type

All-Pigment Aqueous

Colours

C+M+Y+K

Cartridge Size

CMY 26/50 ml, K 50/80 ml

Scan Technology

Contact Image Sensor (CIS) with RGB filters

Light Source

Dual Low Angle / RGB LED

Feed System

Sheet pass-through

Max Resolution

600 dpi

Max Scan Speed

11.43 cm/s or 4.5 ips (Colour)

Max Copy Speed

19.05 cm/s or 7.5 ips (Mono)

Print Speed (A1 sheet)

CAD A1: 31 sec

Paper Size

Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 297-914mm wide, 110 mm max diameter, 3 kg max weight

Interface

USB 3.0 & Ethernet

OS Compatibility

10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later

Memory

1 GB+8GB*For scanner data processing

Power Consumption

26W Operating, 12W Standby, 2.0 Sleep

Dimensions (W x D x H)

1268 x 975 x 696 cm (with stand)

Weight

54.8 kg



Total Nilai
TKDN + BMP

39.69%



SURECOLOR SC-T5130



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 36"
Wide

Max Print Width
Print Head

36 inch wide [914 mm]
PrecisionCore TFP with VSDT and Auto Head Alignment

Max Resolution

2,400 dpi x 1,200 dpi

Min Droplet Size

4.0pl

Ink System

Epson Ultrachrome® XD2

Type

All-Pigment Aqueous

Colours

C+M+Y+K

Cartridge Size

CMY 26/50 ml, K 50/80 ml

Print Speed (A3 Sheet)

CAD A3: 31 sec

Paper Size

Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-910 mm wide, 110 mm max diameter, 5kg max weight

Interface

USB 3.0 & Ethernet 10Base-T / 100Base-TX /

OS Compatibility

1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later

Memory

1 GB

Power Consumption

28W Operating, 8W Standby, 1.6W Sleep

Dimensions (W x D x H)

1,268 x 913 x 696 mm

Weight

46 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP

36.47%



SURECOLOR SC-T5430M



Max Print Width	36 inch wide (914 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome® XD2
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK 110/350ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed (A1 Sheet)	CAD A1: 22 sec
Paper Size	Single roll top loaded spindle, 2" core, 3" core for plain paper, 0.08 to 0.3 mm thick, 254-914 mm wide, 170 mm max diameter, max weight 12kg
Interface	USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
Memory	1 GB
Power Consumption	Operating 38W, Standby 13W, Sleep 1.6W
Dimensions (W x D x H)	1,385 x 966 x 1,060 mm
Weight	89 kg



Total Nilai
TKDN + BMP

38.69%



SURECOLOR SC-T3435



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK, 100 ml/350 ml/700 ml
Scan Integration	Available connect with Business Inkjet Printer Scanner : WF-C17590, WF-C20590, WF-C20600, WF-C20750, WF-C21000, WF-M20590 WF-R8591, WF-C869R, WF-C878R, WF-C879R,
Print Speed (A1 sheet)	CAD A1:25 sec
Paper Size	Single roll top loaded spindle, 2/3" core, 0.08-0.3 mm thick, 254-610mm wide, 170 mm max diameter, 8 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	34W Operating, 13W Standby, 1.3 Sleep
Dimensions (W x D x H)	1080 x 1060 x 750 cm (with stand)
Weight	64 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP

39.02%



SURECOLOR SC-T5435



Versatile
Media Handling



Printhead



Up to
1.5mm Thick



Up to 36"
Wide

Max Print Width Print Head

36 inch wide (914 mm)
Precision Core TFP with VSDT and Auto Head Alignment

Max Resolution

2400 dpi x 1200 dpi

Min Droplet Size

4.0pl

Ink System

Epson Ultrachrome XD2 Pigment Ink

Type

All-Pigment Aqueous

Colours

C+M+Y+K

Cartridge Size

CMYK, 100 ml/350 ml/700 ml

Scan Integration

Available connect with Business Inkjet Printer

Print Speed (A1 sheet)

Paper Size

Scanner :
WF-C17590, WF-C20590, WF-C20600, WF-C20750,
WF-C21000, WF-M20590
WF-R8591, WF-C869R, WF-C878R, WF-C879R,
CAD A1:22 sec
Single roll top loaded spindle, 2/3" core, 0.08-0.3
mm thick, 254-914mm wide, 170 mm max diameter,
12 kg max weight

Interface

USB 3.0 & Ethernet
10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi
Direct, Air Print

OS Compatibility

Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or
later

Memory

1 GB

Power Consumption

38W Operating, 13W Standby, 1.3 Sleep

Dimensions (W x D x H)

1385 x 1070 x 750 cm (with stand)

Weight

76 kg



PDN

SURECOLOR SC-T3730D



Max Print Width

24 inch wide (borderless)

Print Head

2.64 MicroTFP

Max Resolution

2401 dpi x 1200 dpi

Min Droplet Size

3.5 pl

Ink System

Ultrachrome XD3 pigment ink

Type

All Pigment Aqueous

Colours

C+M+Y+R+MK+PK (Black Matte/Photo Black)

Cartridge Size

110/350/700 ml

Paper Size

Two automatic roll switch (top-and front loading),
(Roll: 0.07mm - 0.8mm, Cut Sheet: 0.07mm -
0.8mm, Poster Board: 0.8mm - 1.5mm))

Print Speed

CAD A1:
Plain Paper 300dpi x 600dpi : 21 sec
600dpi x 600dpi Line Draw: 27 sec
Poster A1 :
Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Up to 1.5mm

Media Thickness

Interface

USB 3.0, Ethernet (100BASE-TX/1000BASE-T),
Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP,
up to 8 device connections), USB Host Direct Print
(PDF, TIFF, JPEG, HP-GL/2, HP RTL)

Memory

4GB, Optional 960GB SSD

Power Consumption

Operating : 75 W, Ready : 32 W, Sleep : 2 W,
Standby : 0.3 W

Dimensions (W x D x H)

1365x499x975 mm

Weight

118 kg

Adobe Postscript 3

Available

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



PDN

SURECOLOR SC-T3730E



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Spindle-less front loading single roll (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A



PDN

SURECOLOR SC-T3730DE



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



PDN

SURECOLOR SC-T5730DM



Max Print Width	36 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), [Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm]
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec A0 Size: 300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec Up to 1.5mm
Media Thickness	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Interface	4GB, Optional 960GB SSD
Memory	Operating : 80 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Power Consumption	1645x499x975 mm
Dimensions (W x D x H)	136.8 kg
Weight	Available
Adobe Postscript 3	



PDN

SURECOLOR SC-T7730D



Max Print Width	44 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), [Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm]
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec A0 Size: 300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec B0 Size: Plain Paper 300dpi x 600dpi EPSON Vivid : 46 sec Up to 1.5mm
Media Thickness	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Interface	4GB, Optional 960GB SSD
Memory	Operating : 70 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Power Consumption	1848x499x975 mm
Dimensions (W x D x H)	155 kg
Weight	Available
Adobe Postscript 3	

PRINTER SUBLIM

(SUBLIMATION PRINTER)



Total Nilai
TKDN + BMP
36.88%



SURECOLOR SC-F530

Printer Width
Print Head
Max. Resolution
Ink System
Colours
Print Speed

Interface
OS
Compatibility
Memory
Power
Consumption
Dimension

Weight



Versatile
Media
Handling



Up to 24"
0.05mm - 0.27mm
thick



Up to 24"
Wide



Ethernet

24"
PrecisionCore™ TFP Printhead
2400 x 1200 dpi
Epson Genuine Dye-Sublimation Ink
Cyan, Magenta, Yellow, Black
Production (2 pass), For Fabric: Up to 62 sec /
21 m2 (600 x 1200 dpi), Production (7 pass): For Fabric &
Rigid: Up to 208 sec / 7.5 m2 (1200 x 1200 dpi), Produc-
tion (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m2
(2400 x 1200 dpi)
USB 2.0 Hi-speed, Ethernet 100BASE-TX / 1000BASE-T
Windows 10 / 8.1 / 8 / 7 / Vista / XP,
Mac OSx10.6.8 or later
1 GB
Operating: Approx. 22W, Ready: Approx. 8W
Sleep: Approx. 1.6W, Power Off (Stand by): Approx. 0.2W
Storage (W x H x D): 970 mm x 245 mm x 577 mm
Printing (W x H x D): 970 mm x 245 mm x 811 mm
29kg



Total Nilai
TKDN + BMP
37.37%



SURECOLOR SC-F531

Max. Print Width
Printhead
Max. Resolution
Min. Droplet Size
Ink Type
Colours

Cartridge Size
Print Speed

Interface

Memory

Power

Consumption

Dimensions

Weight



Versatile
Media
Handling



Up to 24"
0.05mm - 0.27mm
thick



Up to 24"
Wide



Ethernet

24 inch
PrecisionCore™ TFP Printhead
2,400 x 1,200 dpi
4.0pl
Epson Genuine Dye-SUBlimat ion Ink
4 Colours - Cyan, Flourescent Pink, Flourescent Yellow
Black
Cyan, Magenta, Yellow: 26ml, 50ml ; Black: 50ml , 80ml
Production (2 pass), For Fabric: Up to 62 sec / 21 m2 (600
x 1200 dpi) ; Production (7 pass): For Fabric & Rigid: Up to
208 sec / 7.5 m2 (1200 x 1200 dpi)
Production (12 pass), For Fabric & Rigid: Up to 350 sec /
4.5 m2 (2400 x 1200 dpi)
Super-Speed USB
100BASE-TX / 1000BASE-T / IEEE802.11 b/g/n
1 GB
Ready: Approx. 8W; Sleep: Approx. 1.6 W
Operating: Approx. 28W; Power Off: Approx 0.2W
970 x 505 x 230 (WxDxH)
29 kg (without ink cartridges)

PROYEKTOR BISNIS

(BUSINESS PROJECTOR)



Total Nilai
TKDN + BMP

55.70%



12,000 Hours
Lamp Life in Eco Mode



Split Screen

EB-E600

Brightness 3,400 lm	Resolution XGA	Contrast 15,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity USB Type-B x 1, VGA x 2, RCA x 1, HDMI x 1
Network N/A	Power Consumption 327W / 225W	Weight 2.7 kg



Total Nilai
TKDN + BMP


55.02%



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

EB-X600

Brightness 3,600 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone ±30° (V) / ±30° (H)	Connectivity USB Type-A & B x 1, VGA x 2, RCA x 1, HDMI x 1
Network RJ45 x 1, Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.7 kg

ENGINEERED FOR good

EPSON

GENUINE TKDN



Epson EB-E/X600



Hingga

55.70%

Rasio TKDN dan BMP tertinggi
dalam kategori proyektor

No.1

Merk proyektor selama 24
tahun berturut-turut di Dunia*

10.000+

Lapangan Kerja untuk
Karyawan Lokal

*2001 - 2024 Source: Futuresource Consulting

Inovasi untuk Negeri

TINTA BOTOL

(INK BOTTLE)



Total Nilai
TKDN + BMP

35.13%

Epson T6641
(Black) Ink Bottle



Total Nilai
TKDN + BMP

35.84%

Epson T6642
(Cyan) Ink Bottle



Total Nilai
TKDN + BMP

38.28%

Epson T6643
(Magenta) Ink Bottle



Total Nilai
TKDN + BMP

35.37%

Epson T6644
(Yellow) Ink Bottle



Total Nilai
TKDN + BMP

39.21%

Epson 003
(Black) Ink Bottle



Total Nilai
TKDN + BMP

27.45%

Epson 003
(Cyan) Ink Bottle



Total Nilai
TKDN + BMP

38.70%

Epson 003
(Magenta) Ink Bottle



Total Nilai
TKDN + BMP

36.06%

Epson 003
(Yellow) Ink Bottle



GENUINE TKDN 30 TAHUN DI INDONESIA

KONTRIBUSI EIN

EPSON

PT EPSON INDONESIA

CIBIS Tower 9, 3rd Floor, Cibis Business Park
Jalan T.B. Simatupang No. 2 Jakarta 12560
Tel. (021) 808-66-766 **Fax.** (021) 808-66-799



1-500-766



0812-12-37766

HOTLINE CALL CENTER
(NATIONAL AREA)

Visit Us on



epsonindonesia



www.epson.co.id