Epson® Professional Imaging The Art of Performance.





Epson Designer Edition Series Epson Professional Imaging Division





Sales Reference Guide v2.0



Epson Stylus Pro 3880, 4900, 7890, and 9890 Designer Editions

EPSON[®]

Available **Configurations**

(SP9890DES)



EFI[™] Fiery eXpress RIP for Epson Feature Set



Epson Stylus Pro Designer Edition Series



EPSON[®]

Contact your local reseller for the latest pricing information. (Pricing shown is MSRP. RIP Not Sold Separately by Epson)

Designer Editions Ship with the EFI eXpress RIP for Epson, Printer, and Starter Ink Cartridges. (7890 & 9890 Models also include Printer Stand and Media Catch Bin)

Professional Level CMYK & RGB Color Matching Cross-platform Support on Both Mac[®] and Windows[®] Automatic Media Updates via the Internet World-class Service and Support Directly from Epson







Photo & Proofing to Go -Easy, Productive and Accurate

EFI eXpress for Epson **Highlights**

- Newly Designed Easy-to-use User Interface
- Complete Support for the Epson Professional Media Line
- True Adobe[®] PostScript[®] 3 and PDF Print Engine (APPE) 2.5
- PANTONE[®] PLUS Series and Advanced SPOT Color Management
- IDEAlliance & Ugra/Fogra Standard Control Strips Included
- RGB Data Formats Supported for Exceptional Photography
- Increased Productivity with Contact Sheets & Custom Templates
- Incorporates Epson's AccuPhoto[™] HD & HDR Screening
- Automatic and Manual Job Collections to Maximize Media Usage
- Hot-Folders and Virtual Printer for Flexible Workgroup Solutions

EPSON

- All forms of PDF cropping are now supported

ADOBE[®]

The Latest Adobe CPSI Core

Intelligent PDF Processing

- Complete compatibility with the latest design software suites from Adobe
- Handles virtually every industry file format including EPS, TIFF, PDF, PS, JPEG, and Layered PSD

Adobe PDF Print Engine (APPE)

- User selectable between standard CPSI and Adobe PDF Print Engine 2.5
- Guarantees complete compatibility with the latest design software suites from Adobe









True Adobe Postscript

- Capable of processing only the pages you need printed, not the entire multi-page PDF

Enhanced Spot Color Management

More Precise Method to Find the Best Possible Spot Color Simulations

- New 16-bit math handles the definition of L*a*b* values to find the best color match possible
- Even for challenging spot colors, the ideal color values are automatically identified
- No user interaction is required

Complete Spot Color Library Support

- Built-in PANTONE PLUS Series, HKS, Toyo, and DIC spot color libraries
- The PANTONE PLUS SERIES preserves all of the current PMS colors of the PANTONE MATCHING SYSTEM[®] which it replaces – while adding a host of contemporary colors, for greater design flexibility

Create Custom Spot Colors for Client-specific Requirements

- Creation of unique spot colors via L*a*b* values for extremely accurate simulation
- Also supports spot colors defined by specific CMYK, CMYKOG, and CMYKRGB percentages





Editions



High Performance **RIP Software**



Editions







Flexible Printing Workflow with 5 Ways to Print

- EFI Unidriver and Virtual Printer technologies for direct from application network printing support
- Watched Hot-folder, job import and drag and drop
- Complete control over print settings from RIP or customize from Unidriver interface

Efficient Processing of Complex Files


- Free resources on your computer with file processing offloaded to the RIP software
- Process only selected pages in multi-page PDF design files to save valuable time

RIP Optimized for the Latest Microsoft[®] & Apple[®] Operating Systems

- Takes full advantage of the latest technology including multiple core processors
- Compatible with Windows 7, Windows Vista[®], and Windows XP[®].
- Note: EFI eXpress software for Windows is a 32-bit application that is compatible with 64-bit Operation Systems
- Compatible with Mac OS[®] X Snow Leopard[®] (10.6.8), Lion (10.7) and Mountain Lion (10.8)

EPSON





Editions

Customizable Job Ticket Information

- Adjustable font size, job ticket width, distance between print job, etc.
- User selectable job ticket information with preset capability
- Supports the use of your own company logo

Auto-positioning of Job Ticket & Color Control Strips

- Depending upon available space, both the control strip and job ticket information will automatically be positioned below the actual print job
- Industry standard IDEAlliance ISO-12647-7 2009 control strips and Ugra/Fogra media wedges included. EFI eXpress for Epson does not support use of spectrophotometers, such as the Epson[®] SpectroProofer[®].



r8.pdf Date: 30.11.2012 11:43:14 added Dest: GRACoL2006 Coated1v2.icc Paper: SP7890 9890 PPWSM 2880 v1.icc RI Source: Relative Relative colorimetric Lin: SP7890 9890 PPWSM 2880 v1.epl raChrome K3 VM Substrate: EPSON Proofing Paper White Semimatte System: EFI eXpress



Flexible Printing of Job Ticket & Control Strip



Photographic RGB Workflow Epson Stylus Pro Designer Edition Series








efi EFI INKJET PRINTING APPLICATIONS

Editions



Additional Complete Workflow Designed with Photographers in Mind

- Dynamic Rendering Intent automatic selection for best case color
- Quickly create contact sheets with automatic layout to minimize media usage
- Customizable multi-Image templates simplify printing and save valuable time

Job Nesting & Visual Layout tools

- Improve productivity and reduce media waste by nesting jobs together

Supports Popular Photographic File Format

- Multi-layer Photoshop PSDs, TIFF, JPEG, JPEG2000, ImageEPS, and ImagePDF

Support for EXIF Camera Information

- Camera setting information (exposure, aperture, GPS data, etc) can be included on the Job Ticket

Photographic **RGB Workflow**



Professional Media Support Epson Stylus Pro Designer Edition Series







Complete Support for the Epson Professional Media Line

Epson Professional Media Support Already Built-in

- The expensive and time-consuming process of adding a new media has already been done by Epson
- Our entire line of Epson Professional Media is already calibrated for optimal performance

Epson Offers the Best Professional Media Line in the Industry

- Extensive line-up of proofing media for both commercial and flexographic proofing requirements
- Epson proofing media meets the exacting standards for many industry specifications
- Complete Signature Worthy® Media support for unsurpassed Photographic and Fine-art Reproduction
- Extensive quality assurance to ensure consistent and reliable media performance over time

Expandable ICC Profile Library to Support New Media Products

EPSON

- Quickly update Epson media profiles within the EFI eXpress software via online update tool
- Easily add ICC Profiles for 3rd-party media products

dia has already been done by Epson for optimal performance



World Class Service & Support

The Entire Epson Designer Edition Solution is Supported Directly by Epson

- EFI eXpress for Epson software is covered under our standard Epson Preferredsm Protection Plan

Standard One-year Limited Warranty

- Free technical support available Monday through Friday to answer any questions you may have
- Regardless of RIP or printer problems, you only call one number for all your support requirements
- Coverage remains free of charge while you are under warranty with Epson

Optional One & Two-year Epson Preferred Plus Service Plans Available

- When you upgrade your standard one year warranty with an additional one or two-year service plan, you are also covering all your EFI eXpress RIP technical support needs

Bug Fixes & Maintenance Updates are Free

- When a bug fix or maintenance release is required, you get it free over the built-in internet updater
- Any major feature release may require additional costs

EPSON



Printer Feature	Epson Stylus Pro 3880	Epson Stylus Pro 4900	Epson Stylus Pro 7890 / 9890
Maximum Printing Width	17-Inch	17-Inch	24-Inch / 44-Inch
Pigment Ink Technology	Epson UltraChrome K3® Vivid Magenta	Epson UltraChrome® HDR	Epson UltraChrome K3 Vivid Magenta
Maximum Resolution / Smallest Droplet Size	2880 x 1440 / 3.5 pl	2880 x 1440 / 3.5 pl	2880 x 1440 / 3.5 pl
Print Head Technology / Number of Channels	MicroPiezo® AMC™ / 8-channel	MicroPiezo [®] TFP [®] / 10-channel	MicroPiezo TFP / 8-channel
Number of Print Head Nozzles	180 x 8-colors	360 x 10-colors	360 x 8-colors
Expanded Gamut with Orange & Green Inks	Not Applicable	Yes	Not Applicable
Auto-Switching Black Ink Technologies	Yes	Yes	Yes
Ink Cartridge Sizes Available	80 ml	200 ml	150 ml / 350 ml / 700 ml
Epson CMYK Screening Module (Proofing)	Yes	Yes	Yes
EFI HT Halftone CMYK Screening (Dot Proofing)	Not Supported	Not Supported	Not Supported
Epson RGB Screening Module (Photo)	AccuPhoto HD2	AccuPhoto HDR	AccuPhoto HD
User Can Add Custom ICC Media Profiles	Yes - CMYK & RGB	Yes - CMYK & RGB	Yes - CMYK & RGB
SpectroProofer [®] Support	Not Applicable	Not Supported	Not Supported



Printer Feature Comparison



EFI INKJET PRINTING APPLICATIONS	
EFI [™] eXpress	
Photo & Proofing to Go – Easy, Productive and Accurate	

- The Perfect Solution for Graphic Designers and Advanced Photographers
- Accurate Color Matching for your most demanding CMYK and Spot Colors
- Complete Support for Epson Professional Media Products
- Powerful Workflow-Based RIP Solution for Complete Client File Compatibility
- Both Adobe Postscript 3 and Adobe PDF Print Engine 2.5 Interpreters
- Easy-to-use Interface
- Customizable Workflow with ability to save presets for both Graphic Designers and Photographers to Increase Productivity
- Easy Trouble-free Installation with Setup Wizard
- Ready for the Future of Your Printing Business
- Aggressively Priced Bundle Everything in One Box

EPSON

Why to Buy?



EFI eXpress Screen Shots Epson Stylus Pro Designer Edition Series

EPSON[®]





EFI eXpress Screen Capture: Proofing & Spot Color





				4)) ▲ Fi	ri 9:	23 A	MC	2 ::	E
Ī		1 Info	Et. Layout	Color	1	Prin		Veri	
	-	Manageme	nt Spot	colors Adj	ustme	ent	Grada	ion	_
	Colors	eparation						_	
		separation:							:)
				omposite jobs					
	Unknow	wn spot co	olors						_
	Rep	place unkn	own spot co	N: K:	ing co	kor			
		0		100 0	ж		Pefault		
	Spot co	lor preset							
	Preset:	None					: •		
	Spot co	olor definit	tions						_
		Name		Source		Map t			
		PANTON Cyan	E 287 C	PANTONE		PANT 100	ONE 28	7 C	
		Magenta		CMYK		0	100	0	1
		Yellow		СМУК	0	0	0	100	6
Ш		Black		СМУК	\$	0	0	0	-
111									
-									
111									
Ш									
111									
1									



EFI eXpress Screen Capture: Photo & Collection




EPSON[®]

Page Layout Collection Marks Footer Collection preset • • • Preset: None \$ • • Collection layout • • • Optimization: Media consumption • • Orientation: Maintain original orientation • • • Automatic layout • • • • Pages per sheet: 12 • • • • Manual layout In the preview use the right mouse button menu or the Edit ment to done pages and to change their size and layout. Click the + button to save this layout as a preset. • Spacing Between collection elements: • • • •	Page Layout Collection Marks Footer Collection preset Preset: None Image: Solid and Solid	Page Layout Collection Marks Footer Collection preset Preset: None + Collection layout Optimization: Media consumption Orientation: Maintain original orientation • Automatic layout • + • Automatic layout • • • Automatic layout • • • Automatic layout • • • Maintain original orientation • • • Automatic layout • • • Manual layout • • • • Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. • • • 0.197 • 0.197 • Inch • • 0.000 • • 0.000 • Inch	• Eq.	0	8	
Collection preset Preset: None	Collection preset Preset: None	Collection preset Preset None	Info Layou	t Color	Print	Ve
Preset: None Preset: None Collection layout Optimization: Media consumption Orientation: Automatic layout Transform collection elements Scale proportionally: Cuttom Transform Space proportionally: Cuttom Transform Manual layout In the preview use the right mouse button menu or the Edit men to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197 Inch Around collection (printer margin is minimum): 0.000 Inch Cuttom	Preset: None \$	Preset: None Preset: None Collection layout Optimization: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Custom Transform Scale proportionally: Manual layout In the preview use the right mouse button menu or the Edit to done pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: 0.197 Data Collection (printer margin is minimum): 0.000 0.	Page Layout	Collection Ma	arks Footer)
Collection layout Optimization: Media consumption Orientation: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Custom Transform Scale proportionally: Custom Transform Manual layout In the preview use the right mouse button menu or the Edit men to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197 Log 1097 Inch Around collection (printer margin is minimum): 0.000 Note 0.000 Inch	Collection layout Determination: Media consumption Determination: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Unitom Autom Au	Collection layout Optimization: Media consumption Orientation: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Custom Transform Scale proportionally: Custom Transform Transform Scale proportionally: Custom Transform	tion preset			
Optimization: Media consumption Orientation: Maintain original orientation • Automatic layout • Transform collection elements • Transform collection elements • • • • • • • • • • • • • • •	Optimization: Media consumption Orientation: Maintain original orientation • Automatic layout • Transform collection elements • Scale proportionally: Cutom • 4 • Width x Height: • S.984 • 4.016 • 100 • 4 • 6 • Pages per sheet: • Pages per sheet: 12 • • 0.197 • 10.197 • 10.197 • 10.197 • 10.197 • 0.197 • 10.197 • 0.000 • 0.000 •	Optimization: Media consumption Orientation: Maintain original orientation	None		÷	•
Optimization: Media consumption Orientation: Maintain original orientation • Automatic layout • Transform collection elements • Transform collection elements • • • • • • • • • • • • • • •	Optimization: Media consumption Orientation: Maintain original orientation • Automatic layout • Transform collection elements • Scale proportionally: Cutom • 4 • Width x Height: • S.984 • 4.016 • 100 • 4 • 6 • Pages per sheet: • Pages per sheet: 12 • • 0.197 • 10.197 • 10.197 • 10.197 • 10.197 • 0.197 • 10.197 • 0.000 • 0.000 •	Optimization: Media consumption Orientation: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Cuttorn \$ + Width x Height: S.984 \$ 4.016 \$ Inch Pages per sheet: 12 \$ Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: H 0.197 \$ 10,197 \$ Inch Around collection (printer margin is minimum): \$ 0.000 \$ \$ 0.000 \$ Inch	tion layout			
Orientation: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Custom 0 + + Width x Height: Pages per sheet: 2 0 Manual layout In the preview use the right mouse button menu or the Edit men to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197 0 0.0197 0 Inch Around collection (printer margin is minimum): 0.000 0 0 0 0.000 0 Inch	Orientation: Maintain original orientation • Automatic layout • Transform collection elements • Scale proportionally: Custom • 0.05	Orientation: Maintain original orientation Automatic layout Transform collection elements Scale proportionally: Custom Scale proportionally: Custom State of the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: N 0.197 N 0.197 N 0.197 N 0.000 N 0.		Media consump	tion	
Automatic layout Automatic layout Transform collection elements Scale proportionally: Custom \$ 4.016 He preview use the right mouse button menu or the Edit men to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Around collection elements: 0.0197 Local Scale collection (printer margin is minimum): 0.000 0.00	Automatic layout Automatic layout Transform collection elements Scale proportionally: Sobe Pages per sheet: Sobe Pages and to change their size and layout. Click the + botton to save this layout as a preset. Spacing Retween collection elements: 0.0197 0.000 0.00 0.00 0.000 0	Automatic layout Transform collection elements Scale proportionally: Utith x Height: S.984 4.026 Inch Pages per sheet: Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: 0.197 Lock Around collection (printer margin is minimum): 0.000 0 0 0 0 0 0 0 0 0 0 0		Maintain origina	l orientation	
Transform collection elements Scale proportionally: Cutom 4 4 016 Inch Pages per sheet: 12 Manual layout In the preview use the right mouse button menu or the Edit men to done pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197 1.0197 1.0197 1.0197 1.0197 1.0197 1.000 1.0	Transform collection elements Scale proportionally: Lutom Width x Height: 5.984 Pages per sheet: 12 12 0 Manual layout In the preview use the right mouse button menu or the Edit ment to chore pages and to change their size and layout. Click the + button to save this layout as a preset. Exercised In the preview use the right mouse button menu or the Edit ment to chore pages and to change their size and layout. Click the + button to save this layout as a preset. Exercised In the preview use the right mouse button menu or the Edit ment to chore pages and to change their size and layout. Click the + button to save this layout as a preset. Exercised In the preview of the preview of the pages in the format of the preview of the pages of the preview of the pages of the preview of t	Transform collection elements Scale proportionally: Cutom High: Scale (Cutom) Mitch & Height: Scale (Cutom) Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: Difference Between collection (printer margin is minimum): Difference Differenc				
Scale proportionally: Cuttom	Scale proportionally: Cutom • • • • • • • • • • • • • • • • • • •	Scale proportionally: Cuttom Scale proportionally: Cuttom High X Height: S-984 4.016 Inch Pages per sheet: 12 Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: 0.197 1.0.197 1.0.197		elements		
Width x Height: 5.984 0 4.016 Inch • Pages per sheet: 12 0 Inch Manual layout In the preview use the right mouse button menu or the Edit ment to done pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197 0 0.197 Inch Around collection (printer margin is minimum): 0.000 0 0.000 Inch	Width x Height: 5.984 ÷ 4.016 • Inch • Pages per sheet: 12 • Manual layout In the preview use the right mouse button menu or the Edit ment to chore pages and to change their size and layout. Click the + button to sume this layout as a preset. Heremen collection elements: • 0.197 • • 0.197 • Inch Vound collection (printer margin is minimum): • 0.000 • • 0.000 • Inch • 0.000 • • 0.000 • Inch • 0.000 • • 0.000 • Inch	Width x Height: 5.984 + 4.016 + Inch Pages per sheet: 12 + +<td></td><td></td><td>:</td><td>•</td>			:	•
Pages per sheet: 12 1	• Pages per sheet: 12 • Manual layout In the preview use the right mouse button menu or the Edit ment botton to sum this layout as a preset. ipacing Image: State of the state of the state and layout. Click the state of t	Pages per sheet: 12 1 Manual layout In the preview use the right mouse button menu or the Edit to chone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: 0.197 0.197 10.197 10.197 10.00 0.000 0 0.000 0 0.000 0 0.000 0 0.000 0 0				
Manual layout In the preview use the right mouse button menu or the Edit men to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: IN 0.197	Manual layout he preview use the right mouse botton menu or the Edit ment to clone pages and to change their size and layout. Click the + botton to save this layout as a preset. spacing letween collection elements: → 0.197	Manual layout In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: IN 0.197 IN 0				
In the preview use the right mouse button menu or the Edit ment to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: • 0.197 • 10.197 • Inch Around collection (printer margin is minimum): • 0.000 • • 0.000 • Inch	In the preview use the right mouse button menu or the Edit men botton to sume this layout as a preset.	In the preview use the right mouse button menu or the Edit to clone pages and to change their size and layout. Click the button to knew this layout as a preset. Spacing Between collection elements: IN 0.197 0.097 1 Inch Around collection (printer margin is minimum): 0.000 0.000 1 Inch				
to clone pages and to change their size and layout. Click the + button to save this layout as a preset. Spacing Between collection elements: 0.197	to chone pages and to change their size and layout. Click the + botton to save this layout as a preset.	to clone pages and to change their size and layout. Click the button to save this layout as a preset. Spacing Between collection elements: 10.197 2 10.197 2 Inch Around collection (printer margin is minimum): 10.000 2 0 0.000 2 Inch		inht moure hutre	menu or the 54	
Spacing Between collection elements: IN 0.197 Around collection (printer margin is minimum): 0.000 IN 0.000 IN 0.0000 IN 0.00000 IN 0.00000 IN 0.00000 IN 0.00000 IN 0.00000 IN 0.000000 IN 0.00000000 IN 0.00000000000000000000000000000000000	spacing letween collection elements: vound collection (printer margin is minimum): 0.000 • 0.000 • inch 0.000 • 0.000 • inch	Spacing Between collection elements: 0.197 x 0.197 x	clone pages and to o	hange their size an	d layout. Click t	it men he +
Between collection elements: •• 0.197 • 0.197 • Inch Around collection (printer margin is minimum): • 0.000 • Inch	Activeen collection elements: 0.197 0.197 0.197 0.000	Between collection elements: Image: 0.197 0.197 0.197 0.197 Around collection (printer margin is minimum): 0.000 0.000 0.100 0.100	tton to save this layo	ut as a preset.		
Between collection elements: •• 0.197 • 0.197 • Inch Around collection (printer margin is minimum): • 0.000 • Inch	Activeen collection elements: 0.197 0.197 0.197 0.000	Between collection elements: Image: 0.197 0.197 0.197 0.197 Around collection (printer margin is minimum): 0.000 0 0.000 0				
H 0.197 * 0.197 * Inch Around collection (printer margin is minimum): • 0.000 * 0.000 * Inch	0.197 0.197 0.197 0.197 0.000		-	5:		
Around collection (printer margin is minimum): • 0.000 • • • 0.000 • Inch	Around collection (printer margin is minimum): • 0.000 • • • 0.000 • Inch • 0.000 • • • 0.000 • Inch	Around collection (printer margin is minimum): • 0.000 • • 0.000 • Inch			Inch	
+ 0.000 () + 0.000 () Inch	• 0.000 • • 0.000 • inch • 0.000 • • 0.000 • inch	• 0.000 🗘 • 0.000 🗘 Inch	0			
	1 0.000 C + 0.000 C Inch					
	More actions		0.000	1 0.000	incri	
	More actions					
	More actions					
	More actions					
	More actions					
	More actions					
	More gotions					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More options					
	More actions					
	More options					
	More options					
	More options					
	More options					
		More options	options			







Compatible Epson Designer Edition Printers¹

- Epson Stylus Pro 3880 Designer Edition (SP3880DES)
- Epson Stylus Pro 4900 Designer Edition (SP4900DES)
- Epson Stylus Pro 7890 Designer Edition (SP7890DES)
- Epson Stylus Pro 9890 Designer Edition (SP9890DES)

What is Involved in the Upgrade?

- It requires complete removal and reinstallation of the eXpress software
- You must have your original EFI Activation Code (EAC) permanent license, and dongle from version 4.x
- The upgrade kit includes a 4.5 DVD and Upgrade License code (no dongle)

Do I Need to Upgrade?

- If you require the RIP to run on Apple OS-X 10.8 (Mountain Lion) or use the PANTONE Plus color libraries then the answer is a definitive yes
- On the other hand, if the current RIP is working for you, Epson will continue to support you
- The 4.5 version upgrade (SKU 45113083) is available through Authorized Epson ProFocus Resellers for \$175.00 (MSRP)

EPSON

Own a Previous Version? How to Upgrade



Cartridge yields vary considerably based on images printed, print settings, paper type, frequency of use and temperature. For print quality, a variable amount of ink remains in the cartridge after the "replace cartridge" indicator comes on. The printer(s) ships with ink cartridges and part of the ink from the first cartridges is used for priming the printer. All stated cartridge volumes are fill volumes.

EPSON, Epson Stylus, Epson UltraChrome, Epson UltraChrome K3, MicroPiezo, Signature Worthy, SpectroProofer and TFP are registered trademarks and SureLab is a Trademark of Seiko Epson Corp. AccuPhoto, and AMC are trademarks and Epson Preferred is a service marks of Epson America, Inc.

> Apple, Mac, MacOS and the Mac Logo are trademarks of Apple Inc., registered in the U.S. and other countries. Windows, Windows Vista, and the Windows logos are trademarks of the Microsoft group of companies.

All other product brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights to these trademarks.

EPSON

Footnote

1. The following two printers which also have bundles with EFI eXpress for Epson are not supported by this version 4.5 upgrade SPWT7900DES SP7900CTP

Specifications are subject to change without notice

See www.epson.com/cartridgeinfo for more information about ink cartridges.

© Epson America, Inc. 2012 LK 02.21.2013