## **INKTANK SYSTEM PRINTER** 1655



# LOW-COST DUPLEX PRINTING WITH THE INKTANK ADVANTAGE.



Driven by the revolutionary PrecisionCore™ printhead technology, the L655 InkTank system delivers prints at incredibly low costs of 12 paise<sup>1</sup> for Black and 20 paise<sup>1</sup> for Colour. All at swift speeds of up to 33 ppm for draft and 13.7 ipm for standard prints. You'll not only enjoy B&W printouts with sharp texts that are water and smudge-resistant. You can also print vibrant and glossy photos on photo media paper. The L655 also comes with a full suite of connectivity features, making it the ideal choice for your office.





Fax



Warranty

Direct







with 1 x 140ml bottle of black ink and 3 x 70ml bottle of colour inks

ENGINEERED FOR BUSINESS

The Epson L655 is bundled

\*The total Colour CPP including black ink is 32 paise.

#### **Superb Quality and Cost Savings** Enjoy quality printouts and the lowest cost of duplex printing on

Duplex

**Convenient Connectivity** Share your printer over Wi-Fi, Wi-Fi

Direct, Ethernet and print on the go via a suite of Epson Connect features.

## **Enhanced Productivity**

Boost your productivity with default print speeds of up to 13.7 ipm, as well as scan and copy multi-page documents with the built-in ADF.



any inkjet printer.

Standard warranty period is one year or 50 000 pages whichever comes first 1 Total Colour Cost Per Print = 20 Paise (CMV)+12 Paise (K). Cost Per Print (CPP) is calculated based on nucled Page Vield for Black (6) 000 pages) and Composite (Cyan/Magenta/Yellow - 6,500 Pages) Ink Bottles, and MRP of Epson Genuine Ink Bottles. Quoted yields are in accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Part of the ink from the initial bottles is used for initializing the printer. Ink is used for both printing and printhead maintenance

\*IDC Asia-Pacific Quarterly Hardcopy Peripherals Tracker 2017 Q2. Value Market share of A4 Inkjet Printers and MFPs.

Your next level of productivity begins with Epson's L655 InkTank system printer, the printer that offers the lowest duplex printing costs, with each set of inks yielding up to 6,000 pages for black and 6,500 pages for colour. Enjoy quality documents and photo prints at fast print speeds, complete with a suite of connectivity features.





# Superb Quality and Cost-savings

Be impressed by reliable quality afforded by a 4800 dpi high resolution output. The L655 prints black and white documents with razor sharp text that are water and smudge-resistant. You can also print lab-quality glossy photos on photo media paper. The L655 also allows you to print on automatic duplex. Each set of inks yields up to 6,000 pages for black and 6,500 pages for colour.





## **Convenient Connectivity**

## Wi-Fi and Wi-Fi Direct Connectivity

Experience a world of wireless convenience with access to easy and flexible shared printing and mobile printing. The added advantage of Wi-Fi Direct allows you to connect up to 4 devices to the printer without a router. The L655 also comes enabled with Ethernet, ensuring superb connectivity, allowing you to easily share your printer within your work group for better use of resources.



#### **Epson Connect Enabled**

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print enabled Epson printer from any devices or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple<sup>®</sup> AirPrint<sup>™</sup> Print directly from your Apple devices.
- Google Cloud Print<sup>™</sup> Print directly from an Android<sup>™</sup> smartphone, tablet or PC using your Google account.
- Mopria<sup>™</sup> Print Service Conveniently print across different brands of printers from mobile devices running Android OS 4.4 or later.



## Enhanced Productivity

## High-speed Printing

PRECISIONCORE

Enjoy print speeds of up to 13.7 ipm for standard print, along with draft

print speeds of up to 33 ppm with Epson's PrecisionCore printhead, offering versatile high-speed, high-quality solutions for commercial, industrial and office printing. The L655 also supports automatic duplex printing up to 6.5 ipm, therefore reducing paper wastages.

PARTNERS IN PERFECTION



EB-1430Wi Ultra Short Throw Interactive Projector The EB-1430Wi provides a wide range of connectivity options such as HDMI and LAN input, and Epson's wireless iProjection application.

#### Automatic Document Feeder

The L655 is equipped with a 30-sheets ADF unit for convenient scanning and copying of multipage documents.

## LCD Screen

Experience easy setup and PC-less operation with a 2.2" mono LCD on the L655.



The L655 Broadcast Fax and PC-fax functions allow you to send a fax digitally with your computer, complete with a 100-page fax storage memory that ensures your incoming faxes will be received if the printer is out of paper or ink.



## Epson Warranty for Peace of Mind

Enjoy warranty coverage of up to one year\* or 50,000 prints, whichever comes first, for maximum value from your printer. Epson's warranty includes coverage of printhead, which is most important for a printer designed for high-volume printing.

## Space-saving Design

Even with its multi-functional capability, the L655 is compactly designed to take up very little space compared to conventional designs, allowing you to fit it comfortably anywhere in your office or home.

# Quality that Shines. Value that Lasts.

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink to enjoy lasting quality.





WorkForce DS-860 Scanner An ultra-fast and efficient scanner for document management, with speeds of up to 130ipm, Document Capture Pro software and scan to cloud functions.





#### **SPECIFICATIONS** L655

1655



Nozzie Coninguration	400 nozzies black, rzo nozzies per colour (Cyarl, Magerita, Teilow)
Print Direction	Bi-directional printing, Uni-directional printing
Maximum Resolution	4800 x 1200 dpi (with Variable-Sized Droplet Technology)
Minimum Ink Droplet Volume	3.3 pl
Print Speed 1	
Max Draft Text - Memo (A4)	Approx, 33 ppm / 20 ppm (Black <sup>#1</sup> /Colour <sup>#2</sup> )
Max Draft Text - Memo (A4) ISO 24734, A4, Simplex	Approx, 13.7 ipm / 7.3 ipm (Black/Colour)
ISO 24734, A4, Duplex	Approx. 33 ppm / 20 ppm (Black/Colour*0) Approx. 13.7 ipm / 7.3 ipm (Black/Colour) Approx. 6.5 ipm / 4.5 ipm (Black/Colour)
Photo Default - 10x15 cm/4x6" *2 #3	Approx. 69 sec per photo (W/Border)
Automatic 2-sided printing	Yes
Copying	103
Copy Speed	
ISO 29183, A4, Simplex	Approx. 11 ipm / 5.5 ipm (Black/Colour)
Copy Quality	Normal / Best quality
Maximum Copies from Standalone	99 copies
Reduction / Enlargement	25 - 400%, Auto Fit Function
Maximum Copy Resolution	600 x 600 dpi
Maximum Copy Size	A4, Letter
Scanning	
Scanner Type	Flatbed colour image scanner
Sensor Type	
Optical Resolution	CIS 1200 x 2400 dpi
Mauiraura Casa Aras	
Maximum Scan Area	216 x 297mm (8.5 x 11.7")
Scanner Bit Depth	
Colour	48-bit input, 24-bit output
Grayscale	16-bit input, 8-bit output
Black & White	16-bit input, 1-bit output
Scan Speed (Flatbed / ADF)	
300 dpi Monochrome	12 sec / 3.0 ppm
Colour	27 sec / 3.0 ppm
Fax Function	
Type of FAX	Walk-up black-and-white and colour fax capability
	Walk-up black-and-white and colour fax capability
Receive Memory / Page Memory	1.1MB, Page memory Up to 100 pages (ITU-T No.1 chart) ITU Group3 fax with Error Correction Mode
Error Correction Mode	ITU Group3 fax with Error Correction Mode
FAX speed (data transfer rate)	Up to 33.6kbps, Approx. 3sec/page
FAX Resolution	
Black & White	Standard: 8pels/mm x 3.85lines/mm
	Fine: 8pels/mm x 7.7lines/mm
	Fine: 8pels/mm x 7.7lines/mm Photo: 8pels/mm x 7.7lines/mm
Colour	Fine: 200 x 200 dpi
001001	Photo: 200 x 200 dpi
Transmission Paper Size	Thete: Loo X Loo dp.
	Lattar A4
Flatbed	Letter, A4
ADF	Letter, A4, Legal
Receiving Paper Size	Letter, A4, Legal
Speed Dial / Group Dial	Up to 60 numbers, 30 groups
Fax Features	Up to 60 numbers, 30 groups PC Fax (Transmission / Receive), Automatic redial, Address book, Delay Send,
	Broadcast Fax (Mono Only)
ADF Function	
Support Paper Thickness	64-95g/m <sup>2</sup>
Paper Capacity	30 pages (75g/m²) or 3mm (Letter, A4) / 10 sheets (Legal)
Paper Handling	of pages (roghi ) of onin (Letter, A4) / To sheets (Legal)
Paper Feed Method	Friction feed
Paper Hold Capacity	
Input Capacity	150 sneets, A4 Plain paper (75gsm) 20 sneets, Premium Glossy Photo Paper
Output Capacity	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper
Paper Size	150 sheets, A4 Plain paper (75gsm) 20 sheets, Premium Glossy Photo Paper 30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper Legal, Letter, A4, B5, A5, A6, 5 x 7', 4 x 6'', Ervelopes: #10, DL, C6
Maximum Paper Size	215.9 x 1200mm (8.5 x 47.24")
Print Margin	3mm top, left, right, bottom
Interface	
USB	Hi-Speed USB 2.0
Network	Ethernet, Wi-Fi, Wi-Fi Direct
Mobile and Cloud Printing	
	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint,
	Google Cloud Print Monria Print Service
Control Bonol	Google Cloud Print, Mopria Print Service
Control Panel	0.0" Mara I OD
LCD Screen	2.2" Mono LCD
Printer Software	
Operating System Compatibility	Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 / 10
	Mac OS X 10.6.x or later
Electrical Specifications	
Rated Voltage	AC 220 - 240 V
Rated Frequency	
	50 - 60 Hz
Power Consumption	50 - 60 Hz
Rated Frequency Power Consumption Operating	50 - 60 Hz
Operating	<u>50 - 60 Hz</u> 11W
Operating Standby	50 - 60 Hz 11W 44W
Operating Standby Sleep	50 - 60 Hz 11W 4.4W 1.5W
Operating Standby Sleep Power off	50 - 60 Hz 11W 44W
Operating Standby Sleep Power off Noise Level	50 - 60 Hz 11W 4.4W 1.5W
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo	50 - 60 Hz 11W 4.4W 1.5W 0.3W
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo	50 - 60 Hz 11W 4.4W 1.5W 0.3W
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo	50 - 60 Hz 11W 4.4W 1.5W 0.3W
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default '3	50 - 60 Hz 11W 4.4W 1.5W 0.3W 5.9 B(A), 46 dB(A) 6.4 B(A), 50 dB(A) 6.4 B(A), 50 dB(A)
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>13</sup> Epson Genuine Ink Bottle	50 - 60 Hz 11W 4.4W 1.5W 0.3W 5.9 B(A), 46 dB(A) 5.4 B(A), 50 dB(A) Page Yild <sup>44</sup> Order Code
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default '3 Epson Genuine Ink Bottle Black	50 - 60 Hz  11W  4.4W  5.9 B(A), 46 dB(A)  6.4 B(A), 50 dB(A)  Page Yield *  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0.30  0
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default "3 Epson Genuine Ink BOtie Black Cyan	50 - 60 Hz  11W  4.4W  1.5W  0.3W  5.9 B(A), 46 dB(A)  6.4 B(A), 50 dB(A)  Page Yield <sup>14</sup> 6,000 pages  17741  17741  1642
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo P2P Printing / Premium Glossy Photo PC Printing / Plain Paper Default '3 Epson Genuine Ink Bottle Black Cyan Magenta	50 - 60 Hz  11W  4.4W  5.9 B(A), 46 dB(A)  6.4 B(A) 66 dB(A)  7age Yield *  6,000 pages  17741  6,500 pages (Composite Yield)  16642  16643
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default "3 Epson Genuine Ink BOtie Black Cyan	50 - 60 Hz  11W  4.4W  1.5W  0.3W  5.9 B(A), 46 dB(A)  6.4 B(A), 50 dB(A)  Page Yield <sup>14</sup> 6,000 pages  17741  17741  1642
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo P2C Printing / Premium Glossy Photo PC Printing / Plain Paper Default '3 Epson Genuine Ink Bottle Black Cyan Magenta Yellow	50 - 60 Hz  11W  4.4W  5.9 B(A), 46 dB(A)  6.4 B(A), 50 dB(A)  Page Yield *  6,000 pages  17741  6,000 pages  16642  6,500 pages (Composite Yield)  16643  16643  16644  16644
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo P2P Printing / Premium Glossy Photo PC Printing / Plain Paper Default '3 Epson Genuine Ink Bottle Black Cyan Magenta	50 - 60 Hz  11W  4.4W  5.9 B(A), 46 dB(A)  6.4 B(A) 66 dB(A)  7age Yield *  6,000 pages  17741  6,500 pages (Composite Yield)  16642  16643
Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo P2C Printing / Premium Glossy Photo PC Printing / Plain Paper Default '3 Epson Genuine Ink Bottle Black Cyan Magenta Yellow	50 - 60 Hz  11W  4.4W  5.9 B(A), 46 dB(A)  6.4 B(A), 50 dB(A)  Page Yield *  6,000 pages  17741  6,000 pages  16642  6,500 pages (Composite Yield)  16643  16643  16644  16644

PrecisionCore™ printhead 400 nozzles Black, 128 nozzles per colour (Cyan, Magenta, Yellow)

#### EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005

Regional Offices: Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 6500 9370/77, Mumbai - 3079 8200, New Delhi - 3312 0300/01, Pune - 3028 6000/05, Hyderabad - 6463 9640/41



1 6 5 5

Weight: 7.4kg (16.3 lb)

\*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- \*2 When printed on Epson Premium Glossy Photo Paper
- \*3 Default mode in accordance with IS07779 for MFPs.
- \*4 In accordance with ISO 24711/24712 Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Part of the ink from the initial bottles is used for initialising the printer. Ink is used for both printing and printhead maintenance



© 2017 Epson India Pvt. Ltd. All Rights Reserved Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information. Annie iParl and iPhone are trademarks of Annie Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc Android is a trademark of Google Inc

Information correct as at January 2018

ſ	Dealer's Stamp



