

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : T49V8

UFI:W53F-PSF3-8P4H-QE82

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mix-

: Inkjet inks (UV-curable type)

ture

1.3 Details of the supplier of the safety data sheet

Importer/Supplier's company name, address and phone number

Company :

Address :

Telephone :

E-mail address :

Company name, address and phone number

Company : SEIKO EPSON CORPORATION

Address : 80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken, 399-0785

JAPAN

Phone number: +81-263-52-2552

E-mail address of person re-

sponsible for the SDS

: MSDS_HRO@exc.epson.co.jp

1.4 Emergency telephone

Phone number: +81-263-52-2552

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity - Oral, Category 4

Acute toxicity - Dermal, Category 4

Skin irritation, Category 2

Society of the property 1

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.
Skin sensitization, Category 1 H317: May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Reproductive toxicity, Category 1 H360: May damage fertility or the unborn child.

Specific target organ toxicity - repeated

exposure, Category 1

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H372: Causes damage to organs through

prolonged or repeated exposure. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :









Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or

repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this

product.

P272 Contaminated work clothing should not be allowed

out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or

doctor if you feel unwell.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

P305 + P351 + P338 IF IN EYES: Rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

P308 + P313 IF exposed or concerned: Get medical

advice/attention.

P310 Immediately call a POISON CENTER or doctor.

P312 Call a POISON CENTER or doctor if you feel

unwell.

P330 Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P391 Collect spillage

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous ingredients which must be listed on the label:

2-Propenoic acid, phenylmethyl ester

2H-Azepin-2-one, 1-ethenylhexahydro-

Morpholine, 4-(1-oxo-2-propenyl)-

2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 8.1943 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 8.1943 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 8.1943 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: $8.1943\,\%$

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Inkjet inks (UV-curable type)

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No. Registration number		(70 W/W)
2-Propenoic acid, phenylmethyl ester	2495-35-4 219-673-9	Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	40-50
2H-Azepin-2-one, 1-ethenylhexa- hydro-	2235-00-9 218-787-6	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) STOT RE 1 (H372)	10-20
Morpholine, 4-(1-oxo-2-propenyl)-	5117-12-4	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	5-10
2-Propenoic acid, 1,7,7-trime-thylbicyclo[2.2.1]hept-2-yl ester, exo-	5888-33-5 227-561-6	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1A (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	5-10
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	75980-60-8 278-355-8	Repr. 1 (H360) Skin Sens. 1B (H317)	5-10
2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl ester	7328-17-8 230-811-7	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1A (H317) Aquatic Chronic 2 (H411)	1-5
Trimethylolpropane polyoxyeth- ylene triacrylate	28961-43-5	Eye Irrit. 2 (H319) Skin Sens. 1B (H317) Aquatic Chronic 3 (H412)	1-5
Bis(2-ethylhexyl)-2-butenedioate	142-16-5 205-524-5	STOT RE 2 (H373) Aquatic Chronic 1 (H410)	<1



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Benzene, ethenyl-, copolymer with 2,5-Furandione and Benzene, 1,1'-(1,1-dimethyl-3-methylene-1,3-propanediyl)bis-, rp. with Oxirane, methyl, polymer with oxirane, 2-aminopropyl methyl ether and 1,3-Propanediamine, N,N-dimethyl-, Oxirane, mono[(C10-16-alkyloxy)methyl] derivs quaternised, compound with Benzoic acid	-	-	1-5
Caprolactam	105-60-2 203-313-2	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	< 1
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha.',.alpha."-1,2,3-propanetriyltris[.omega[(1-oxo-2-propenyl)oxy]-	52408-84-1	Eye Irrit. 2A (H319) Skin Sens. 1 (H317)	< 1
1,6-Hexanediol diacrylate	13048-33-4 235-921-9	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	< 1
2,5-Cyclohexadien-1-one, 2,6-bis(1,1-dimethylethyl)-4-(phenylmethylene)-	7078-98-0	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413)	< 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Immediately flush eye(s) with plenty of water. In case of eve contact

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes skin irritation.

> May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

Suspected of damaging fertility. (Causing atrophy of the tes-

Causes damage to organs through prolonged or repeated ex-

posure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing me- : High volume water jet

dia

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the appli-

cation area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage ar- :

eas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

precautions. Electrical installations / working materials must

comply with the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Respiratory protection

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection Impervious clothing

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

No personal respiratory protective equipment normally re-

quired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Color colored

Odor characteristic

No data available Melting point/freezing point

Boiling point, initial boiling

point and boiling range

No data available

Upper explosion limit / Upper : No data available

flammability limit



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version **Revision Date:** Date of last issue: -

25.2.2025 14 Date of first issue: 10.10.2024

Lower explosion limit / Lower : No data available

flammability limit

: >= 94 °C Flash point

Method: Seta closed cup

Autoignition temperature No data available

Decomposition temperature No data available

Not applicable рΗ

Viscosity

Viscosity, kinematic <= 14 mm2/s

Solubility(ies)

insoluble Water solubility

Solubility in other solvents Solvent: Solubility: Organic solvent

Partition coefficient: n-oc-

tanol/water

No data available

Vapor pressure No data available

Density 1.00 - 1.10 g/cm3

Relative vapor density No data available

Particle characteristics

Particle size Not applicable

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Copolymer solution containing pigment affinity group:

Acute oral toxicity : Assessment: Toxic effects cannot be excluded

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Suspected of damaging fertility. (Causing atrophy of the testes)

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Copolymer solution containing pigment affinity group:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

12.2 Persistence and degradability

No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

 ADR
 : UN 3082

 RID
 : UN 3082

 IMDG
 : UN 3082

 IATA
 : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(,)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(,)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(,)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(,)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

13 / 17



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals
REACH - List of substances subject to authorisation (An- : Not applicable

nex XIV)

Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS

pean Parliament and of the Council on the control of major-accident hazards involving dan-

gerous substances.

MAL-Code-Number : 5-6 (1993)

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H311	 Toxic in contact with skin.
H312	: Harmful in contact with skin.
H315	 Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

H360 : May damage fertility or the unborn child.

H372 : Causes damage to organs through prolonged or repeated ex-

posure.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410
H411
Toxic to aquatic life with long lasting effects.
H412
Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version Revision Date: Date of last issue: -

14 25.2.2025 Date of first issue: 10.10.2024

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Acute Tox. 4 H302 Calculation method
Acute Tox. 4 H312 Calculation method



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

T49V8-01

Version 14	Revision Date: 25.2.2025		Date of last issue: - Date of first issue: 10.10.2024
Skin I	rrit. 2	H315	Calculation method
Eye D	Dam. 1	H318	Calculation method
Skin S	Sens. 1	H317	Calculation method
Repr.	1	H360	Calculation method
STOT	TRE 1	H372	Calculation method
Aquat	tic Acute 1	H400	Calculation method
Aquat	tic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DK / EN