
# LABEL PRINTERS LABELWORKS<sup>™</sup> LW-300/400/700/900P





# PERFECT LABELING SOLUTIONS. WIDEST RANGE OF MEDIA.

From simple home and office organisation to systematic asset-tagging for schools, factories, hospitals and more, Epson LabelWorks printers offer easy-to-use, professional solutions for every labelling need. Choose from a wide selection of Epson label media in a variety of widths, patterns, colours and finishes to create high-quality, professional labels with minimal waste and maximum savings.







LW-400





I W-900F



**Better Value by Design** 

margin wastage significantly.

Dramatically smaller side margins let you

print perfectly sized labels that reduce

Wide Range of Media and Styles Get creative with multiple font types and styles, symbols and frames. Choose from 9mm to 36mm tape widths in various colours and patterns.

#### Create Once, Reuse Anytime

All LabelWorks printers make it convenient to store your favourite custom label designs and recall them later for future applications.

Whether at home or at work, finding what you are looking for has never been quicker and easier with an Epson LabelWorks printer. The lightweight and handy LW-300 and LW-400 feature fast and efficient label printing while the portable LW-700 and standalone LW-900P can connect to your PC or Mac for greater flexibility.



# **Better Value by Design**

All LabelWorks printers are designed for greater cost efficiency. Through the use of significantly smaller side margins, margin wastage is reduced greatly. Labels are perfectly sized for fast and easy application.



# Wide Range of Media and Styles

LabelWorks printers offer tremendous creative flexibility with up to 14 font types and 10 different styles (bold, shadow, outline, etc), 457 symbols and 87 frames, for users to create unique labels for every need.

Epson's wide selection of high-quality labels in a variety of styles, sizes and colours lets you create labels as eye-catching, personal or professional as needs be.

Tape widths range from 9mm to 36mm, in standard, metallic and pastel colours, patterns, and even specialised applications such as iron-on, glow-in-the-dark, cable wrap, fabric ribbons and index tapes.



# Create Once, Reuse Anytime

Save your precious time and effort to recreate your favourite labels. Store up to 30 custom designs on the LW-300, 50 on the LW-400 and 100 on the LW-700 for easy label reprinting when necessary. With the LW-700 and LW-900P, you can store as many designs as the available hard disk space on your connected PC or Mac allows.



# Economical, Longer-lasting Labels

With a wide selection and sizes of labels, you will be spoilt for choice with our transparent, pastel, metallic ranges and specialist cable wrap labels.

Epson labels can withstand exposure to heat, cold and wet conditions, making them ideal for any application in offices through tough industrial environments. The LabelWorks range is designed to work perfectly with Epson tapes every time, leaving minimal margins and waste.

- · Save money with economical 8-metre tapes
- Fully tested, durable labels that survive extreme temperatures and wet conditions
- Labels stick fast to almost any surface even curved, glass and stainless steel
- No residue from adhesive when labels are removed





# Ultimate Versatility with Epson Label Editor\*

Epson Label Editor software allows users to insert images and company logos on the labels. Additionally a full range of font types are available on the user's PC or Mac. With a resolution of 360dpi and a print speed of up to 25mm/s, the LW-700 and LW-900P are perfect for quick printing of labels for filing, storage, equipment identification and signage, as well as for post rooms, goods in/out and facilities management.

\*Applicable to LW-700 and LW-900P





LW-900P

LW-700

# LabelWorks LW-300

Compact and efficient helper

- · Electronic label maker with integrated keyboard
- Accepts 9mm and 12mm tape widths
- Simple to use with ergonomic buttons and high-quality LCD screen
- Dedicated buttons give guick access to cutting and printing functions
- Store up to 30 custom label designs for instant recall

# LabelWorks LW-400

Powerful and flexible organiser

- Portable electronic label maker with built-in keyboard
- Accepts 9mm, 12mm and 18mm tape widths
- Ideal for office labelling, including filing, storage, asset tagging and barcode printing
- Simple to use with ergonomic buttons
- · Dedicated buttons give quick access to cutting and printing functions
- · Store up to 50 custom label designs for instant recall
- · Backlit LCD screen for a clear view, whatever the light conditions

LabelWorks LW-700

Hybrid labelling powerhouse

- Dual-use portable electronic label maker with PC and Mac connectivity
- Supports cost-saving 8-lines printing that prints more words on one label
- · Accepts 9mm, 12mm, 18mm and 24mm tape widths
- Ideal for office labelling, including filing, storage, asset tagging and barcode printing
- Ergonomic Qwerty keyboard with dedicated function buttons
- · Easy-to-use label editing software included
- Store up to 100 custom label designs for instant recall
- · Backlit LCD screen for a clear view, whatever the light conditions

# LabelWorks LW-900P

Professional labelling from your Mac or PC

- Desktop electronic label printing system that connects to your PC or Mac
- Accepts 9mm, 12mm, 18mm, 24mm and 36mm tape widths
- Ideal for office labelling, including filing, storage, asset tagging and barcode printing
- · Easy-to-use label editing software included
- Choose from pre-defined templates or design your own
- · Easily insert images, borders, barcodes and symbols
- Import data in csv, txt and xls(x) formats and print labels for each line of data











#### **SPECIFICATIONS** LABELWORKS<sup>TM</sup> LW-300/400/700/900P



MODEL NUMBER	LW-300	LW-400	Discussion of Weight
Printing			Dimensions & Weight
Technology	Thermal transfer		
Tape Width	6, 12mm	6, 12, 18mm	LW-300
Resolution	180 dpi		Weight: 0.43kg (0.9lb)
Printable Dot Numbers	64		trong (di vilo)
Max. Print Height	9mm		
Max. Print Speed	6 mm/sec		
Max. No. of Printable Lines	2	4	55mm
Max. Text Length	80 characters	1	
Multi-Block	N.A.		
Print Settings			
Repeat Printing	1 – 9 (Cut-mark)		And a second sec
Auto Increment	0 - 9	0 – 9, a – z, A – Z	
Mirror Printing	Yes	<u>0 - 7, 0 - 2, A - 2</u>	150mm
Vertical Printing	Yes		(5.9")
	10mm fixed		145mm
Margin Setting	Auto / 30 mm – 400 mm (1" – 1	(5.7")	
Fixed Length		()	
Setting Area	Whole label		
Wire Wrap	N.A.	Yes	111/ 400
Flag	N.A.	Yes	LW-400
Barcodes	N.A.	8 (EAN-8 / EAN-13 / CODE39 / CODE128 / UPC-A / UPC-E / CODABAR / ITF)	Weight: 0.41kg (0.9lb)
Fonts & Styles			
Fonts	14 (Sans serif, Sans serif HG, Sans serif ST, Gothic, Bold.Gothic, Roman, US Roman,		
5 10	CL Roman, Mincho, Gyosho, F	Reisho, BR, CB, ScriptPL)	(2.2")
Font Size	5		All the second se
Frames	87		
Tables	N.A.		
Styles	10 (Normal, Italic, Bold, Outline, Shadow, Shadow + Outline, Bold + Italic, Outline + Italic,		
	Shadow + Italic, Shadow + Outline + Italic)		/ 170mm
Layout Alignment	Left		(6.7")
Letter Pitch	Yes		
Letter Width	3	2	110mm
Memory			
Alphanumeric	62		(4.3")
Accent	179		
Accent Learning	Yes		
Symbols	457		
Saved Label Design	30	50	
Last Label	Yes		
Hardware	103		
Cutter	Manual		
Detection			
Strap Hole	Tape width, cover open		
Power LED	Yes		
	N.A.		
Half Cut LED	N.A.		
Feed Button	N.A.		
Keyboard			
Type / No. of Keys	QWERTY / 59	QWERTY / 61	
Display			
Size	128 × 16 dot	128 × 32 dot	
Backlit Display	N.A.	Yes	
No. of Characters Per Line	6	16	
No. of Lines	1	2	
Preview	Yes		
Language	7 (English, French, German, Sr	anish, Portuguese, Italian, Dutch)	
PC Connection			
Interface	N.A.		
Operating System	N.A.		
Hard Disk Space	N.A.		
PC Display Requirements	N.A.		
	N.A.		
Included Software (PC/Mac compatible)	N.A.		© 2013 Epson India Pvt. Ltd. All Rights Reserved.
Power Consumption		L o genu	Reproduction in part or in whole, without the written
Printing (Average)	2.280W	2.555W	permission from Epson, is strictly prohibited.
Ready	0.360W	0.556W	EPSON and EXCEED YOUR VISION are registered
Power Off	0.180W		trademarks of Seiko Epson Corporation. All other
General			products names and other company names used
Batteries	6 AA (not included) herein are for identification purposes only and are the trademarks or registered trademarks of their		
AC Adaptor	Bundled		respective owners. Epson disclaims any and all rights
Low Battery Indicator	Yes		in those marks. Print samples shown are simulations
Dimensions (D $\times$ W $\times$ H)	150 × 145 × 55mm	170 x 110 x 56mm	only. Specifications and product availability are
Weight	435g	418g	subject to change without notice and may vary
Colour	Black, White and Green	· ·	between countries. Please check with local Epson offices for more information.
Standard Warranty	1 year		enters to the contract to

# EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005

#### **Regional Offices:**

Ahmedabad - 33148500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 6500 9370/77, Mumbai - 3079 8200, New Delhi - 3312 0300/01, Pune - 3028 6000/05, Hyderabad - 6463 9640/41







#### **SPECIFICATIONS** LABELWORKS<sup>™</sup> LW-300/400/700/900P



180mm (7.0")

182mm (7.1")

80mm (3.1")

146mm (5.7")

MODEL NUMBER	LW-700	LW-900P	Dimensions & Weight
Printing			Dimensions & weight
Technology Tape Width	Thermal transfer 9, 12, 18, 24 mm	9, 12, 18, 24, 36 mm	LW-700
Resolution	180 dpi	360 dpi	Weight: 0.77kg (1.69lb)
Printable Dot Numbers	128	384	weight. 0.77kg (1.89b)
Max. Print Height	18.05 mm	27.1 mm	
Max. Print Speed	13 mm/sec	25 mm/sec	
Max. No. of Printable Lines Max. Text Length	8 175 characters, PC-based: Custom	Custom Custom	15
Multi-Block	10	Yes	1000
Print Settings			
Repeat Printing	Yes		
Auto Increment	Yes		
Mirror Printing Vertical Printing	Yes		
Margin Setting	Manual / Auto		235mm (9.2")
Fixed Length	Auto / 30 mm – 400 mm (1" – 15")   Auto / Custom		(9.2)
Setting Area	Yes		
Wire Wrap	Yes		
Flag Barcodes	Yes 9 (CODE39, CODE128, ITF, CODABAR,	14 (EAN-8 / EAN13 / CODE39 / CODE128 /	LW-900P
Balcodes	UPC-A, UPC-E, EAN-8, EAN-13, QR code) PC-based: 14 types	UPC-A / UPC-E / CODABAR / ITF / EAN128 / GS1DataBar QRcode / MaxiCode / PDF417 / Data Matrix)	Weight: 0.9kg (1.9lb)
Fonts & Styles	•		
Fonts	14 (Sans serif, Sans serif HG, Sans serif ST,	PC dependent	PEON
	Gothic, Bold.Gothic, Roman, US Roman, CL Roman,		
	Mincho, Gyosho, Reisho, BR, CB, ScriptPL)		
5	PC-based: PC dependent		
Font Size Frames	7, PC-based: PC dependent 87, PC-based: PC dependent	PC dependent PC dependent	~ !
Tables	4, PC-based: 8	PC dependent	
Styles	15, PC-based: PC dependent	PC dependent	- /
Layout Alignment	3, PC-based: PC dependent	PC dependent	N
Letter Pitch	Yes	PC dependent	182
Letter Width	Yes	PC dependent	85mm (7.
Memory Alphanumeric	62, PC-based: PC dependent	PC dependent	(3.3")
Accent	185, PC-based: PC dependent	PC dependent	
Accent Learning	Yes	N.A.	
Symbols	460, PC-based: 466	PC dependent	
Saved Label Design	100, PC-based: PC dependent	PC dependent	
Last Label	Yes	N.A.	
Hardware Cutter	Auto	Auto, Half, Trim	
Detection	Tape width, cover open	Auto, Hait, ITIM	
Strap Hole	Handle	N.A.	
Power LED	N.A.	Yes	
Half Cut	N.A.	Yes	
Feed Button	N.A.	Yes	
Keyboard Type / No. of Keys	QWERTY / 63, PC-based: PC dependent	PC dependent	
Display	WERTT / 03, PC-based. PC dependent	r PC dependent	
Size	130 × 64 dot	N.A.	
Backlit Display	Yes	N.A.	
No. of Characters Per Line	16	<u>N.A.</u>	
No. of Lines	4	N.A.	
Preview PC Connection	Yes	N.A.	
Interface	USB		
Operating System	Windows XP, Vista, 7, 8		
	Mac OS X v10.6 or later		
Hard Disk Space	Approx. 100 MB		
PC Display Requirements Included Software (PC/Mac compatible)	XGA (1024 x 768) or better Epson Label Editor		
Power Consumption	Epson Laber Editor		© 2013 Epson India Pvt. Ltd. All I Reproduction in part or in whole
Printing (Average)	8.5W	13.6W	permission from Epson, is strictl
Ready	1.3W	0.7W	EPSON and EXCEED YOUR VIS
Power Off	0.2W		trademarks of Seiko Epson Corp products names and other com
General			herein are for identification purp
Batteries	6 AA (not included)	N.A.	the trademarks or registered tra
AC Adaptor	Bundled		respective owners. Epson discla in those marks. Print samples sl
Low Battery Indicator Dimensions (D × W × H)	Yes 80 × 180 × 235 mm	N.A. 80 × 182 × 146 mm	only. Specifications and product
Weight	770 g	900 g	subject to change without notice between countries. Please chec
Colour	Blueish White and Green	Pale Grey and Green	offices for more information.
Standard Warranty	1 year	1	

India Pvt. Ltd. All Rights Reserved. in part or in whole, without the written m Epson, is strictly prohibited. XCEED YOUR VISION are registered Seiko Epson Corporation. All other es and other company names used dentification purposes only and are s or registered trademarks of their s or registered trademarks or their ners. Epson disclaims any and all rights is. Print samples shown are simulations tions and product availability are nge without notice and may vary tries. Please check with local Epson te information.


# **EPSON INDIA PVT. LTD.**

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-30515000 Fax: 080-30515005

# **Regional Offices:**

Ahmedabad - 33148500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 6500 9370/77, Mumbai - 3079 8200, New Delhi - 3312 0300/01, Pune - 3028 6000/05, Hyderabad - 6463 9640/41







Official Partner of M nah enter United