

COMMERCIAL & INDUSTRIAL PRINTER



COMMERCIAL & INDUSTRIAL PRINTER

MENGAPA MEMILIH EPSON PRINTER ?

Epson large format printer memastikan hasil warna yang luar biasa sehingga menjadi pilihan yang tepat untuk mendukung berbagai bisnis Anda mulai dari Advertising, fashion, retail dan photography.

SOLUSI SOFTWARE



ECSP (Epson Cloud Solution Port)

Platform berbasis cloud yang dirancang untuk membantu pengguna dalam memantau, mengelola, dan mengoptimalkan performa printer Technical Epson secara efisien dari berbagai lokasi. Solusi ini dirancang khusus untuk kebutuhan industri cetak profesional, seperti percetakan, arsitektur, konstruksi, desain grafis, dan label industri, dengan dukungan penuh untuk berbagai model printer Epson kelas bisnis dan large-format.



Pemantauan Real-Time

Lihat status printer, jumlah cetak, error, dan konsumsi tinta/media secara langsung dari satu dashboard online.

Laporan Produksi dan Efisiensi

Analisa waktu aktif printer, area cetak, dan produktivitas harian/mingguan untuk pengambilan keputusan berbasis data.

Manajemen Printer

Pantau dan kelola banyak printer di berbagai lokasi secara terpusat

Estimasi Biaya Produksi

Hitung penggunaan tinta/media untuk mengetahui estimasi biaya per pekerjaan cetak.

Notifikasi dan Diagnostik Cepat

Dapatkan peringatan dini saat terjadi gangguan untuk meminimalkan downtime.

Akses Aman dan Fleksibel

Bisa diakses dari PC, tablet, atau smartphone — tanpa instalasi tambahan.



Epson Edge Print Pro

Software RIP (Raster Image Processor) profesional dari Epson yang memberikan kontrol penuh terhadap proses pencetakan, dengan fitur-fitur utama seperti manajemen warna akurat berbasis ICC Profile, tata letak cetak fleksibel melalui fitur optimisasi layout, dukungan multi-format file (TIFF, JPEG, PDF, EPS, AI), serta kemampuan untuk memproses data cetak dengan cepat dan efisien. Dirancang khusus untuk Large Format Printer Epson. Edge Print membantu pelaku industri signage, tekstil, label, dan fotografi profesional dalam menghasilkan cetakan berkualitas tinggi secara konsisten, sekaligus menghemat waktu dan media cetak.

Manajemen Warna Akurat

Mendukung ICC Profile dan spot color (termasuk Pantone®), menghasilkan warna cetak yang presisi dan konsisten.

Nesting & Layout Otomatis

Mengatur posisi file secara optimal di atas media cetak untuk mengurangi pemborosan bahan.

Dukungan Format File Profesional

Memproses file TIFF, JPEG, PDF, EPS, dan AI untuk kebutuhan industri kreatif dan cetak komersial.

RIP Cepat dan Efisien

Mengonversi file desain menjadi data cetak (raster) secara cepat untuk meningkatkan produktivitas.



COMMERCIAL & INDUSTRIAL PRINTER

P Series

SurePress Label Printers

SUREPRESS SP-L6534VW



Print Technology

Max Print Resolution

Substrate Width

Substrate Type

Substrate Thickness

Substrate Treatment

Unwinder Capacity

Ink Type

Ink Cartridges

Print Speed

Dimensions

Weight

PrecisionCore linehead inkjet technology

600 x 1200 dpi

80mm to 340mm

Adhesive Paper, Adhesive Film, Single Layer Paper, Single Layer Film

80 to 320 microns

Corona Treatment, Static Ionizer, UV Curing Lamp

600mm dia / 100kg weight / 1,000m length

UV Curable Inks

Black, Cyan, Magenta, Yellow, Digital Varnish,

White, Storage liquid

Productivity Mode: 50m/min, Standard Mode:

30m/min, High Density Mode: 15m/min,

Reverse White Mode: 7.6m/min

4250 (W) x 2290 (D) x 2520 (H) mm

2640 kg

Available with Orange Ink

SUREPRESS SP-L4733AW



Model No

Printing Technology

Ink Type

Ink cartridge

Image size

Print speed

Substrate thickness

Substrate width

Substrate support

SurePress L 4733AW

Epson MicroPiezo inkjet technology

SurePress AQ Ink T4 (SurePress AQ)

Black, Uncoated Black, Cyan, Magenta, Yellow,

Orange, Green, Over print liquid, Moisture liquid

(AW model only: White, Storage liquid)

315.2mm x 914.4mm

Up to 8.2 meter per minute *

80 to 320 µm

80 to 334mm Adjustable to support any width in this range

Standard self adhesive label substrate, Semi gloss, gloss and matte paper stock, BOPP, PET, Yupo and pre laminated film

Unwinder capacity (Max.)

100kg weight / 1,000m length, 600mm diameter with 76mm (3") inner core

3950 x 1,910mm x 2,020mm

5100 x 1,910mm x 2,020mm

Approximately 1870kg(TBD) including rewinder

Approximately 180kg

Ethernet 1000 base T or higher is recommended

Input voltage range: Rated voltage 10% (180 220V)

Rated voltage: AC (3 phases 3 lines) 200V

18 - 28 derajat celcius

35 - 55% (no condensation)

75dB or less (excluding the alarm sound)

Temperature (Operating)

Relative Humidity (Operating)

Max. sound level (Operating)

Dimensions of Press (WxDxH)

Dimensions of Press and Rewinder (WxDxH)

Weight of Press

Weight of Rewinder

Network connectivity

Power requirements

ENGINEERED FOR good

EPSON

GO
BIG

WITH OUTSTANDING
DIGITAL PRINTS FOR
EVERY PURPOSE



F
F-Series

Surecolor Fabric Series

SURECOLOR SC-G6030



Max Print Width 894 mm
Print Head PrecisionCore MicroTFP printhead
Max Resolution 1200 x 600 dpi
Media Thickness Up to 0.5 mm
Ink Brand Name UltraChrome DF Ink
Colours CMYK + White + Maintenance Liquid
Ink Capacity 1,600ml
Print Speed *Perform a test print using the following parameters:

2 Layer, CMYK + White:

Lv.3 (600 x 600dpi): 5.6 m²/h (Default Print Mode)

1 Layer, CMYK:

Lv.3 (600 x 600dpi): 11.5 m²/h (Default Print Mode)

1 Layer, White:

Lv.3 (600 x 600dpi): 11.5 m²/h (Default Print Mode)

Super Speed USB & Ethernet 100Base-T/1000Base-T

Mac OS 10.7 or later

Windows 8.1/10/11 [x64]

Interface
OS Compatibility

Memory 1GB
Power Consumption

65 W Operating,

30 W Ready,

6 W Sleep

Dimension Printing : 1608 x 746 x 1128 mm

[no ink or media]

Weight Approx. 129 Kg [without ink cartridges]

COMMERCIAL & INDUSTRIAL PRINTER

F Series

Surecolor Fabric Series

SURECOLOR SC-F2230



Max Print Width

Print Head

Max Resolution

Min Droplet Size

Ink System

Colours

Cartridge Size

Print Speed

Interface

OS Compatibility

Memory

Power Consumption

Dimension

Weight

Versatile
Media Handling

25mm thick

Up to 406 x
508mm

Ethernet

Garment
Creator

Standard & Medium Grooved Platen: 356 x 406 mm

406 x 508 mm (using optional large platen)

1.33" PrecisionCore® MicroTFP with VSDT

1200 dpi x 1200 dpi

12.8 pl

UltraChrome DG2 Ink

CMYK + White + Maintenance Liquid

800ml

Standard configuration
Fast: 28 s (colour only), 52 s (white only),

89 s (white + colour)

Production: 43 s (colour only), 86 s (white only),

142 s (white + colour)

Quality: 128 s (colour only), 213 s (white only),

321 s (white + colour)

Hi-Speed USB 2.0 x 2 (For PC x1, for USB flash

memory x 1), 1000 Base-T

Windows & Mac Compatible

1GB

Operating: Approx. 46W, Ready: Approx. 30W, Sleep:

Approx. 7.0W, Standby: Approx. 0.3W

981 W x 499 H x 1,361 mm D

94.5 kg

SURECOLOR SC-F1030



Max Print Width

Print Head

Max Resolution

Min Droplet Size

Ink System

Colours

Cartridge Size

Print Speed

Interface

OS Compatibility

Memory

Power Consumption

Dimension

Weight



Print 1200dpi

1.33"
PrintheadInk Pack System
(250ml)Compact
FootprintGarment
Creator 2Low
Maintenance

Small Platen: 254 x 305 mm

PrecisionCore MicroTFP Printhead

2400 dpi x 1200 dpi

12.8 pl

UltraChrome DG2 Ink

Cyan, Magenta, Yellow, Black, White

250ml

PERFORMANCE
DTG Dark Shirt (White + Colour) Fast: 200s,

Production: 240s

DTG Light Shirt (Colour Only) Fast: 55s,

Production: 100s

Film (White + Colour) Fast: 200s, Production: 285s

DTG & Film (White Only) Fast: 105s, Production: 240s

Super-Speed USB 3.0 x1 (For PC x1), Hi-Speed USB2.0

x 1 (USB flash memory x 1), 1000 Base-T/100

Base-TX/10 Base-T, IEEE802.11b/g/n/a/ac/k/v/r

Windows & Mac Compatible

1GB

Operating: Approx. 40W, Ready: Approx. 20W, Sleep:

Approx. 6.0W, Standby: Approx. 0.2W

899 x 699 x 426 mm

72 kg

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F3030



Max Print Width	406 x 508 mm (using optional Large Platen)
Print Head	Dual 2,6" PrecisionCore Micro TFP
Max Resolution	1,200 x 1,200 dp
Min Droplet Size	12.1 pl
Ink System	Epson Ultrachrome® DG
Colours	CMYK + White + Maintenance Liquid
Cartridge Size	1500ml
Print Speed	Fast 14s (Colour Only), 26s (White + Colour) Production: 21s (Colour Only), 40s (White + Colour) Quality: 36s (Colour Only), 47s (White + Colour) High Quality : 48s (Colour only) , 70s (White + Colour)
Interface	Rear High Speed USB 2.0 & Ethernet 100Base/T1000 Base- T/100 Base Front panel USB for file storage &Uploading (FAT32 format) Windows & Mac Compatible.
OS Compatibility	4GB
Memory	168 W Operating, 111W Ready, 20W Sleep
Power Consumption	

SURECOLOR SC-F130



Paper Width	A4, LTR, Legal
Printhead	PrecisionCore Micro TFP Printhead
Max. Resolution	600 x 1,200 dpi
Ink Type	Epson UltraChrome Dye Sublimation
Colours	Cyan, Magenta, Yellow, Black
Loading	150 page tray
Print Speed	Production : 65s, Quality : 152s
Interfaces	Hi-Speed USB *2, Ethernet (10BASE-T / 100BASE-TX), Wi-Fi (IEEE 802.11 b/g/n)
Memory	132 Kbyte (Input Buffer Memory)
Voltage	AC 220 – 240V (withstand voltage AC 400V)
W x D x H	375x503x187mm
Supply	120ml Black + 60ml x CYM CISS Tank System
Power	Operating: Approx. 13W
Consumption	Ready: Approx. 4.1W Sleep: Approx. 0.7W
Weight	Approx. 4.6 kg (without ink bottle)
Refills Ink	140 ml Bottles
Control Panel	Tilt-adjustable with button control, 2.4" colour LCD display and integrated help

COMMERCIAL & INDUSTRIAL PRINTER

F Surecolor Fabric Series

SURECOLOR SC-F530



Printer Width
Print Head
Maximum Resolution
Ink System
Colours
Print Speed

24"
PrecisionCore TFP Printhead
2400 x 1200 dpi
Epson Genuine Dye-Sublimation Ink
Cyan, Magenta, Yellow, Black
Production (2 pass), For Fabric: Up to 62 sec / 21 m² (600 x 1200 dpi), Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m² (1200 x 1200 dpi), Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m² (2400 x 1200 dpi)

Interface
OS Compatibility

USB 2.0 Hi-speed, Ethernet 100BASE-TX / 1000BASE-T
Windows 10 / 8.1 / 8 / 7 / Vista / XP,
Mac OSx10.6.8 or later

Memory
Power Consumption

1 GB
Operating: Approx. 22W, Ready: Approx. 8W
Sleep: Approx. 1.6W, Power Off (Stand by): Approx. 0.2W

Dimension

Storage (W x H x D): 970 mm x 245 mm x 577 mm
Printing (W x H x D): 970 mm x 245 mm x 811 mm

Weight
Supply
Refills Ink

29kg
4 x 106 ml Tank System
140 ml Bottles



Total Nilai
TKDN + BMP
36.88%

SURECOLOR SC-F531



Max. Print Width
Printhead
Max. Resolution
Ink Type
Colours

24 inch
PrecisionCore TFP™ Printhead
2,400 x 1,200 dpi
Epson Genuine Dye-Sublimation Ink
4 Colours - Cyan, Fluorescent Pink, Fluorescent Yellow
Black
Production (2 pass), For Fabric: Up to 62 sec / 21 m² (600 x 1200 dpi) ; Production (7 pass): For Fabric & Rigid: Up to 208 sec / 7.5 m² (1200 x 1200 dpi)
Production (12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m² (2400 x 1200 dpi)

Print Speed

Interface

Super-Speed USB
100BASE-TX / 1000BASE-T / IEEE802.11 b/g/n

Memory
Power Consumption

1 GB
Ready: Approx. 8W; Sleep: Approx. 1.6 W
Operating: Approx. 28W; Power Off: Approx 0.2W

Dimensions

970 x 505 x 230 (WxDxH)

Weight

29 kg (without ink cartridges)

Supply

4 x 106 ml Tank System

Refills Ink

140 ml Bottles



Total Nilai
TKDN + BMP
37.37%

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F6430



Max Print Width	44 inch
Print Head	1,33" PrecisionCore MicroTFP with VSDT & Epson Precision Dot
Max Resolution	600 x 1,200 dpi
Ink System	UltraChrome DS Ink (Cyan, Magenta, Yellow, High Density Black)
Type	Dye Sublimation
Ink Capacity	4 x 1.5L Continuous Ink Supply System (CISS)
Refill	1.6 L
Paper Size	Thickness Up to 0.5 mm Width 254 mm to 1,118 mm (10" to 44")
Interface	Super Speed USB, 100BASE-TX/1000BASE-T
Memory	1 GB
Power Consumption	80W Operating, 36W Ready, 19W Sleep
Weight	With Take Up Reel: Approx. 133 kg Without Take Up Reel: Approx. 120 kg
Print Speed	Max Speed 70.8sqm/hr 1.1 Pass 300 x 600dpi Production Fabric 38.8sqm/hr 2.1 Pass 600 x 600dpi Premium Fabric 19.9sqm/hr 4.0 Pass 600 x 600dpi

SURECOLOR SC-F6430H



Max Print Width	44 inch
Print Head	Print Head: 1,33" PrecisionCore MicroTFP with VSDT & Epson Precision Dot
Max Resolution	600 x 1,200 dpi
Ink System	UltraChrome DS 6 Ink (Cyan, Magenta, Yellow, High Density Black, Light Cyan, Light Magenta, Fluorescent Yellow, Fluorescent Pink, Orange, Violet)
Type	Dye Sublimation
Ink Capacity	4 x 1.5L Continuous Ink Supply System (CISS)
Refill	1.6 L
Paper Size	Thickness Up to 0.5 mm Width 254 mm to 1,118 mm (10" to 44")
Interface	Super Speed USB, 100BASE-TX/1000BASE-T
Memory	1 GB
Power Consumption	80W Operating, 36W Ready, 19W Sleep
Weight	With Take Up Reel: Approx. 140 kg Without Take Up Reel: Approx. 127 kg
Print Speed	PERFORMANCE Fast Fabric 38.8sqm/hr 2.1 Pass 300 x 600dpi Production Fabric 24.3sqm/hr 3.5 Pass 600 x 600dpi Premium Fabric 17.6sqm/hr 4.7 Pass 600 x 600dpi

COMMERCIAL & INDUSTRIAL PRINTER

F Series

Surecolor Fabric Series

SURECOLOR SC-F9530



Max Print Width
Print Head
Max Resolution
Min Droplet Size
Ink System
Type
Colours
Supply
Refill
Print Speed

Paper Size
Interface

OS Compatibility
Memory
Power Consumption



Versatile
Media Handling



up to 64"
1 mm thick



Up to 64"
Wide



Ethernet

64 inch (1625.6 mm)
2,64" PrecisionCore Micro TFP
600 dpi x 1200 dpi
3,6 pl

Epson Ultrachrome® DS
Epson Sublimation
Dual CMYHdk

2 x 4 x 1,6 L pouch
1 Box 3,2L (1,6L x 2 pouch)
PERFORMANCE

Max Fabric 147 m²/hr 1.1 pass 300 x 600 dpi
Fast Fabric 114 m²/hr 1.5 pass 300 x 600 dpi
Production Fabric 80 m²/hr 2.2 pass 600 x 600 dpi
300 - 1626 mm wide x 250 mm diameter, 2"/3" core
High Speed USB 2.0

Ethernet 100Base-T/1000Base-T (recommended)
Also supports USB 3.0

Windows 10/11 (64-bit) Mac OS X 10.7 or later
4 GB
1040 W operating, 360 W ready, 3.2 W sleep

SURECOLOR SC-F9530H



Max Print Width
Print Head
Max Resolution
Min Droplet Size
Ink System
Type
Colours
Supply
Refill
Print Speed

Paper Size
Interface

OS Compatibility
Memory
Power Consumption



Versatile
Media Handling



up to 64"
1 mm thick



Up to 64"
Wide



Ethernet

64 inch (1625.6 mm)
2,64" PrecisionCore Micro TFP
600 dpi x 1200 dpi
3,6 pl

Epson Ultrachrome® DS6
Epson Sublimation
CYMHDk + LcLm or OrVi or FyFp

2 x 6 x 1.6 L pouches
1 Box 3,2L (1,6L x 2 pouch)
PERFORMANCE

Max Fabric 147 m²/hr 1.1 pass 300 x 600 dpi
Fast Fabric 114 m²/hr 1.5 pass 300 x 600 dpi
Production Fabric 80 m²/hr 2.2 pass 600 x 600 dpi
300 - 1626 mm wide x 250 mm diameter, 2"/3" core
High Speed USB 2.0

Ethernet 100Base-T/1000Base-T (recommended)
Also supports USB 3.0

Windows 10/11 (64-bit) Mac OS X 10.7 or later
4 GB
1040 W operating, 360 W ready, 3.2 W sleep

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-F11030



Max Media Width	76 inch (1950mm)
Print Head	4 x 4.7" Epson PrecisionCore™ TFP
Maximum Resolution	1200 x 1200dpi
Min Droplet Size	3,8 pl
Colours	CYM +HDk
Supply Refills	DUAL bulk ink supply with auto hot-swap
Print Speed	10L box Fast Fabric 255 m2/hr, 300 x 600 dpi, (1.1 Pass) Standard Fabric 200 m2/hr, 300 x 600 dpi2 (1.5 Pass) Fast Apparel 150 m2/hr, 600 x 600 dpi2 (2.1 Pass) Soft Signage 103 m2/hr, 600 x 600 dpi2 (3.1 Pass)
Interface	High Speed USB 3.0, Ethernet 1000Base-T
Memory	155GBI
Power Consumption	3.9kW Operating / 221W Sleep / 9.6W Off
Dimensions (W x D x H)	1303mm x 2886mm x 4607mm
Printer	(without media holders or ink)
Weight	CISS: 877 x 556 x 541mm, 53kg (no ink) 683kg (with ink supply, no ink)

SURECOLOR SC-F11030H



Max Media Width	76 inch (1950mm)
Print Head	6 x 4.7" Epson PrecisionCore™ TFP
Maximum Resolution	1200 x 1200dpi
Min Droplet Size	3,8 pl
Colours	CYM +HDk + Fluorescent Pink, Fluorescent Yellow or Light Magenta Light Cyan
Supply Refills	DUAL bulk ink supply with auto hot-swap
Print Speed	10L box PERFORMANCE Fast Fabric 300 x 600 dpi, (1.1 Pass): 246 m2/hr Standard Fabric 300 x 600 dpi, (1.5 Pass): 193 m2/hr Fast Apparel 600 x 600 dpi, (2.1 Pass): 144 m2/hr Soft Signage 600 x 600 dpi, (3.1 Pass): 99 m2/hr
Interface	High Speed USB 3.0, Ethernet 1000Base-T
Memory	155GBI
Power Consumption	4.4 kW operating / 230 W sleep / 9.6 W off
Dimensions (W x D x H)	5008 x 1303 x 1886 mm
Printer	(without media holders or ink)
Weight	CISS: 877 x 556 x 541mm, 53kg (no ink) 767kg (with ink supply, no ink)

COMMERCIAL & INDUSTRIAL PRINTER

Direct-To-Fabric Printer

ML-8000



Print Technology
Number of Print Head
Max Resolution

Print Speed

Power Consumption
Network
Dimensions

Weight

Print
Speed

PrecisionCore Inkjet Technology
8
1,200 x 1,200 dpi (Pigment), 1,200 x 600 dpi
(Reactive, Acid, Disperse)
Print Speed Square : 312 (300 x 600 dpi, 1 pass)1 /
3,122
(300 x 600 dpi, 1 pass)¹
Print Speed Linear : 208 (300 x 600 dpi, 1 pass)1 / 634
(300 x 600 dpi, 1 pass)¹
12kVA
USB 3.0 Ethernet 1000BASE-T
Printer: 3,700 (W) x 2,690 (D) x 1,830 (H) mm
(146 x 106 x 72 in), Ink rack (with 10L ink) : 880 (W) x
960 (D) x 790 (H) mm(35 x 38 x 31 in)
Printer : Approx. 2,150 kg (4,740 lb), Ink rack :
Approx. 110 kg (243 lb, not including ink)
Typical printing speed
312 sqm/h (300x600) dpi, 1 pass
162 sqm/h (600x600) dpi, 2 pass

ML-13000




Printing Technology
Number of Print Head
Max Resolution
Print Speed

Humidity Dimension

Electrical Weight
Temperature

PrecisionCore inkjet technology
13
1,200 x 1,200 dpi
Maximum printing speed (m²/h) 252 (300x600 dpi, 1 pass) *2
Typical printing speed 1 (m²/h) 131 (600x600 dpi, 2 pass) *3
Typical printing speed 2 (m²/h) 87 (900x600 dpi, 3 pass) *4
Typical printing speed 3 (m²/h) 63 (1200x600 dpi, 4 pass) *5
Maximum printing speed (sq ft/hr) 2713 (300x600 dpi, 1 pass) *2
Typical printing speed 1 (sq ft/hr) 1410 (600x600 dpi, 2 pass) *3
Typical printing speed 2 (sq ft/hr) 936 (900x600 dpi, 3 pass) *4
Typical printing speed 3 (sq ft/hr) 678 (1200x600 dpi, 4 pass) *5
Operating: 40 — 60%RH (no condensation)
Printer (kg) Approx. 2,350 kg Not include ink
Operating: 20°C — 35°C, recommended: 22°C —
28°C

ML-16000



Printing Technology
Number of Print Head
Max Resolution
Print Speed

Humidity
Dimension
Electrical
Weight
Temperature

PrecisionCore inkjet technology
16
1,200 x 1,200 dpi
Maximum printing speed (m²/h) 417 (300 x 600 dpi, 1 pass)
Typical printing speed 1 (m²/h) 236 (600 x 600 dpi, 2 pass)
Typical printing speed 2 (m²/h) 158 (900 x 600 dpi, 3 pass)
Maximum printing speed (sq ft/hr) 4,489 (300 x 600 dpi, 1 pass)
Typical printing speed 1 (sq ft/hr) 2,540 (600 x 600 dpi, 2 pass)
Typical printing speed 2 (sq ft/hr) 1,701 (900 x 600 dpi, 3 pass)
Operating: 40-60%RH
(no condensation)
Approx. 3,900 kg
(8,598 lb)
Operating: 20°C - 30°C,
Recommended: 22°C - 28°C

COMMERCIAL & INDUSTRIAL PRINTER

Monna Lisa ML18000



Printing Technology
Number of Print Head
Max Resolution
Print Speed

Humidity
Dimension
Electrical Weight
Temperature

PrecisionCore inkjet technology
18
1,200 x 1,200 dpi
Maximum printing speed (m/h) 450 (300x600 dpi, 1 pass) *1
Typical printing speed 1 (m/h) 252 (600x600 dpi, 2 pass) *2
Typical printing speed 2 (m/h) 162 (900x600 dpi, 3 pass) *3
Maximum printing speed (sq ft/hr) 4844 (300x600 dpi, 1 pass) *1
Typical printing speed 1 (sq ft/hr) 2713 (600x600 dpi, 2 pass) *2
Typical printing speed 2 (sq ft/hr) 1744 (900x600 dpi, 3 pass) *3
Operating: 40 – 60%RH (no condensation)
Printer (kg) Approx. 2,190 kg Not include ink
Operating: 20°C – 35°C, recommended: 22°C – 28°C

Monna Lisa ML32000



Print Technology
Number of Print Head
Max Resolution
Print Speed

Humidity
Dimension

Electrical
Weight

Power Consumption
Temperature

PrecisionCore Inkjet Technology
32
1,200 x 1,200 dpi
Maximum Printing Speed (m2/h) 697 (300 x 600 dpi, 1 Pass)
Typical Printing Speed 1 (m2/h) 423 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (m2/h) 305 (900 x 600 dpi, 3 Pass)
Maximum Printing Speed (sq ft/hr) 7,502 (300 x 600 dpi, 1 Pass)
Typical Printing Speed 1 (sq ft/hr) 4,553 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (sq ft/hr) 3,283 (900 x 600 dpi, 3 Pass)
35 – 80% RH (no condensation)
Printing Machine: Approx. 4,610 (W) x 2,500 (D) x 2,070 (H) mm
Control Box: 660 (W) x 1,500 (D) x 2,290 (H) mm
Working Area: 8,110 (W) x 5,400 (D) x 2,290 (H) mm
400V, 3 phase + Neutral + Earth
Printer: Approx 3,900 kg (8,598 lb)
Control box: Approx 400 kg (882 lb)
Ink Rack: Approx 240 kg (529 lb) (exc ink)
20.7 kVa
Operating: 20°C-30°C (68°F-86°F)

Monna Lisa ML64000



Print Technology
Number of Print Head
Max Resolution
Print Speed

Humidity
Dimension

Electrical
Weight

Temperature

PrecisionCore Inkjet Technology
64
1,200 x 1,200 dpi
Typical Printing Speed 1 (m2/h) 740 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (m2/h) 533 (900 x 600 dpi, 3 Pass)
Typical Printing Speed 1 (sq ft/hr) 7,965 (600 x 600 dpi, 2 Pass)
Typical Printing Speed 2 (sq ft/hr) 5,737 (900 x 600 dpi, 3 Pass)
40 – 60% (no condensation)
Printing Machine: Approx. 6,510 (W) x 4,960 (D) x 2,530 (H) mm
Working Area: 8,500 (W) x 7,270 (D) x 2,640 (H) mm
AC 220 – 240V (withstand voltage AC 400V)
Printer: Approx 7,000 kg (15,432 lb)
Control box: Approx 700 kg (1,543 lb)
Ink Rack: Approx 300 kg (661 lb) (exc ink)
Operating: 20°C-30°C (68°F-86°F)

COMMERCIAL & INDUSTRIAL PRINTER

P Series

Surecolor Photographic Series

SURECOLOR SC-P6530E



Max Print Width	24 Inch
Print Head	PrecisionCore Micro TFP printhead
Max Resolution	2400 dpl x 1200 dpl
Min Droplet Size	3.5pl
Ink System	Ultra Chrome Pro 6 Ink
Colours	6
Paper Handling	Roll Paper / Friction Head
Print Speed	111 Sec, A1 Size Premium Glossy
Printer Interface	1000 BASE-T
OS Compatibility	Mac OS X 10.6.8 or later, Mac os 11 or later
Memory	4 GB
Power Consumption	Operating approx 75W Ready approx 32W Sleep approx 2W Standby approx 0.3W

SURECOLOR SC-P8530D



Technology	PrecisionCore Inkjet Technology, Variable-Sized Droplet Technology
Max Resolution	2,400 x 1,200 dpi
Min Droplet Size	3.5pl
Ink System	UltraChrome Pro 6 Ink
Ink Capacity	350, 700 ml
Colours	Cyan, Magenta, Yellow, Gray, Photo Black, Matte Black
Interface	SuperSpeed USB, 100BASE-TX / 1000BASE-T/IEEE802.11b/g/n/ac, USB memory stick
Power Consumption	Operating: Approx. 70W, Ready: Approx. 32W, Sleep: Approx. 2.0W, Standby: Approx. 0.3W
Dimension (WxHxD)	1,848 x 975 x 829 mm
Weight	Approx. 155 kg

SURECOLOR SC-P703



Max Print Wide	13 inch wide
Technology	On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
Max Resolution	5760x1440 dpi
Min Droplet Size	1.5pl
Ink System	UltraChrome PRO10 ink
Colours	Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
Interface	Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
Power Consumption	22 W Operating/ 1.1 W Sleep
Dimension (WxDxH)	Close: 515x368x185 mm, Open: 515x769x420 mm
Weight	Main Unit: Approx. 12.6kg (without ink cartridge)

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-P903



- Max Print Wide Technology
 - Max Resolution
 - Min Droplet Size
 - Ink System
 - Colours
 - Interface
 - Power Consumption
 - Dimension (WxDxH)
 - Weight
- 17 inch wide
On-demand ink jet (piezo electric), Variable-Sized Droplet Technology
5760x1440 dpi
1.5pl
UltraChrome PRO10 ink
Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet
Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4
24 W Operating/ 1.1 W Sleep
Close: 615x368x199 mm, Open: 615x905x520 mm
Main Unit: Approx. 14.8kg (without ink cartridge), Option roll unit: 3.1kg

SURECOLOR SC-P5330



- Max Print Width
 - Print Head
 - Max Resolution
 - Min Droplet Size
 - Ink System
 - Type
 - Colours
 - Cartridge Size
 - Print Speed (A2 sheet)
 - Paper Size
 - Interface
 - OS Compatibility
 - Memory
 - Power Consumption
 - Dimensions (W x D x H)
 - Weight
- 17 inch (432 mm)
PrecisionCore® TFP
2880 dpi x 1440 dpi
3.5 pl
Epson Ultrachrome® HDX
Aqueous all-pigment
11 (Configurable with Light Light Black OR Violet)
200 ml
Draft: 360 dpi x 360 dpi 0.5 minutes
Normal: 360 dpi x 720 dpi 0.8 minutes
Fine: 720 dpi x 720 dpi 1.8 minutes
Super Fine: 720 dpi x 1440 dpi 3.6 minutes
Super Photo: 2880 dpi x 1440 dpi 7 minutes
8" x 10" (203 x 254 mm) - A2+ (432 x 610 mm) sheets, 203-432 mm wide x 150 mm diameter 3" core / 103 mm diameter 2" core rolls
High Speed USB 2.0, Ethernet 10Base-T / 100Base-TX / 1000Base-T
Mac OS X 10.6.8 or later, Windows 10, 8/8.1, 7, Vista, & Win XP SP1
256 MB Main and 128 MB Network
52W Operating / Standby 20W / 5W Sleep (1000BASE-T)
863 x 766 x 405 mm
[Sheet feed & output tray closed]
52kg (no ink)

COMMERCIAL & INDUSTRIAL PRINTER

P Series

Surecolor Photographic Series

SURECOLOR SC-P7530



Versatile
Media Handling



Up to 1.5mm
Thick



Up to 24"
Wide



Borderless
Printing



Easy
Maintenance

Max Print Width 24 inch
Print Head Micro TFP Printhead
Max Resolution 2400 dpi x 1200 dpi
Min Droplet Size 3.5 pl
Ink System Ultrachrome® Pro12 Pigment Ink
Colours 12
Paper Handling Roll Paper / Friction Feed
Print Speed 97 sec (Level 1) 122 sec (Default) Premium Glossy
Photo Paper 170 gsm A1 size/ISO
Super Speed USB, 100 BASE - TX /
1000 BASE - T
Printer Interface Mac OS X 10.6.8 or later,
OS Compatibility Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
Memory 2 GB
Power Consumption Operating : Approx 85 W
Ready : Approx 32 W
Sleep : Approx 3.4 W
Power Off (Stand by) : Approx 0.3 W

SURECOLOR SC-P9530



Versatile
Media Handling



Up to 1.5mm
Thick



Up to 44"
Wide



Borderless
Printing



Easy
Maintenance

Max Print Width 44 inch
Print Head Micro TFP Printhead
Max Resolution 2400 dpi x 1200 dpi
Min Droplet Size 3.5 pl
Ink System Ultrachrome® Pro12 Pigment Ink
Colours 12
Paper Handling Roll Paper / Friction Feed
Print Speed 219 sec (Level 1) 285 sec (Default) Premium
Glossy
Photo Paper 170 gsm B0 size/ISO
Printer Interface USB Interface (Hi-Speed USB/USB,
OS Compatibility 100 BASE - TX / 1000 BASE - T
Mac OS X 10.6.8 or later,
Windows XP / Vista / 7 / 8 / 8.1 (32/64bit) or later
Memory 2 GB
Power Consumption Operating : Approx 110 W
Ready : Approx 32 W
Sleep : Approx 3.4 W
Power Off (Stand by) : Approx 0.3 W

COMMERCIAL & INDUSTRIAL PRINTER

SURECOLOR SC-P8000



Print Head	PrecisionCore™ TFP printhead, Epson Variable-Sized Droplet Technology
Max Resolution	2880x1440 dpi
Min Droplet Size	3.5 pl
Ink System	Epson UltraChrome HD
Colours	Cyan, Photo Black, Matte Black, Vivid Magenta, Yellow, Light Cyan, Vivid Light Magenta, Light Black, Light Light Black
Paper Path	Friction Feed
Roll Dimensions	254mm-1118mm, 2inch-core/ 3inch-core 2inch-core: Max 103mm/ 3inch-core: Max 150mm
Paper Size (w) and Thickness	254mm [10"] - 1118mm [44"]: Roll paper 210mm [A4] - 1118mm [44"]: Cut Sheet 0.08-1.50mm
Borderless	728mm[29in.], 841mm[A0/33in.], 914mm[36in.], 1118mm [44in.] 728mm [29in.], 841mm A0/33in., 914mm [36in.], 1118mm [44in.]
Interface	Hi-Speed USB, 10BASE-T/100BASE-T/1000BASE-T
Dimension (W x D x H)	1,864 x 667 x 1,218 mm
Weight	Approx. 135kg

SURECOLOR SC-P20530



Max Print Width	17 inch (432 mm)
Print Head	PrecisionCore MicroTFP Printhead
Max Resolution	2000 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	UltraChrome PRO 12 Ink
Type	Pigment Ink
Colours	12 (Configurable with Light Light Black OR Violet)
Cartridge Size	1,600ml
Print Speed (A2 sheet)	Plain Paper Draft Mode: Approx. 122 m2h
Paper Size	254 [10"] - 1,626 [64"] mm
Interface	SuperSpeed USB, 100BASE-TX / 1000BASE-T (Option)
OS Compatibility	Windows XP, Vista, 7, 8, 8.1 (32/64bit) or later Macintosh Mac OS X 10.6.8 or later
Memory	Physical 6GB (Printer H/W)
Power Consumption	95W Operating / Standby 0.5W / 2.2W Sleep
Dimensions (W x D x H)	2,740 x 760 x 1,145 mm
Weight	224 kg

COMMERCIAL & INDUSTRIAL PRINTER

P
P-Series

Surecolor Photographic Series



SURECOLOR SC-P7330

Max Printing Technology
Max Resolution
Ink System
Min droplet size
Nozzle Configuration

PrecisionCore inkjet technology
2,400x1,200 dpi
Epson Ultra Chrome PRO 10 Ink
3.5pl
8000 nozzles (800 nozzles x 10 Colors)
Black:3200(PK:800, MK:800, GY:800,LGY:800)
Color:4800(Y:800, VM:800, C:800, VLM:800,
LC:800, V:800)

Colours
Cyan, Vivid Magenta, Yellow, Light Cyan, Vivid Light
Magenta, Violet, Photo Black, Matte Black, Gray,
Light Gray

Temperature
Power Consumption
Temperature(Operating) 10°C to 35°C
Operation 70W / Ready 32W / Sleeping 3.2W



SURECOLOR SC-P9330

Max Printing Technology
Max Resolution
Ink System
Min droplet size
Nozzle Configuration

Precision Core inkjet technology
2,400x1,200 dpi
Epson Ultra Chrome PRO 10 Ink
3.5pl
8000 nozzles (800 nozzles x 10 Colors)
Black:3200(PK:800, MK:800, GY:800,LGY:800)
Color:4800(Y:800, VM:800, C:800, VLM:800,
LC:800, V:800)

Colours
Cyan, Vivid Magenta, Yellow, Light Cyan, Vivid Light
Magenta, Violet, Photo Black, Matte Black, Gray,
Light Gray

Temperature
Power Consumption
Temperature(Operating) 10°C to 35°C
Operation 80W / Ready 32W / Sleeping 3.2W

COMMERCIAL & INDUSTRIAL PRINTER



Surecolor Signage Series

SURECOLOR SC-S7130



Max Print Width	300 to 1625.6 mm
Print Head	1.33" PrecisionCore MicroTFP
Max Resolution	1200 x 1200 dpi
Ink System	UltraChrome GS3 Ink
Type	Eco-Solvent Based
Colours	CMYK
Cartridge Size	800 ml
Print Speed	Max speed 75.1 m ² /hr, 1 pass 300 x 600 dpi Billboard production 38.7 m ² /hr, 2 pass 600 x 600 dpi Banner production 19.2 m ² /hr, 4 pass 600 x 600 dpi Vinyl production 13.5 m ² /hr, 6 pass 600 x 1200 dpi Film production 4.7 m ² /hr, 16 pass 1200 x 1200 dpi
Interface	USB 3.0, Ethernet 100Base-TX/ 1000 Base-T
Memory	1GB
Power Consumption	Operating: Approx. 1100W Ready: Approx. 520W Sleep: Approx. 3.0W
Dimension	2620 x 989 x 1338 mm
Weight	Approx. 287 Kg

SURECOLOR SC-S8130/S9130



Max Print Width	300 to 1625.6 mm
Print Head	2.64" PrecisionCore MicroTFP
Max Resolution	1200 x 1200 dpi
Ink System	UltraChrome GS3 Ink
Type	Eco-Solvent Based
Colours	S8130: C, M, Y, K, Lc, Lm S9130: C, M, Y, K, Lc, Lm, Lk, Rd, Or, Gr, W or Cl
Cartridge Size	800 ml/1500ML
Print Speed	Max speed 119.4 m ² /hr, 1 pass (300 x 300 dpi) Billboard 63.0 m ² /hr, 2 pass (300 x 600 dpi) Banner high speed 35.6 m ² /hr, 4 pass HS (600 x 600 dpi) Banner speed 29.9 m ² /hr, 4 pass (600 x 600 dpi) Banner production 20.1 m ² /hr, 6 pass (600 x 600 dpi) Banner quality 14.8 m ² /hr, 8 pass (600 x 600 dpi) Vinyl, canvas, paper & textile production 14.0 m ² /hr, 10 pass (1200 x 600 dpi) Film production (1 layer) 7.2 m ² /hr, 17 pass (1200 x 600 dpi) Film production (2 layer) 4.0 m ² /hr, 30 pass (1200 x 600 dpi)
Paper Size	300 to 1625.6 mm
Interface	SuperSpeed USB*1, 100BASE-TX/1000BASE-T
Memory	4GB
Power Consumption	Operating: Approx. 1190W Ready: Approx. 500W Sleep: Approx. 3.4W Power Off (Standby): Approx. 0.3W
Dimension	Printing: 2,620 x 1,004 x 1,021 mm (W x D x H) Stowed: 2,620 x 925 x 1,021 mm (W x D x H)
Weight	S8130: Approx. 340 Kg S9130: Approx. 323.4 Kg

COMMERCIAL & INDUSTRIAL PRINTER



Surecolor UV Series

SURECOLOR SC-V1030



Print up to
A4



Up to 70mm
Media Thickness



Auto Height
Adjustment



Compact
Footprint



Low
Maintenance

Print Head
Nozzle Configuration
Max Resolution
Print Speed

1" MicroPiezo with VSDT
1,440 nozzles (180 nozzles x 8 lines x 1 head)
1,440 x 1,440 dpi
Colour 0,9 m²/h (720x720 dpi)
White 0,6 m²/h (1440x720 dpi)
Matte Varnish 0,9 m²/h (720x720 dpi)
Wide Gap Mode 0,4 m²/h (720x720 dpi)

Curing Method
Ink Type
Colours
Ink Capacity
Max Printing Area
Interface

LED-UV type
UV Curable Ink
Black, Cyan, Magenta, Yellow, White, Varnish
140 ml (Ink Supply Unit)
up to 210x297 mm, 70 mm thickness
SuperSpeed USB (Compatible with the USB 3.0
Specification), 100BASE-TX / 1000BASE-T /
IEEE802.11b/g/n/az/ac
Windows 7 (32/64) or later
Mac OS 10.6.8 or later

OS Compatibility

Dimensions (W x D x H)

Printing: 699 x 426 (Cover Closed) / 942 (Cover
Opened) x 699 mm Stowed: 699 x 426 x 699 mm
59 kg (With ink cartridges)
170 W operating / 0.1 W standby / 80 W ready /
2.6 W sleep

Weight
Power Consumption

SURECOLOR SC-V7000



Print Head
Nozzle Configuration
Max Resolution
Print Speed

Epson 1st UV Flatbed Printer

8 x Epson 1" PrecisionCore Micro TFP
11,520 nozzles (180 nozzles x 8 lines x 8 head)
720 x 1,440 dpi
High Speed 43.1m²/hr (360 x 720dpi)
Speed 23.2m²/hr (720 x 720dpi)
Production 15.3m²/hr (720 x 720dpi)
Quality 10.5m²/hr (720 x 1080dpi)
High Quality 4.8m²/hr (720 x 1440dpi)
Fine Production 7.8m²/hr (720 x 720dpi)

Curing Method
Ink Type
Colours

LED-UV type
UV Curable Ink
Cyan, Magenta, Yellow, Black, Light Cyan, Light
Magenta, Gray, Red, White, Varnish

Ink Capacity
Max Media Size

1,000 ml (Ink Bottle)
1.25 x 2.50m max size, 80mm max thickness.
50kg/m² max weight

Interface
Power Consumption
Dimensions (W x D x H)
Weight

Super-Speed USB (Type-B)
Operating: Approx. 4.8kW
4,635mm x 2,768mm x 1,730mm
1,370 kg (With ink cartridges)

SD-10

Digital Colour Spectrophotometer



Technology	Spectroscopic Device
Spectral Range	400 – 700nm
Sampling Interval	Colour Measurement
Photometric Range	10 nm (Interpolation by software)
Light Source	LED (Including UV)
Measurement Conditions	M0: Including UV light component, ISO 13655:2017 measurement condition M0 M1e: D50 - Including UV light component, measurement conditions equivalent to ISO 13655:2017 measurement condition M1 (Measurement conditions held with a radiant power at all wavelengths from 400 to 700 nm, and power ratios in the 300 to 400 nm and 400 to 500 nm regions similar to D50) M2: Without UV, ISO 13655:2017 measurement condition M2
Calibration	White reference built in the sensor cover
Scan Length	400mm
Interfaces	USB Type-C, USB 2.0 Full-Speed BLE Bluetooth Low Energy
Dimensions (W x D x H)	35 x 80 x 80 mm (Shutter Closed) 35 x 80 x 77.6 mm (Shutter Opened)
Weight	Approx. 190g

GO BIG

WITH GORGEOUS
PRINTS ON A WIDE
VARIETY OF MATERIALS



ENGINEERED FOR good

EPSON



GO
BIG

**WITH SUPERB
PHOTO PRINTS**

**Efficient
workflow
solution**

Maximum printing
convenience

**Precision
printhead**

Crisp clarity and sharp
detail reproduction

**Vivid
colours**

Stunning vibrancy
in every photo

**Improved
design**

Ergonomic design,
flexible installation



COMMERCIAL & INDUSTRIAL PRINTER



Surelab Photolab Series

SURELAB SL-D1030



Print Head	Micro Piezo Printhead
Max Resolution	1,440 x 720 dpi
Min Droplet Size	2.5 pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Ink Capacity	250ml
Colours	Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black
Paper Size	Width: 89mm – 210mm ; Length: 148mm – 297mm
Print Size	Roll: Max. 1,000mm, Min. 50mm / Manual Feed: 1,000mm / Auto Sheet Feeder (ASF): 297mm
Interface	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n, Wi-Fi
OS Compatibility	Windows® 10, Windows® 8.1 for each 32bit/64bit, Macintosh Mac OS X (10.9.5 or later), Mac OS 11.X
Power Consumption	Operating: Approx. 80W / Ready : Approx. 14W / Sleep: Approx. 1.2W / Standby: Approx. 0.2W
Dimensions (W x D x H)	Single-sided Model: 460 x 683 x 359 mm
Weight	Double-sided Model: 460 x 747 x 441 mm
	Single-sided model: 17.6kg
	Double-sided model: 23.1kg
	Main unit: 17.6kg, Duplex Feeder: 5.5kg

SURELAB SL-D530



Print Method	Micro Piezo Inkjet Technology with Variable Sized Droplet Technology
Max Resolution	1440 x 720dpi (High Quality) / 720 x 720 dpi (Standard) / 720x360 (Draft)
Max Droplet Size	2.5pl
Ink System	Epson UltraChrome D6r-S Dye Ink
Colours	Colours 6 (Cyan, Magenta, Yellow, Light Cyan, Light Magenta, Black) 70 ml per colour
Media Handling	Auto Sheet Feeder
Printer Interface	Width: 89mm – 102mm ; Length: 127mm – 152mm
OS Compatibility	Auto Sheet Feeder: 3.5" x 5", 4" x 6" (100 sheets)
	Hi-Speed USB, 100BASE-TX/10BASE-T, IEEE802.11b/g/n
Memory	Windows®11, Windows®10, Windows®8.1 for each 32bit/64bit, Macintosh Mac OS X (10/9/5 or later), Mac OS 11.X
Power Consumption	0.5 GB
	18W Operating/ 3.8W Ready/1.4W Sleep/ 0.2W Standby

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product
C13T738100	Black	SC-B6070
C13T738200	Cyan	
C13T738300	Magenta	
C13T738400	Yellow	
C13T904100	Black	SC-B9070
C13T904200	Cyan	
C13T904300	Magenta	
C13T904400	Yellow	
C13T725100	Epson UltraChrome DG Ink - Black 600ml	SC-F2130
C13T725200	Epson UltraChrome DG Ink - Cyan 600ml	
C13T725300	Epson UltraChrome DG Ink - Magenta 600ml	
C13T725400	Epson UltraChrome DG Ink - Yellow 600ml	
C13T725A00	Epson UltraChrome DG Ink - White 600ml	SC-F530
C13S400080	DS Transfer General Purpose 24 inch Roll	
C13S400079	DS Transfer General Purpose 17 inch Roll	
C13S400081	DS Transfer General Purpose A3 Roll	
C13S400082	DS Transfer General Purpose A4 Roll	SC-F6630
C13S400077	DS Transfer General Purpose A3 Sheet	
C13S400078	DS Transfer General Purpose A4 Sheet	
C12C93151	Stand [24"]	
C12C935701	Roll Feed Spindle [24"]	SC-F7270
C13S210057	Maintenance Box	
C13S210055	Auto Cutter Spare Blade	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L	SC-F9340
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L	
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L	
C13T741200	Epson UltraChrome DS Ink - Cyan 1L x 6pcs	
C13T741300	Epson UltraChrome DS Ink - Magenta 1L x 6pcs	SC-F9340
C13T741400	Epson UltraChrome DS Ink - Yellow 1L x 6pcs	
C13T741X00	Epson UltraChrome DS Ink - HD Black 1L x 6pcs	
C13T46H200	Epson UltraChrome DS Ink - Cyan 1.1L	
C13T46H300	Epson UltraChrome DS Ink - Magenta 1.1L	SC-P407
C13T46H400	Epson UltraChrome DS Ink - Yellow 1.1L	
C13T46H800	Epson UltraChrome DS Ink - HD Black 1.1L	
C13T46H600	Epson UltraChrome DS Ink - FY 1.1L	
C13T46H500	Epson UltraChrome DS Ink - FP 1.1L	SC-P407
C13T327100	Photo Black	
C13T327200	Cyan	
C13T327300	Magenta	
C13T327400	Yellow	
C13T327700	Red	SC-P607
C13T327800	Matte Black	
C13T327900	Orange	
C13T327000	Gloss Optimizer	
C13T763100	Photo Black	SC-P607
C13T763200	Cyan	
C13T763300	Vivid Magenta	
C13T763400	Yellow	
C13T763500	Light Cyan	SC-P807
C13T763600	Vivid Light Magenta	
C13T763700	Light Black	
C13T763800	Matte Black	
C13T763900	Light Light Black	SC-P807
C13T853100	Photo Black	
C13T853200	Cyan	
C13T853300	Vivid Magenta	
C13T853400	Yellow	SC-P6000
C13T853500	Light Cyan	
C13T853600	Vivid Light Magenta	
C13T853700	Light Black	
C13T853800	Matte Black	SC-P6000
C13T853900	Light Light Black	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	SC-P8000
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	SC-P7000
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	SC-P7000
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	

Order Code	Description	Product
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	SC-P8000
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	SC-P7000
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824100	Epson UltraChrome HD 350ml Photo Black Pigment Ink Cartridge	
C13T824200	Epson UltraChrome HD 350ml Cyan Pigment Ink Cartridge	SC-P7000
C13T824300	Epson UltraChrome HD 350ml Vivid Magenta Pigment Ink Cartridge	
C13T824400	Epson UltraChrome HD 350ml Yellow Pigment Ink Cartridge	
C13T824500	Epson UltraChrome HD 350ml Light Cyan Pigment Ink Cartridge	
C13T824600	Epson UltraChrome HD 350ml Vivid Light Magenta Pigment Ink Cartridge	SC-P7000
C13T824700	Epson UltraChrome HD 350ml Light Black Pigment Ink Cartridge	
C13T824800	Epson UltraChrome HD 350ml Matte Black Pigment Ink Cartridge	
C13T824900	Epson UltraChrome HD 350ml Light Light Black Pigment Ink Cartridge	
C13T824A00	Epson UltraChrome HDX 350ml Orange Pigment Ink Cartridge	SC-P20070
C13T824B00	Epson UltraChrome HDX 350ml Green Pigment Ink Cartridge	
C13T824D00	Epson UltraChrome HDX 350ml Violet Pigment Ink Cartridge	
C13T809000	Epson UltraChrome Pro 700ml Light Grey Pigment Ink Cartridge	
C13T809100	Epson UltraChrome Pro 700ml Photo Black Pigment Ink Cartridge	SC-P5000
C13T809200	Epson UltraChrome Pro 700ml Cyan Pigment Ink Cartridge	
C13T809300	Epson UltraChrome Pro 700ml Vivid Magenta Pigment Ink Cartridge	
C13T809400	Epson UltraChrome Pro 700ml Yellow Pigment Ink Cartridge	
C13T809500	Epson UltraChrome Pro 700ml Light Cyan Pigment Ink Cartridge	SC-P7530
C13T809600	Epson UltraChrome Pro 700ml Vivid Light Magenta Pigment Ink Cartridge	
C13T809700	Epson UltraChrome Pro 700ml Dark Grey Pigment Ink Cartridge	
C13T809800	Epson UltraChrome Pro 700ml Matte Black Pigment Ink Cartridge	
C13T809900	Epson UltraChrome Pro 700ml Grey Pigment Ink Cartridge	SC-P5000
C13T913100	Epson UltraChrome HD 200ml Photo Black Pigment Ink Cartridge	
C13T913200	Epson UltraChrome HD 200ml Cyan Pigment Ink Cartridge	
C13T913300	Epson UltraChrome HD 200ml Vivid Magenta Pigment Ink Cartridge	
C13T913400	Epson UltraChrome HD 200ml Yellow Pigment Ink Cartridge	SC-P7530
C13T913500	Epson UltraChrome HD 200ml Light Cyan Pigment Ink Cartridge	
C13T913600	Epson UltraChrome HD 200ml Vivid Light Magenta Pigment Ink Cartridge	
C13T913700	Epson UltraChrome HD 200ml Light Black Pigment Ink Cartridge	
C13T913800	Epson UltraChrome HD 200ml Matte Black Pigment Ink Cartridge	SC-P7530
C13T913900	Epson UltraChrome HD 200ml Light Light Black Pigment Ink Cartridge	
C13T913A00	Epson UltraChrome HDX 200ml Orange Pigment Ink Cartridge	
C13T913B00	Epson UltraChrome HDX 200ml Green Pigment Ink Cartridge	
C13T913D00	Epson UltraChrome HDX 200ml Violet Pigment Ink Cartridge	SC-P7530
C11CH12402	SC-P7530	
C13T44N100	SC-P7530 PK IC (700ml)	
C13T44N200	SC-P7530 CY IC (700ml)	
C13T44N300	SC-P7530 YM IC (700ml)	SC-P7530
C13T44N400	SC-P7530 YL IC (700ml)	
C13T44N500	SC-P7530 LC IC (700ml)	
C13T44N600	SC-P7530 VL IC (700ml)	
C13T44N700	SC-P7530 LB IC (700ml)	SC-P7530

COMMERCIAL & INDUSTRIAL PRINTER

Commercial & Industrial Printer Consumable

Order Code	Description	Product
C13T44N800	SC-P7530 MK IC (700ml)	SC-P7530
C13T44N900	SC-P7530 LI IC (700ml)	
C13T44NA00	SC-P7530 OR IC (700ml)	
C13T44NB00	SC-P7530 GR IC (700ml)	
C13T44ND00	SC-P7530 VI IC (700ml)	
C13T44V100	SC-P7530 PK IC (350ml)	
C13T44V200	SC-P7530 CY IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ml)	
C13T44V400	SC-P7530 YL IC (350ml)	
C13T44V500	SC-P7530 LC IC (350ml)	
C13T44V600	SC-P7530 VL IC (350ml)	
C13T44V700	SC-P7530 LB IC (350ml)	
C13T44V800	SC-P7530 MK IC (350ml)	
C13T44V900	SC-P7530 LI IC (350ml)	
C13T44VA00	SC-P7530 OR IC (350ml)	
C13T44VB00	SC-P7530 GR IC (350ml)	
C13T44VD00	SC-P7530 VI IC (350ml)	
C13T44V100	SC-P7530 P BLACK IC (350ml)	
C13T44V200	SC-P7530 CYAN IC (350ml)	
C13T44V300	SC-P7530 VM IC (350ml)	
C13T44V400	SC-P7530 YELLOW IC (350ml)	
C13T44V500	SC-P7530 LT CYAN IC (350ml)	
C13T44V600	SC-P7530 VLM IC (350ml)	SC-V7000
C13T44V700	SC-P7530 GREY IC (350ml)	
C13T44V800	SC-P7530 M BLACK IC (350ml)	
C13T44V900	SC-P7530 LT GREY IC (350ml)	
C13T44VA00	SC-P7530 ORANGE IC (350ml)	
C13T44VB00	SC-P7530 GREEN IC (350ml)	
C13T44VD00	SC-P7530 VIOLET IC (350ml)	
C13T49V110	SC-V7000 Black IC (1000ml)	
C13T49V210	SC-V7000 Cyan IC (1000ml)	
C13T49V310	SC-V7000 Magenta IC (1000ml)	
C13T49V410	SC-V7000 Yellow IC (1000ml)	SC-P8530D
C13T49V510	SC-V7000 Light Cyan IC (1000ml)	
C13T49V610	SC-V7000 Light Magenta IC (1000ml)	
C13T49V710	SC-V7000 Gray IC (1000ml)	
C13T49V810	SC-V7000 Red IC (1000ml)	
C13T49V910	SC-V7000 White IC (1000ml)	
C13T49VA10	SC-V7000 Varnish IC (1000ml)	
C13T48R100	SC-P8530D PHOTO BLACK 700ML	
C13T48R200	SC-P8530D CYAN IC 700ML	
C13T48R300	SC-P8530D MAGENTA IC 700ML	
C13T48R400	SC-P8530D YELLOW IC 700ML	L-6534VW
C13T48R800	SC-P8530D MATTE BLACK IC 700ML	
C13T48RE00	SC-P8530D GRAY IC 700ML	
C13T821100	INK CARTRIDGE,BK 3L	
C13T821200	INK CARTRIDGE,C 3L	
C13T821300	INK CARTRIDGE,M 3L	
C13T821400	INK CARTRIDGE,Y 3L	
C13T821500	INK CARTRIDGE,DY 3L	
C13T821600	INK CARTRIDGE,WH 2.6L	
C13T52S200	L-4733 Cyan Ink Cartridge	L-4733AW
C13T52S600	L-4733 Orange Ink Cartridge	
C13T52S700	L-4733 Green Ink Cartridge	
C13T52S400	L-4733 Yellow Ink Cartridge	
C13T52S300	L-4733 Magenta Ink Cartridge	
C11CH13402	SC-P9530	SC-P9530
C13T44N100	SC-P9530 PK IC (700ml)	
C13T44N200	SC-P9530 CY IC (700ml)	
C13T44N300	SC-P9530 VM IC (700ml)	
C13T44N400	SC-P9530 YL IC (700ml)	
C13T44V500	SC-P9530 LC IC (350ml)	
C13T44V600	SC-P9530 VL IC (350ml)	
C13T44V700	SC-P9530 LB IC (350ml)	
C13T44V800	SC-P9530 MK IC (350ml)	
C13T44V900	SC-P9530 LI IC (350ml)	
C13T44VA00	SC-P9530 OR IC (350ml)	
C13T44VB00	SC-P9530 GR IC (350ml)	
C13T44VD00	SC-P9530 VI IC (350ml)	
C13T44V100	SC-P9530 P BLACK IC (350ml)	
C13T44V200	SC-P9530 CYAN IC (350ml)	
C13T44V300	SC-P9530 VM IC (350ml)	
C13T44V400	SC-P9530 YELLOW IC (350ml)	
C13T44V500	SC-P9530 LT CYAN IC (350ml)	
C13T44V600	SC-P9530 VLM IC (350ml)	
C13T44V700	SC-P9530 GREY IC (350ml)	
C13T44V800	SC-P9530 M BLACK IC (350ml)	
C13T44V900	SC-P9530 LT GREY IC (350ml)	SC-P9330
C13T44VA00	SC-P9530 ORANGE IC (350ml)	
C13T44VB00	SC-P9530 GREEN IC (350ml)	
C13T44VD00	SC-P9530 VIOLET IC (350ml)	
C13T892100	Black Ink Cartridge (700 ml)	
C13T892200	Cyan Ink Cartridge (700 ml)	
C13T892300	Magenta Ink Cartridge (700 ml)	
C13T892400	Yellow Ink Cartridge (700 ml)	

Order Code	Description	Product
C13T892500	SC-S80670 LIGHT CYAN IC (700ML)	SC-S80670
C13T892600	SC-S80670 LIGHT MAGENTA IC (700ML)	
C13T892700	SC-S80670 LIGHT BLACK IC (700ML)	
C13T892800	SC-S80670 ORANGE IC (700ML)	
C13T892900	SC-S80670 RED IC (700ML)	
C13T892A00	SC-S80670 WHITE IC (600ML)	
C13T45R100	SC-R5030 Black 3000ml (1.5L X2)	SC-R5030
C13T45R200	SC-R5030 Cyan 3000ml (1.5L X2)	
C13T45R300	SC-R5030 Magenta 3000ml (1.5L X2)	
C13T45R400	SC-R5030 Yellow 3000ml (1.5L X2)	
C13T45R500	SC-R5030 Light Cyan 3000ml (1.5L X2)	
C13T45R600	SC-R5030 Light Magenta 3000ml (1.5L X2)	
C13T45R700	SC-R5030 Optimizer 3000ml (1.5L X2)	
C13T45R800	SC-R5030 Maintenance Liquid 3L (1.5L X2)	
C13T43Y100	Epson UltraChrome D6r-S 200ml Black Ink Cartridge	SL-D830
C13T43Y200	Epson UltraChrome D6r-S 200ml Cyan Ink Cartridge	
C13T43Y300	Epson UltraChrome D6r-S 200ml Magenta Ink Cartridge	
C13T43Y400	Epson UltraChrome D6r-S 200ml Yellow Ink Cartridge	
C13T43Y500	Epson UltraChrome D6r-S 200ml Light Cyan Ink Cartridge	
C13T43Y600	Epson UltraChrome D6r-S 200ml Light Magenta Ink Cartridge	
C13T710100	Epson UltraChrome D6 700ml Black Dye Ink Cartridge	
C13T710200	Epson UltraChrome D6 700ml Cyan Dye Ink Cartridge	SL-D3000
C13T710300	Epson UltraChrome D6 700ml Magenta Dye Ink Cartridge	
C13T710400	Epson UltraChrome D6 700ml Yellow Dye Ink Cartridge	
C13T710500	Epson UltraChrome D6 700ml Light Cyan Dye Ink Cartridge	
C13T710600	Epson UltraChrome D6 700ml Light Magenta Dye Ink Cartridge	
C13T46P100	SL-D1030 Black RIPS 250ML	SL-D1030
C13T46P200	SL-D1030 Cyan RIPS 250ML	
C13T46P300	SL-D1030 Magenta RIPS 250ML	
C13T46P400	SL-D1030 Yellow RIPS 250ML	
C13T46P500	SL-D1030 Light Cyan RIPS 250ML	
C13T46P600	SL-D1030 Light Magenta RIPS 250ML	
C13T54H100	SL-D530 BLACK INK	SL-D530
C13T54H200	SL-D530 CYAN INK	
C13T54H300	SL-D530 MAGENTA INK	
C13T54H400	SL-D530 YELLOW INK	
C13T54H500	SL-D530 LIGHT CYAN INK	
C13T54H600	SL-D530 LIGHT MAGENTA INK	
C13T56R190	SC-P7330/9330 PHOTO BLACK IC (700ML)	SC-P7330
C13T56R290	SC-P7330/9330 CYAN IC (700ML)	
C13T56R390	SC-P7330/9330 VIVID MAGENTA IC (700ML)	
C13T56R490	SC-P7330/9330 YELLOW IC (700ML)	
C13T56R590	SC-P7330/9330 LIGHT CYAN IC (700ML)	
C13T56R690	SC-P7330/9330 VIVID LM IC (700ML)	
C13T56R790	SC-P7330/9330 GREY IC (700ML)	
C13T56R890	SC-P7330/9330 MATTE BLACK IC (700ML)	
C13T56R990	SC-P7330/9330 LIGHT GREY IC (700ML)	
C13T56RD90	SC-P7330/9330 VIOLET IC (700ML)	
C13T56W190	SC-P7330/9330 PHOTO BLACK IC (350ML)	SC-P9330
C13T56W290	SC-P7330/9330 CYAN IC (350ML)	
C13T56W390	SC-P7330/9330 VIVID MAGENTA IC (350ML)	
C13T56W490	SC-P7330/9330 YELLOW IC (350ML)	
C13T56W590	SC-P7330/9330 LIGHT CYAN IC (350ML)	
C13T56W690	SC-P7330/9330 VIVID LM IC (350ML)	
C13T56W790	SC-P7330/9330 GREY IC (350ML)	
C13T56W890	SC-P7330/9330 MATTE BLACK IC (350ML)	
C13T56W990	SC-P7330/9330 LIGHT GREY IC (350ML)	
C13T56WD90	SC-P7330/9330 VIOLET IC (350ML)	
C13T56R190	SC-P7330/9330 PHOTO BLACK IC (700ML)	SC-P9330
C13T56R290	SC-P7330/9330 CYAN IC (700ML)	
C13T56R390	SC-P7330/9330 VIVID MAGENTA IC (700ML)	
C13T56R490	SC-P7330/9330 YELLOW IC (700ML)	
C13T56R590	SC-P7330/9330 LIGHT CYAN IC (700ML)	
C13T56R690	SC-P7330/9330 VIVID LM IC (700ML)	
C13T56R790	SC-P7330/9330 GREY IC (700ML)	
C13T56R890	SC-P7330/9330 MATTE BLACK IC (700ML)	
C13T56R990	SC-P7330/9330 LIGHT GREY IC (700ML)	
C13T56RD90	SC-P7330/9330 VIOLET IC (700ML)	
C13T56W190	SC-P7330/9330 PHOTO BLACK IC (350ML)	SC-P9330
C13T56W290	SC-P7330/9330 CYAN IC (350ML)	
C13T56W390	SC-P7330/9330 VIVID MAGENTA IC (350ML)	
C13T56W490	SC-P7330/9330 YELLOW IC (350ML)	
C13T56W590	SC-P7330/9330 LIGHT CYAN IC (350ML)	
C13T56W690	SC-P7330/9330 VIVID LM IC (350ML)	
C13T56W790	SC-P7330/9330 GREY IC (350ML)	
C13T56W890	SC-P7330/9330 MATTE BLACK IC (350ML)	
C13T56W990	SC-P7330/9330 LIGHT GREY IC (350ML)	
C13T56WD90	SC-P7330/9330 VIOLET IC (350ML)	