SCANNER WORKFORCE DS-C330


EPSON

ULTRA-COMPACT A4 SCANNER FOR MAXIMUM DESK EFFICIENCY.

Compact A4 scanner with a small footprint and versatile media handling.

The Epson WorkForce DS-C330 A4 document scanner boasts a small footprint, versatile media handling, and efficient scan speed. Thanks to its vertical path position, paper can be scanned even in narrow workspaces due to its compact footprint. Additionally, the scanner features paper protection technology to ensure the preservation of original documents. Engineered with sustainability in mind, up to 34%* of recycled plastic is used to produce the main unit.

Visit epson.com.sg/scanners for more information.



Fast and Efficient Scanning

Enhance productivity with fast scanning speeds of up to 30 ppm / 60 ipm, with daily duty cycle of 5,000 sheets and an ADF capacity of 20 sheets.

Compact Solution

Perfect scanner for limited space with the ability to scan paper in the vertical path position, without adding to the device's footprint.

Highly Versatile

58m

Effortlessly scan various media types, including envelopes, PL cards, long paper, and even passports with a carrier sheet.

*The usage ratio of recycled plastic is subject to change depending on the availability of raw materials.

The Epson WorkForce DS-C330 document scanner is a compact desktop solution suitable for both individuals and businesses. Its versatile scanning capabilities cater to various types of media and documents. Additionally, the scanner features a convenient USB connection, ensuring easy and reliable connectivity for seamless scanning operations.

Fast and Efficient

The DS-C330 enables duplex scanning at speeds of up to 30 ppm / 60 ipm, significantly enhancing office productivity. It is also equipped with a 20-sheet ADF, which offers convenient scanning capabilities.



Ultra-Compact

The DS-C330 is a lightweight scanner with a handle

grip at the back for easy carrying, ensuring convenient portability. The scanner also comes with a cable management tray to keep cables organised and avoid workspace clutter.



Versatile Scanning

The DS-C330 effortlessly handle long documents, boasting a maximum scan size of 215.9 x 3,048 mm. Additionally, the scanner can scan documents weighing up to 127 gsm for vertical scanning and 413 gsm for straight path scan, including fragile, torn, folded papers using a carrier sheet. They are also equipped to scan passports using a passport carrier sheet.

By utilising the unique path position selector, users can seamlessly switch between the vertical and straight path modes.

Vertical Path Scan

Types of supported media

Receipt

Postcard*

Up to A4

The vertical path scan feature allows for effortless scanning in narrow spaces and efficient document handling. This makes it particularly suitable for settings with limited desk space, such as hospital front desks, hotel receptions, and similar environments.

Business

Card

*Postcard with thickness of more than 190g/m² need to be scanned in the straight path position.

Straight Path Scan

The straight path scan feature allows you to easily scan thick documents such as passports, plastic cards, and envelopes, making it a versatile scanning solution.

Types of supported media




Require carrier sheet. #Require passport carrier sheet.



Software Enhancements

Epson Scan 2

Document edges such as folds, tears, border shadows and punch holes in original documents can be easily scanned, patched up, and improved by utilising the surrounding document's colours.



Document Capture Pro*

Simplify your scanning workflow and automate your scanning tasks for processing or send documents to cloud storage services. Convert documents into Searchable PDF files or editable Office documents with built-in OCR capability. Documents can be named and sorted into different folders conveniently by detecting barcodes, text characters and various methods. You can also capture text and barcode information from documents including Machine Readable Zone (MRZ) of travel documents.

User-Friendly Features

Reliable Scanning

The kit includes a robust userreplaceable assembly roller. designed for a high daily duty cycle of 5,000 sheets.

Paper Protection Function

To safeguard important documents, the scanner is equipped with a feature that automatically suspends scanning if it detects excessive pressure on the rollers or if the document becomes skewed.

therefore effectively preventing staples from causing any damages.



With Paper

Protection Function

Without Paper **Protection Function**

Double Feed Length Detection

This function signals the scanner to automatically stop when it detects that multiple document sheets have been fed at the same time.

Automatic Feeding Mode

The Automatic Feeding Mode enables large volumes of documents to be scanned continuously.

*Limited functionality for Mac version of Document Capture.

Glass Dirt Detection

The DS-C330 also feature advanced dirt detection technology taken from our established range of A4 sheet-fed scanners that alerts users when and where the scanner glass needs to be cleaned.



Recycled Plastics

Made From

Epson Device Admin

Epson Device Admin allows you to manage, monitor and configure your Epson device fleet effortlessly. Compatible with a large range of networked printers and scanners, all information can be easily viewed via one smart, intuitive interface.

Lower Environmental Impact

The main body of the scanner is made from up to 34%* recycled plastics, while not compromising on the compact. size and performance of the scanner. This makes it an environmentally friendly choice for businesses.

*The usage ratio of recycled plastic is subject to change depending on the availability of raw materials.

SPECIFICATIONS


Model Number	DS-C330
SKU Code	B11B272501
Scanner	
Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Scanning Method	Fixed carriage and moving document
Light Source	RGB LED x 2
Optical Resolution *1	600 x 600 dpi
Output Resolution	50 – 1,200 dpi (in 1 dpi increments)
Bit Depth	
Colour	30-bit input, 24-bit output
Grayscale	10-bit input, 8-bit output
Black and White	10-bit input, 1-bit output
Document Size	
Minimum	50.8 x 50.8 mm
Maximum	215.9 x 3,048 mm
Supported Paper Weight	
Vertical Path	40 – 127 g/m ² , Less than A6 size: 40 – 209 g/m ²
Straight Path	40 – 413 g/m²
ADF Capacity	20 sheets (80 g/m ²)
Daily Scan Volume	Up to 5,000 sheets / day
Multi-Feed Detection	Length Detection
Interface	USB 2.0
	0.00 2.0
Scanning Speed *2	
Resolution (Colour/Monochrome)	
300 dpi	<u>30 ppm / 60 ipm</u>
600 dpi	5 ppm / 10 ipm
Drivers and Software	
Supported OS (Scanner Driver)	
Windows	Windows 7 / 8 / 8.1 / 10 / 11, Server 2008 / 2012 / 2016 / 2019 / 202
Mac	Mac OS X 10.9 or later
Driver Compatibility	TWAIN, SANE, WIA, ICA, ISIS
Bundled Software	Epson Scan 2
	ISIS Driver (Web Download)
	Epson Scan OCR Component
	Epson Scan OCR Component Pro
	Epson Scan OCR Component Pro Epson Scan PDF Extensions
Software Solutions Compatibility	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows)
Software Solutions Compatibility	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac)
	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin
	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2:
	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ¹³ , PNG
	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ³ , PNG Document Capture Pro (Win):
	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF,
File Format	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ³ , PNG Document Capture Pro (Win):
File Format	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ¹³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
File Format Electrical Specifications Rated Voltage	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP' ³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V
File Format Electrical Specifications Rated Voltage Rated Frequency	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ^{'3} , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP' ³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ¹³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP' ³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 3.3 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 3.3 W Approx. 1.0 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP' ³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 3.3 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 3.3 W Approx. 1.0 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 3.3 W Approx. 1.0 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''''', PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 10 W Approx. 1.0 W Approx. 0.1 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ¹³ , PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 10 W Approx. 1.0 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''''', PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 10 W Approx. 1.0 W Approx. 0.1 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''''', PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 10 W Approx. 0.1 W
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''''', PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX <u>AC 220 - 240 V</u> 50 - 60 Hz <u>Approx. 10 W</u> <u>Approx. 10 W</u> <u>Approx. 1.0 W</u> <u>5 - 35 °C</u> -25 - 60 °C <u>15 - 80 % (No Condensation)</u>
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating Storage	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''''', PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 10 W Approx. 1.0 W 5 - 35 °C -25 - 60 °C 15 - 80 % (No Condensation) 15 - 85 % (No Condensation)
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options & Consumables	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 1.0 W Approx. 0.1 W 5 - 35 °C -25 - 60 °C 15 - 80 % (No Condensation) 15 - 85 % (No Condensation) D - 85 % (No Condensation)
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options & Consumables Roller Assembly Kit	Epson Scan OCR Component ProEpson Scan PDF ExtensionsDocument Capture Pro (Windows)Document Capture (Mac)Epson Device AdminEpson Scan 2:JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''', PNGDocument Capture Pro (Win):JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF,Multi-TIFF, PNG, DOCX, XLSX, PPTXAC 220 - 240 V50 - 60 HzApprox. 10 WApprox. 10 WApprox. 1.0 WApprox. 0.1 W5 - 35 °C-25 - 60 °C15 - 80 % (No Condensation)15 - 85 % (No Condensation)DurabilityOrder Code50,000 scansB12B819731
Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options & Consumables Roller Assembly Kit Carrier Sheet	Epson Scan OCR Component Pro Epson Scan PDF Extensions Document Capture Pro (Windows) Document Capture (Mac) Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP'3, PNG Document Capture Pro (Win): JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX AC 220 - 240 V 50 - 60 Hz Approx. 10 W Approx. 1.0 W Approx. 0.1 W 5 - 35 °C -25 - 60 °C 15 - 80 % (No Condensation) 15 - 85 % (No Condensation) Drability Order Code 50,000 scans B12B819731 3,000 scans B12B819051
File Format Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power Off Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options & Consumables Roller Assembly Kit	Epson Scan OCR Component ProEpson Scan PDF ExtensionsDocument Capture Pro (Windows)Document Capture (Mac)Epson Device AdminEpson Scan 2:JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP''', PNGDocument Capture Pro (Win):JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF,Multi-TIFF, PNG, DOCX, XLSX, PPTXAC 220 - 240 V50 - 60 HzApprox. 10 WApprox. 10 WApprox. 1.0 WApprox. 0.1 W5 - 35 °C-25 - 60 °C15 - 80 % (No Condensation)15 - 85 % (No Condensation)DurabilityOrder Code50,000 scansB12B819731

Scanning resolution as defined by ISO14473. Based on A4 size documents.

*2 *3 In Windows version only.

Dimensions & Weight

DS-C330 Weight: 1.8 kg (4.0 lb)



What's in the box:

- Scanner Main Unit
- USB 2.0 Type A-C Cable
- AC Adapter
- Power Cable
- · Supplement Sheet
- Warranty Card
- · Setup Guide

©2023 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing. Printed August 2023