
#### A3 MONOCHROME MULTIFUNCTION PRINTER WORKFORCE ENTERPRISE WF-M20590





Our massive investment in revolutionary technologies enables us to focus on the extensive demands of high volume printing. Our next-generation, high-density, PrecisionCore Heat-Free Technology printhead takes enterprise printing even further. This time in black-and-white. Expect a productivity boost at lightning speed, with environmentally friendly prints of up to A3+. After all, it is our attention to detail that will provide you with an overall positive printing experience.





## IT'S IN THE DETAILS.

With PrecisionCore Heat-Free Technology, Epson WorkForce Enterprise WF-M20590 promises printing in a flash.

#### **Maximum Performance**

Enjoy productivity at breakthrough speed at 100 ppm<sup>1</sup> in both simplex and duplex; matching and even surpassing most laser printers.

#### **Minimum Environmental impact**

With up to 85% less power consumption<sup>3</sup> and carbon dioxide<sup>4</sup> generated than laser printers, do more for your business and even more for the environment.








Designed to support the Sustainable Development Goals (SDGs) set by the UN

#### Built for Business

Empower your business through our advanced workflow solutions such as Epson Print Admin and Document Capture Pro.

# **MAXIMUM PERFORMANCE**

### PRECISIONCORE HEAT-FREE TECHNOLOGY









Our next-generation, PrecisionCore Heat-Free Technology inkjet printhead is driving Epson's inkjet innovation. It merges advanced key component technologies, state-of-the-art MEMS\* fabrication and highprecision assembly processes honed over decades.

MicroTFP print chips are the core element of PrecisionCore Heat-Free Technology. They enable Epson printers to achieve higher precision and greater miniaturisation using Epson's advanced thin film piezo (TFP) technology. This radically improves the basic performance of this printhead module and makes application to a wider range of uses possible.

And with a new PrecisionCore Heat-Free Technology linehead that allows an impressive speed of 100 ppm<sup>1</sup>, be prepared for a change of expectations about business printers for the better.


\* MEMS (Micro Electro Mechanical Systems): Devices possessing mechanically driven elements, manufactured through the application of semiconductor processing technology.

Enjoy breakthrough high-speed printing of up to 100 ppm<sup>1</sup> in both simplex and duplex due to Workforce Enterprise's efficient "switchback" duplex paper path design.

# SIMPLEX



Switchback paper path design ensures ultra-fast throughput even in duplex printing.



The WorkForce Enterprise uses an electrostatic transport belt that ensures the paper is completely flat, even at high speeds for accurate and rapid paper feeding.

## ULTRA-FAST FIRST PAGE OUT TIME

It only takes approximately 6.2 seconds to collect your first page. There is minimal warm-up time due to WorkForce Enterprise's simple yet superior technology over laser printers.



Simple, cool, contactless technology



Complex technology using heat and pressure

## ULTRA-HIGH PAPER CAPACITY

The WF-M20590 is scalable with your business. You have the option to increase the maximum paper input to 5,350 sheets  $(80g/m^2)$  with the High Capacity Tray.



## ULTRA-HIGH CAPACITY CARTRIDGES

With up to 120,000 page yield, the WF-M20590 powers through without interruption to support your business high printing volume needs.





| ( |  |                           |            |
|---|--|---------------------------|------------|
|   | Consumables                            | Page Yield <sup>2</sup>   | Order Code |
|   | High Capacity Ink Cartridge<br>(Black) | 60,000 pages              | C13T04Q100 |
|   | Waste Ink Box                          | -                         | C13T671300 |
|   |  |                           |            |
|   |  |                           |            |
|   | Options                                |                           | Order Code |
|   | High Capacity Tray                     |                           | C12C933041 |
|   | Paper Cassette Lock (set of 4)         |                           | C12C933231 |
|   | Epson Print Admin                      |                           | 7110574    |
|   | Epson Print Admin Serverless           |                           | 7111310    |
|   | Optional High Capacity Tray            |                           |            |
|   | Optional High Capacity Iray            |                           |            |
|   | Input Capacity                         | Up to 3,000 sheets        | s (80g/m²) |
|   | Support Paper Weight                   | 60 - 160 g/m <sup>2</sup> |            |
|   | Support Paper Size                     | A4, Letter                |            |
|   | Maximum Power Consumption              | Less than 21W             |            |

# **MINIMUM ENVIRONMENTAL IMPACT**

Do more for your business while doing a little more for the environment. Make the change to Epson inkjet printers and see how you can inject higher productivity and lower harmful emissions in your day to day.

#### **Use Less Power With Inkjet Printers**

Our inkjet printers use less power than your average laser printers so you not only save the environment, but you save on cost, too.






**Laser Printers** 

VS

#### Less CO, Generated With Inkjet Printers

The amount of carbon dioxide emitted by laser printers would require up to 8 trees to absorb all that carbon dioxide while **Epson inkjet printers** need only 1 tree.



less

parts<sup>7</sup>


#### Less Replacement **Parts Needed** With Inkjet Printers

Cut down on the number of parts to be disposed of. Inkjet printers require less parts than laser printers.



Epson

Inkjet Printers Up to



The information on this page is not a representation, and it is provided as general information on an 'as is' basis without any warranties of any kind, whether expressed or implied as to its accuracy completeness or correctness, or implied as to its satisfactory quality and / or fitness for a particular purpose. Neither Epson nor its affiliates shall be liable for any direct, incidental, consequential, indirect or punitive damages arising out of viewers' access to, or use of, the information on this page. While enough care is taken by Epson to ensure that information on this page is up to date, accurate and correct, the viewer is requested to make an independent enquiry with Epson before relying upon the same. Epson is not responsible for the consequences of any action taken by the viewer relying on such material / information on this page without independently verifying with Epson.

# **BUILT FOR BUSINESS**

#### SUPERIOR PRODUCTIVITY



## Automatic Duplex Printing and Scanning

The printer supports automatic duplex printing of up to 100 ipm for A4, reducing paper wastage. The one pass duplex ADF unit allows for quick, convenient scanning and copying of double-sided documents.



#### **Diverse Media Handling**

With Epson's superior inkjet technology and smart design, this WorkForce Enterprise model is able to support printing of up to A3+ size on a wide range of media types of varying thickness (up to 350 g/m<sup>2</sup>) and length (up to 1.2m), using the Multipurpose Tray.



#### USB Host Function

The WF-M20590 comes with a USB port for direct printing and scanning using USB flash memory devices.



#### LCD Screen

Experience easy set-up and PC-less operation with the 9.0" colour touch screen.

#### VERSATILE CONNECTIVITY

#### **Network Connectivity and Standalone Capability**

Equipped with Ethernet, Wi-Fi, Wi-Fi Direct and USB 3.0, the printer is perfect for office environments. What's more, Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



#### Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- **Remote Print Driver** Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Google Cloud Print<sup>™</sup>
- Mopria<sup>™</sup> Print Service

#### **ADVANCED WORKFLOW SOLUTIONS**

Get the most out of your printers with an extensive range of software solutions.

#### **Fleet Management**

#### Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

#### Print Management

#### Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through user-authentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

#### **Epson Print Admin Serverless**

A built-in function that creates a secure printing, scanning and copying environment through user-authentication. It automatically distributes documents to users' email accounts and folders based on their login IDs. It also allows IT administrators to generate reports, which leads to better security, productivity and cost savings.

#### **Document Management**

#### **Document Capture Pro\***

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises barcodes, characters and blank pages in scanned documents to separate them into different folders.

It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

\*Document Capture Pro (Windows), Document Capture (Mac OS X), limited functionality for Mac version.

#### **Document Capture Pro Server**

Centralise scanning and manage a fleet of up to 100 scanners without the need to install drivers on individual computers. Create and assign up to 30 job settings right to the panel with a single web interface. Process and distribute documents securely and track them with reports.

#### Integration with Third-party Solutions Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Enterprise to meet specific and changing business requirements with solutions for print and document management.

#### **ROBUST SECURITY FEATURES**

#### **Secured Printing with PIN Release**

Print confidential documents by setting a PIN to a print job for release on the printer panel.

#### **IP Address Filter**

Secure your documents by preventing unauthorised devices from connecting to the printer.

#### **Panel Admin Mode**

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

#### **Limited Access Function**

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

#### **LDAP Address Book**

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient's email addresses.

## SPECIFICATIONS WORKFORCE ENTERPRISE WF-M20590

| Model Number                                  | WF-M20590  |
|---|--|
| Printing                                      |  |
| Printing Technology                           | PrecisionCore Heat-Free Technology   |
| Nozzle Configuration                          | 8,676 nozzles (Black)  |
| Maximum Resolution                            | 600 x 2,400 dpi  |
| Default Black Resolution                      | 600 x 1,200 dpi  |
| Minimum Ink Droplet Volume                    | 4.4 pl   |
| Print Speed                                   |  |
| ISO 24734, A4, Simplex / Duplex               | Approx 100 ipm   |
| ISO 24734, A4, Simplex / Duplex               | Approx. 100 ipm  |
| , , ,   | Approx. 54.3 ipm   |
| ISO 24734.2, A3, Duplex                       | Approx. 36.3 ipm   |
| First Page Out Time                           | Approx. 6.2 sec  |
| Printer Language                              | ESC/P-R, ESC/P-RJ, ESC/Page, ESC/Page-Colour, PostScript3  |
| Printer Control Language Emulations           | PCL5c / PCL6 / PostScript3 / PDF (ver 1.7)   |
| Recommended Monthly Print Volume <sup>8</sup> | 20,000 - 100,000 pages per month   |
| Maximum Monthly Duty Cycle9                   | 400,000 pages per month  |
| HDD Capacity                                  | 320GB (encrypted)  |
| Automatic 2-sided printing                    | Yes  |
| Copying                                       |  |
| Copy Speed                                    |  |
| ISO 29183, A4, Simplex (Flatbed)              | Approx. 100 ipm  |
| ISO 24735, A4, Simplex (ADF 1:1)              | Approx. 100 ipm  |
| ISO 24735. A4.                                | Approx. 95 ipm   |
| Duplex (ADF 1:2 / 2:2)                        | ·  |
| Maximum Copies from Standalone                | 9,999 copies   |
| Maximum Copy Resolution                       | 600 x 1,200 dpi  |
| Reduction / Enlargement                       | 25 - 400%, Auto Fit Function   |
| Copy Paper Size (Flatbed)                     | A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, Envelopes: #10, DL, C4, C5, C6               |
|   | A3   |
| Maximum Copy Size                             | AS   |
| Scanning                                      |  |
| Scanner Type                                  | Flatbed colour image scanner   |
| Sensor Type                                   |  |
| Optical Resolution                            | 600 x 1,200 dpi  |
| Maximum Scan Area                             | 297.18 x 431.8 mm (11.7 x 17")   |
| Scanner Bit Depth                             |  |
| Colour  | 10-bit input, 8-bit output   |
| Grayscale                                     | 10-bit input, 8-bit output   |
| Black & White                                 | 10-bit input, 1-bit output   |
| Scan Features                                 | Scan to Memory Device, Scan to Network Folder/FTP, Scan to Email, Scan to                        |
|   | Computer (Document Capture Pro), Scan to Computer (WSD)  |
| Scan Speed                                    |  |
| (Monochrome / Colour)                         |  |
| Flatbed 200 dpi                               | A4: 3.7 sec, A3: 4.7 sec   |
| ADF 200 dpi (ISO 17991,                       |  |
| Scan to Folder)                               | A4 (Simplex / Duplex): 60 ppm / 110 ipm, A3 (Simplex / Duplex): 30 ppm / -                       |
| ADF Function                                  |  |
| Support Paper Weight                          | 52-128 g/m <sup>2</sup>  |
| Paper Capacity                                | 150 sheets (80 g/m <sup>2</sup> )  |
| Automatic 2-sided Scan / Copy                 | Yes  |
| Support Paper Size                            | A6 - A3  |
| Paper Handling                                |  |
| Number of Paper Trays (Standards)             | 5 (Paper Cassettes: 4, MP Tray: 1)   |
| Paper Hold Capacity                           |  |
| Input Capacity                                | Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets)              |
|   | Up to 5,350 sheets (80 g/m <sup>2</sup> ) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets) |
| Maximum Input Capacity                        | + High Capacity Feeder Unit: 3,000 sheets)   |
| Output Capacity                               | Up to 700 sheets (80 g/m <sup>2</sup> ) (Face Down Tray: 550 sheets, Face Up Tray: 150 sheets)   |
| Maximum Output Capacity                       |  |
| Maximum Output Capacity                       | Up to 4,900 sheets (80 g/m <sup>2</sup> ) (Face Down Tray: 550 sheets, Face Up Tray: 150 sheets) |
| Support Paper Size                            | ,  |
| Support Paper Size                            | A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, Letter, Envelopes: #10, DL, C6, C4                   |
|   |  |
|   | Paper Cassettes 1 - 4: A3  |
| Maximum Paper Size<br>Support Paper Weight    | MP Tray: A3+, 330 x 1200mm (12.95 x 47.24")<br>Paper Cassettes 1 - 4: 60 - 160 g/m <sup>2</sup>  |

**Hensions & Weight** -**M20590** ght (including supplies): 186.1kg (410.3lb)



| Printer Interface                               |   |  |  |
|---|---|--|--|
| USB   | USB 3.0   |  |  |
| Network   | Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi<br>Direct, NFC   |  |  |
| Network Protocol                                | TCP/IPv4, TCP/IPv6  |  |  |
| Network Printing Protocol                       | LPD, IPP, PORT9100, WSD<br>SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD<br>Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address<br>Filtering, Panel Admin Mode |  |  |
| Network Management Protocols                    |   |  |  |
| Security Features                               |   |  |  |
| USB Host Function                               |   |  |  |
| Type of Direct Printing                         | Memory Devices  |  |  |
| USB Host  | USB Host (Scan to memory device / Storage function)   |  |  |
| Direct Print Paper Size                         | A3+, A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, Envelopes: #10, DL, C4, C5, C6   |  |  |
| Mobile and Remote Printing                      |   |  |  |
| Epson Connect                                   | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud   |  |  |
| Other Mobile Solutions                          | Google Cloud Print, Mopria Print Service  |  |  |
| Control Panel                                   |   |  |  |
| LCD Screen                                      | 9.0" / 22.7cm TFT Colour LCD  |  |  |
| Printer Software                                |   |  |  |
| Operating System Compatibility                  | Windows XP / Vista / 7 / 8 / 8.1 / 10   |  |  |
|   | Windows Server 2003 / 2008 / 2012 / 2016 / 2019   |  |  |
|   | Only printing and scanning functions are supported for Windows Server OS.<br>Bundled applications are not supported.  |  |  |
|   | Mac OS X 10.6.x or later  |  |  |
| Electrical Specifications                       |   |  |  |
| Rated Voltage                                   | 100-240V Universal  |  |  |
| Rated Frequency                                 | 50-60 Hz  |  |  |
| Power Consumption (Main Unit only)              |   |  |  |
| Operating                                       | 180W  |  |  |
| Standby   | 77W   |  |  |
| Sleep   | 1.4W  |  |  |
| Power off                                       | 0.4W  |  |  |
| Noise Level                                     |   |  |  |
| PC Printing / Plain Paper Default <sup>10</sup> | 7.5 B(A), 59 dB(A)  |  |  |

© 2019 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S and other countries. App Store is a service mark of Apple Inc. Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed July 2019

Disclaimers:

<sup>1</sup> Up to 100 ppm for WF-M20590. Print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.com.sg/printspeed

- <sup>2</sup> Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink is used for printing and printer maintenance, and have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer start and a variable amount of ink remains in the cartridges after the "replace cartridge" signal. For more information, visit www.epson.com.sg/inkinfo
- <sup>3</sup> Testing was commissioned by Epson to Keypoint Intelligence-Buyers Lab. Two comparison models were selected from colour laser multifunction printers in the 65-70 ppm class. Tests were conducted at the devices' default settings using Keypoint Intelligence-Buyers Lab standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern .doc, .xls, .ppt, .html and Outlook files were printed 6 times in each 4-hour printing period.
- <sup>4</sup> Annual carbon dioxide calculations were based on JEMAI-LCA Pro. Cedar tree carbon dioxide absorption calculations were based on Japan Forestry Agency standards of 8.8kg carbon dioxide per annum per tree.

<sup>5</sup> For simplex printing only.

- <sup>6</sup> Up to 50 sheets for letter, A4 and B5 size. Up to 30 sheets for A3, B4, Legal and 8.5 x 13"
- <sup>7</sup> Testing was commissioned by Epson to Keypoint Intelligence-Buyers Lab. Two comparison models were selected from colour laser multifunction printers in the 65-70 ppm class. Calculations were based on the frequency and volume of the consumables and replacement parts required to print 1 million pages (ISO/IEC 24712 test pattern) over a period of 5 years.

<sup>8</sup> Epson recommends that the average number of printed pages per month not exceed the stated ranges for longer term print quality and reliability.

- <sup>9</sup> The maximum number of printed pages per month is based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
- <sup>10</sup> Default mode in accordance with ISO7779 for MFPs.



#### EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008 Tel: 080-4566 5000 Fax: 080-4566 5005

#### **Regional Offices:**



Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Hyderabad - 6463 9640/41, Jaipur 96808 52132, Kolkata - 603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05





Epson Helpline: For product info or service - 1800 425 0011 For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: rips@eid.epson.co.in

www.epson.co.in

Dealer's Stamp