

THE NEW STANDARD OF EFFICIENCY IN BIG OFFICE PRINTING.



The WorkForce Enterprise WF-C20600 / C20750 / C21000 multi-function printers are on the cutting-edge in enterprise-class printing. Speeds of up to 100 ipm[^] make high workload handling a breeze. A yield of up to 100,000 prints[^] enables seamless printing. Environmental impact isn't a cause for concern with a power consumption as low as 300 Watts. Plus, these printers are equipped with Epson's Heat-Free Technology - an innovation that ensures that there is no heat generation while printing. The Epson Print Admin helps control and secure the printing environment. And, features such as wireless printing bring added convenience to the table.



Duplex
Printing



Ethernet



Epson
Connect



WiFi
Direct



High
Print Yield



Epson
Print Admin



HIGH-VOLUME INKS



WorkForce Enterprise Multi-function Printers
WF-C20600/C20750/C21000

Incredible Print Speeds

Speeds of up to 100 ipm[^] help handle high-volume print jobs with minimal effort.

Epson's Heat-Free Technology

A revolutionary technology that ensures zero heat generation while printing. As a result, you get high print speeds, low power consumption, minimal maintenance and more.

A Host of Features

WiFi Direct for wireless printing, Epson Print Admin for a secured printing environment and more.




SPECIFICATIONS

WORKFORCE PRO WF-C20600/C20750/C21000

Model Number	WF-C20600	WF-C20750	WF-C21000
Printer Type	Print, Scan, Copy, Fax with ADF		
Printing			
Printing Technology	Epson's Heat-Free Technology		
Nozzle Configuration	8,676 nozzles each colour (Black, Cyan, Magenta, Yellow)		
Maximum Resolution	600 x 2,400 dpi		
Minimum Ink Droplet Volume	3.5 pl		
Print Speed ¹			
ISO 24734, A4, Simplex / Duplex (Black / Colour)	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm
ISO 24734-2, A3, Simplex (Black / Colour)	Approx. 37 ipm / 37 ipm	Approx. 45 ipm / 45 ipm	Approx. 54 ipm / 54 ipm
ISO 24734-2, A3, Duplex (Black / Colour)	Approx. 21 ipm / 21 ipm	Approx. 25.4 ipm / 25.4 ipm	Approx. 36.3 ipm / 36.3 ipm
First Page Out Time (Black / Colour)	Approx. 7.6 sec / 7.6 sec	Approx. 7 sec / 7 sec	Approx. 6.2 sec / 6.2 sec
Printer Language	(ESC / P-R)		
Emulation	(PCL5 / PCL6) / (PostScript3)		
Maximum Monthly Duty Cycle ²	400,000 pages per month		
Automatic 2-sided Printing	Yes		
Copying			
Copy Speed			
ISO 29183, A4 Simplex (Black / Colour, Flatbed)	Approx. 9.8 sec / 9.9 sec	Approx. 9.5 sec / 9.6 sec	Approx. 8.8 sec / 8.9 sec
ISO 24735, A4 Simplex (Black / Colour, 1:1)	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm
ISO 24735, A4 Duplex (Black / Colour, 1:2, 2:2)	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm
Maximum Copies from Standalone	9,999 copies		
Maximum Copy Resolution	600 x 1,200 dpi		
Reduction / Enlargement	25 - 400%, Auto Fit Function		
Copy Paper Size (Flatbed)	A5 to A3 / Ledger		
Maximum Copy Size	A3		
Scanning			
Scanner Type	Flatbed color image scanner		
Sensor Type	Colour CIS		
Optical Resolution	600 x 600 dpi		
Maximum Scan Area	297 x 431.8 mm (11.7 x 17")		
Scanner Bit Depth			
Colour	16-bit input, 8-bit output		
Greyscale	16-bit input, 8-bit output		
Black & white	16-bit input, 1-bit output		
Scan Features	Scan to Computer (WSD), Scan to Memory Device		
Scan Speed (Flatbed / ADF (Simplex) / ADF (Duplex))			
Monochrome 200 dpi	3.7 sec / 60 ppm / 110 ipm		
Colour 200 dpi	3.7 sec / 60 ppm / 110 ipm		
ADF Function			
Support Paper Thickness	38 - 128 g/m ²		
Paper Capacity	150 sheets		
Automatic 2-sided Scan / Copy	Yes		
Support Paper Size	A5 to A3 / Ledger		
Fax Function			
Type of Fax	Walk-up Black-and-white and Colour Fax Capability		
Receive Memory / Page Memory	6 MB, Page memory up to 550 pages (ITU-T No.1 chart)		
Error Correction Mode	ITU-T T.30		
Modem Speed / Fax Speed (Data transfer rate)	Up to 33.6 kbps / Approx. 3 sec/page		
Fax Resolution	Up to 200 x 200 dpi		
Black & White	Standard: 8 x 3.85 [dot/mm x line/mm], Fine: 8 x 7.7 [dot/mm x line/mm], Super Fine: 8 x 15.4 [dot/mm x line/mm], Ultra Fine: 16 x 15.4 [dot/mm x line/mm]		
Colour	Fine: 200 x 200 dpi, Photo: 200 x 200 dpi		
Transmission Paper Size			
Flatbed	A5 to A3 / Ledger		
ADF	A5 to A3 / Ledger		
Receiving Paper Size	HLT, A5, B5, A4, LT, LGL, B4, 279.4 x 431.8 mm (11x17"), A3		
Speed Dial / Group Dial	Up to 2,000 numbers / 200 groups		
Fax Features	PC Fax / Automatic Redial / One Touch Dial / Address Book / Transmit Reservation / Broadcast Fax (Mono only) / Polling Reception / Fax Preview / Fax to Email / Memory Reception / Fax to Folder		
Paper Handling			
Maximum Paper Size	Standard cassette up to A3 / 11 x 17"		
Paper Types	Multi-purpose tray 330.2 x 1200 mm / 13 x 47.2"		
Number of Paper Trays	Plain Paper, Ultra-premium Presentation Paper Matte, Premium Presentation Paper Matte,		
Input Paper Capacity	Presentation Paper Matte, Envelopes and Card Stock up to 350 g/m ² (Note: Gloss Paper is not suitable)		
Supported Paper Weights	4 standard cassette trays and 1 multi-purpose tray, optional high-capacity input		
Printer Interface	2,350 sheets (550 x 4 standard trays, 150 x 1 multi-purpose tray), optional high-capacity input: 3,000 sheets		
USB	Standard cassette trays: Up to 160 g/m ²		
Network	Multi-purpose tray: Up to 350 g/m ²		
Network Protocol	SuperSpeed USB		
Network Printing Protocol	Ethernet (1000BASE-T / 100BASE-TX / 10BASE-T), Wireless (IEEE 802.11a/b/g/n/ac)		
Network Management Protocols	TCP/IPv4, TCP/IPv6		
Security Features	LPD, IPP, PORT9100, WSD		
USB Host Function	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD		
Type of Direct Printing	WEP 64-bit, WEP128-bit, WPA PSK (TKIP), WPA PSK (AES)		
USB Host			
Mobile and Remote Printing	Memory Devices		
Epson Connect	USB Host (Scan to memory device / Storage function)		
Other Mobile Solutions	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud		
Control Panel	Mopria Print Service		
LCD Screen	22.7 cm (9") TFT Colour LCD		
Printer Software			
Operating System Compatibility	Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016 / 2019, Mac OS X 10.6.x or later		
Electrical Specifications			
Rated Voltage	AC 100 - 240 V		
Rated Frequency	50 - 60 Hz		
Power Consumption (Main Unit only)	300 W		
Operating	300 W		
Standby	12 W		
Sleep	1.5 W		
Power off	1.5 W		
Noise Level			
PC Printing / Plain Paper Default ³	7.5 B(A), 60 dB(A)		
Consumables			
Ink Cartridge (Black)	Order Code		
Ink Cartridge (Cyan)	C13T02Q100		
Ink Cartridge (Magenta)	C13T02Q200		
Ink Cartridge (Yellow)	C13T02Q300		
Waste Ink Box	C13T02Q400		
Finishers	C13T671698		
Output Options	Finisher / Stapler: Up to 4,000 sheets with offset stacking; Booklet-maker: up to 1,700 sheets (80 g/m ²), up to 7 booklets x 20 sheets (90 g/m ²); Hole-punch: 2/3 or 2/4 hole-punch		
Options			
2/4 Hole Punch Unit / LX3HPU1 ALL	C12C935171		
2/3 Hole Punch Unit / LX3HPU2 ALL	C12C935181		
Staple Cartridge for Staple	C12C935401		
Staple Cartridge for Booklet	C12C935411		
Saddle Unit / LX3SU1 EPIL	C12C935861		
Staple Finisher / LX3SF1 EPIL	C12C935041		
Booklet Finisher / LX3BF1 EPIL	C12C935081		
Finisher Bridge Unit / LX3FBU1 EPIL	C12C935161		

Dimensions & Weight

Weight (including supplies): 186 kg (410 lbs)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



*2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.

*3 Default mode in accordance with ISO7779 for MFPs.

*4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours have to be installed for printing.

SPECIFICATIONS

WORKFORCE PRO WF-C20600/C20750/C21000

Model Number Function	WF-C20600	WF-C20750	WF-C21000
Stacking (pages / min)	57	67	90
Shifting (pages / min)	53	57	70
Punching: 2 holes / 3 holes (pages / min)	32	39	48
Punching: 4 holes (pages / min)	29	36	42
Stapling: One-point binding (pages / min)	51	53	53
Stapling: Two-point binding (pages / min)	37	44	44
Saddle stitching (sec / booklet)	80	71	60
Folding (pages / min)	5	5	5

© 2025 Epson India Pvt. Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is registered trademark of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct as of March 2025.

EPSON INDIA PVT. LTD.

11th Floor, Godrej Centre, Hebbal,
Survey No.26, Bellary Road,
Sahakar Nagar, Byatarayanapura,
Bangalore 560 092, Karnataka.
Tel: 080-6939 5000 Fax: 080-6939 5005

Regional Offices:

Ahmedabad 4037 0075, Chennai 4905 5177, Coimbatore 98942 19200, Ernakulam 4012 315,
Hyderabad 4857 0032, Jaipur 4923 119, Kolkata 4603 4714/15/29/30, Mumbai 3079 8200,
New Delhi 4107 3101, 4752 2414, Pune 2998 0641



Epson Helpline: For product info or service - 1800 425 0011
For service - 1800 123 001 600 or 1860 300 016 00 (9AM - 6pm) (Mon - Sat)
Email: rips@eid.epson.co.in

www.epson.co.in