## A3 COLOUR MULTI-FUNCTION PRINTERS

# WORKFORCE ENTERPRISE WF-C20600/C20750/C21000





The WorkForce Enterprise WF-C20600 / C20750 / C21000 multi-function printers are on the cutting-edge in enterprise-class printing. Speeds of up to 100 ipm^ make high workload handling a breeze. A yield of up to 100,000 prints<sup>^</sup> enables seamless printing. Environmental impact isn't a cause for concern with a power consumption as low as 300 Watts. Plus, these printers are equipped with Epson's Heat-Free Technology - an innovation that ensures that there is no heat generation while printing. The Epson Print Admin helps control and secure the printing environment. And, features such as wireless printing bring added convenience to the table.







Connect



Direct



Print Yield



Epson Print Admin



WorkForce Enterprise Multi-function Printers WF-C20600/C20750/C21000

### **HIGH-VOLUME INKS**

## **Incredible Print Speeds**

Speeds of up to 100 ipm<sup>^</sup> help handle high-volume print jobs with minimal effort.

### **Epson's Heat-Free Technology**

A revolutionary technology that ensures zero heat generation while printing. As a result, you get high print speeds, low power consumption, minimal maintenance and more.

## A Host of Features

WiFi Direct for wireless printing, Epson Print Admin for a secured printing environment and more.





### WORKFORCE PRO WF-C20600/C20750/C21000



Model Number	WF-C20600	WF-C20750	WF-C21000	
Printer Type Printing	Print, Scan, Copy, Fax with ADF			
Printing Technology Nozzle Configuration	Epson's Heat-Free Technology 8,676 nozzles each colour (Black, Cyan, Magenta, Yellow)			
Maximum Resolution	600 x 2,400 dpi			
Minimum Ink Droplet Volume Print Speed" 1	3.5 pl			
ISO 24734, A4, Simplex / Duplex (Black1 / Colour1)		Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm	
ISO 24734.2, A3, Simplex (Black / Colour) ISO 24734.2, A3, Duplex (Black / Colour)	Approx. 37 ipm / 37 ipm Approx. 21 ipm / 21 ipm	Approx. 45 ipm / 45 ipm Approx. 25.4 ipm / 25.4 ipm	Approx. 54 ipm / 54 ipm Approx. 36.3 ipm / 36.3 ipm	
First Page Out Time (Black / Colour)	Approx. 7.6 sec / 7.6 sec	Approx. 7 sec / 7 sec	Approx. 6.2 sec / 6.2 sec	
rinter Language mulation	(ESC / P-R) (PCL5 / PCL6) / (PostScript3)			
laximum Monthly Duty Cycle <sup>2</sup>	400,000 pages per month			
utomatic 2-sided Printing	Yes			
ppy Speed				
ISO 29183, A4 Simplex (Black / Colour, Flatbed)	Approx. 9.8 sec / 9.9 sec	Approx. 9.5 sec / 9.6 sec	Approx. 8.8 sec / 8.9 sec	
ISO 24735, A4 Simplex (Black / Colour, 1:1) ISO 24735, A4 Duplex (Black / Colour, 1:2, 2:2)	Approx. 60 ipm / 60 ipm Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm Approx. 100 ipm / 100 ipm	
aximum Copies from Standalone aximum Copy Resolution	9,999 copies 600 x 1,200 dpi			
eduction / Enlargement	25 - 400%, Auto Fit Function			
opy Paper Size (Flatbed)	A5 to A3 / Ledger			
aximum Copy Size	A3			
canner Type	Flatbed color image scanner			
ensor Type ptical Resolution	Colour CIS 600 x 600 dpi			
aximum Scan Area	297 x 431.8 mm (11.7 x 17")			
canner Bit Depth Colour	16-bit input, 8-bit output			
Greyscale	16-bit input, 8-bit output			
Black & white can Features	16-bit input, 1-bit output Scan to Computer (WSD), Scan to	Mamon, Dovice		
can Speed [Flatbed / ADF (Simplex) / ADF (Duplex)]  Monochrome 200 dpi	3.7 sec / 60 ppm / 110 ipm	TWIETHOLY DEVICE		
Colour 200 dpi  DF Function	3.7 sec / 60 ppm / 110 ipm			
upport Paper Thickness	38 ~128 g/m²			
aper Capacity utomatic 2-sided Scan / Copy	150 sheets Yes			
upport Paper Size	A5 to A3 / Ledger			
ax Function pe of Fax	Walk-up Black-and-white and Col	our Fax Capability		
eceive Memory / Page Memory	6 MB, Page memory up to 550 pa			
ror Correction Mode lodem Speed / Fax Speed (Data transfer rate)	Up to 33.6 kbps / Approx. 3 sec/p	page		
ax Resolution	Up to 200 x 200 dpi			
ack & White	Standard: 8 x 3.85 [dot/mm x line, Ultra Fine: 16 x 15.4 [dot/mm x line		nm], Super Fine: 8 x 15.4 [dot/mm x line/mr	
olour	Fine: 200 x 200 dpi, Photo: 200 x			
ansmission Paper Size Flatbed	A5 to A3 / Ledger			
ADF	A5 to A3 / Ledger	(=		
eceiving Paper Size peed Dial / Group Dial	HLT, A5, B5, A4, LT, LGL, B4, 279 Up to 2,000 numbers / 200 group			
ax Features	PC Fax / Automatic Redial / One	Touch Dial / Address Book / Transmi	it Reservation / Broadcast Fax (Mono only)	
aper Handling	Polling Reception / Fax Preview /	Fax to Email / Memory Reception / F	-ax to Folder	
aximum Paper Size	Standard cassette up to A3 / 11 x			
aper Types <sup>-5</sup>	Multi-purpose tray 330.2 x 1200 n Plain Paper, Ultra-premium Preser	nm / 13 x 47.2" Itation Paper Matte, Premium Prese	ntation Paper Matte.	
	Presentation Paper Matte, Envelop	oes and Card Stock up to 350 g/m <sup>2</sup>	(Note: Gloss Paper is not suitable)	
lumber of Paper Trays uput Paper Capacity		ulti-purpose tray, optional high-capa	acity input tional high-capacity input: 3,000 sheets	
upported Paper Weights	Standard cassette trays: Up to 16	0 g/m²		
rinter Interface	Multi-purpose tray: Up to 350 g/m	2		
SB	SuperSpeed USB			
etwork etwork Protocol	Ethernet (1000BASE-T / 100BASE TCP/IPv4, TCP/IPv6	E-TX / 10BASE-T), Wireless (IEEE 80	02.11a/b/g/n/ac)	
etwork Printing Protocol	LPD, IPP, PORT9100, WSD			
etwork Management Protocols ecurity Features	SNMP, HTTP, DHCP, BOOTP, APII WEP 64-bit, WEP128-bit, WPA PS	PA, PING, DDNS, mDNS, SNTP, SLI	P, WSD, LLTD	
SB Host Function	WEF 04-DIL, WEF 120-DIL, WFA F	DK (TKIF), WFA FOK (ALO)		
pe of Direct Printing SB Host	Memory Devices USB Host (Scan to memory device	e / Storage function)		
obile and Remote Printing		,		
oson Connect ther Mobile Solutions	Epson iPrint, Epson Email Print, R Mopria Print Service	emote Print Driver, Scan to Cloud		
ontrol Panel	иорна гни бегисе			
CD Screen	22.7 cm (9") TFT Colour LCD			
rinter Software perating System Compatibility	Windows XP / Vista / 7 / 8 / 8.1 /	10, Windows Server 2003 / 2008 / 2	2012 / 2016 / 2019, Mac OS X 10.6.x or lat	
ectrical Specifications			,	
ated Voltage ated Frequency	AC 100 - 240 V 50 - 60 Hz			
ower Consumption (Main Unit only)	300 W	300 W	320 W	
perating randby	300 W 12 W			
eep ´	1.5 W			
ower off Dise Level	1.5 W			
Printing / Plain Paper Default*3	7.5 B(A), 60 dB(A)			
onsumables gh Capacity Ink Cartridge (Black)	Page Yield*4 50,000 prints x 2	Order Code C13T949200		
gh Capacity Ink Cartridge (Cyan)		C13T949300		
gh Capacity Ink Cartridge (Magenta) gh Capacity Ink Cartridge (Yellow)	50,000 (Composite Yield)	C13T949400 C13T950100		
aste Ink Box		C13T671698		
nishers	Finisher / Stonlar I In to 4 000 -1-		pker: up to 1.700 about /00 ~ /~2\	
utput Options		ets with offset stacking; Booklet-ma y/m²); Hole-punch: 2/3 or 2/4 hole-p		
ptions	-			
'4 Hole Punch Unit / LX3HPU1 ALL '3 Hole Punch Unit / LX3HPU2 ALL	C12C935171 C12C935181			
taple Cartridge for Staple	C12C935401			
taple Cartridge for Booklet addle Unit / LX3SU1 EPIL	C12C935411 C12C935861			
taple Finisher / LX3SF1 EPIL	C12C935041 C12C935081			
ooklet Finisher / LX3BF1 EPIL				

Dimensions & Weight Weight (including supplies): 186 kg (410 lbs)



\*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- \*2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling
- \*3 Default mode in accordance with ISO7779 for MFPs
- \*4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reww
- \*5 Workforce printers will not support photo glossy

### **SPECIFICATIONS**

### WORKFORCE PRO WF-C20600/C20750/C21000

Model Number	WF-C20600	WF-C20750	WF-C21000
Function			
Stacking (pages / min)	57	67	90
Shifting (pages / min)	53	57	70
Punching: 2 holes / 3 holes (pages / min)	32	39	48
Punching: 4 holes (pages / min)	29	36	42
Stapling: One-point binding (pages / min)	51	53	53
Stapling: Two-point binding (pages / min)	37	44	44
Saddle stitching (sec / booklet)	80	71	60
Folding (pages / min)	5	5	5

© 2020 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Selko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct as of June 2020.

### EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008 Tel: 080-4566 5000 Fax: 080-4566 5005 **REGIONAL OFFICES: EAST** 90730 09167, 98043 47725 **SOUTH** Tamil Nadu 91766 28357; AP & Telangana 91009 43676; Kerala 94950 23222; Karnataka 88700 00768 **WEST** 99307 82105 **NORTH** Delhi NCR 99536 01069; Rajasthan 99839 19991; MP 85190 95177, 88892 60260 UP 99845 19110; Uttarakhand 98337 77562; Haryana 96509 71919; Punjab & Himachal 95361 10831; Jammu & Kashmir 97977 92025.

