

PowerLite® 1288 Full HD 1080p Meeting Room Projector with Built-in Wireless and Miracast®



Bring ultra bright displays to meeting rooms with this wireless portable projector.

Wireless screen mirroring — mirror device photos, videos and apps using Miracast

3-chip 3LCD technology for Best-in-Class Color Brightness¹ — 4,000 lumens of color and white brightness²

Vibrant, high-quality images with Full HD 1080p resolution — delivers sharp, vivid displays for presentations, videos and more

Built-in wireless with enterprise-level security — easily connects to laptops and smart devices³ for enhanced flexibility and convenience during presentations

Fast, easy setup with Epson® — get up and running in no time with easy image adjustments and convenient control

Works with the latest laptops and media players — supports HDMI®, the standard in connectivity, for digital video and audio in one cable

The portability you need for presentations on the go — convenient carrying case included

Built-in 16 W speaker — for engaging projector displays

Long-lasting lamp life — up to 12,000 hours in ECO Mode⁴

Project images up to 300" plus split-screen capability⁵ — for side-by-side viewing



PowerLite® 1288 Full HD 1080p Meeting Room Projector with Built-in Wireless and Miracast®

Specifications

Projection System 3LCD, 3-chip technology
Projection Method Front/rear/ceiling mount
Driving Method Poly-silicon TFT Active Matrix
Pixel Number 2,073,600 dots (1920 x 1080) x 3
Color Brightness² Color Light Output: 4,000 lumens
White Brightness² White Light Output: 4,000 lumens
Aspect Ratio 16:9
Native Resolution 1920 x 1080
Resize Support 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (SXGA), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+), 1600 x 900 (WXGA++), 1680 x 1050 (WSXGA+)
Lamp Type 230 W UHE
Lamp Life⁴
 Normal Mode: Up to 5,500 hours
 ECO Mode: Up to 12,000 hours
Throw Ratio Range 1.32 (Zoom:Wide), 2.14 (Zoom:Tele)
Size (Projected Distance) 30" – 300" (0.9 – 9 m)
Keystone Correction (Auto) Vertical: ± 30 degrees
Keystone Correction (Manual) Horizontal: ± 30 degrees (Easy-Slide Horizontal Image Correction)
USB Plug 'n Play Projects audio and video; PC and Mac® compatible
Contrast Ratio Up to 16,000:1
Color Reproduction Over 1.07 billion colors

Projection Lens

Type Optical zoom (Manual)/Focus (Manual)
F-number 1.51 – 1.99
Focal Length 18.2 – 29.2 mm
Zoom Ratio Optical zoom 1.0 – 1.6

Other

Display Performance NTSC: 480 lines; PAL: 576 lines (Depends on observation of the multi-burst pattern)
Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM
Speaker 16 W
Operating Temperature 41 ° to 104 °F (5 ° to 40 °C)
Power Supply Voltage 100 – 240 V ±10%, 50/60 Hz
Power Consumption
 Normal Mode: 345 W
 ECO Mode: 235 W
Fan Noise
 Normal Mode: 37 dB
 ECO Mode: 28 dB
Security Password Protect function

Interfaces

2x HDMI
 Computer/component video: 1x D-sub 15 pin
 Composite video: 1x RCA (Yellow)
 Audio in: 1x RCA (White/Red)
 1x USB connector Type-A: PC-free USB
 1x USB connector Type-B: USB Plug 'n Play



Dimensions (W x D x H)

Including Feet 12.2" x 11.5" x 4.1"
Excluding Feet 12.2" x 11.1" x 3.5"
Weight 6.83 lb

Remote Control

Features Source search selection, power, volume, e-zoom, A/V mute, freeze, menu, page up and down, help, auto, mouse functions
Operating Angle
 Right/left: ± 30 degrees
 Upper/lower: ±15 degrees
Operating Distance 19.7 ft (6 m)

Wireless (Wireless LAN)

Supported Speeds
 IEEE 802.11b (2.4GHz): 11 Mbps*
 IEEE 802.11g (2.4GHz): 54 Mbps*
 IEEE 802.11n (2.4GHz): 72.2 Mbps*
 IEEE 802.11a (5GHz): 54 Mbps*
 IEEE 802.11n (5GHz): 150.0 Mbps*

*These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

Supported Mode Infrastructure, Access Point
Frequency Type (Modulations) 802.11b/g/n (2.4 GHz) (DSSS/CCK, OFDM) 802.11a/n (5GHz) (OFDM)

Wireless (Miracast)

Supported Speeds

IEEE 802.11g (2.4GHz): 54 Mbps*
 IEEE 802.11n (2.4GHz): 130.0 Mbps*
 IEEE 802.11a (5GHz): 54 Mbps*
 IEEE 802.11n (5GHz): 270.0 Mbps*
 IEEE 802.11ac (5GHz): 780 Mbps*

*These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

Supported Connection Mode Wi-Fi Direct®
Certification Wi-Fi CERTIFIED™ Miracast

Frequency Type OFDM, MIMO-OFDM

Eco Features

RoHS compliant
 Recyclable product†
 Epson America, Inc. is a SmartWay® Transport Partner®

Support

Epson ConnectionSM

Pre-sales support: U.S. and Canada 800-463-7766
 Internet website: www.epson.com

Service Programs 1-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day limited lamp warranty

What's in the Box

PowerLite 1288 projector, power cable, computer cable (HDMI), soft carrying case, projector remote control, batteries, Quick Setup Sheet

Ordering Information

PowerLite 1288 Projector	V11H978120
Genuine Epson Lamp (ELPLP97)	V13H010L97
Replacement Air Filter (ELPAF54)	V13H134A54
DC-07 Document Camera	V12H759020
DC-13 Document Camera	V12H757020
DC-21 Document Camera	V12H758020

1 Color brightness measured per IDMS 15.4. Additional colors and picture modes tested. Top-selling Epson 3LCD projectors vs. comparable top-selling 1-chip DLP projectors based on NPD sales data for October 2019 – September 2020. COLOR BRIGHTNESS WILL VARY BASED ON USAGE CONDITIONS. | 2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118. | 3 For wireless functionality, including via the Epson iProjection™ App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See www.epson.com for details. | 4 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time. | 5 Split Screen feature requires remote control. Consult your user manual for input combinations. | 6 Wi-Fi CERTIFIED™: level of performance subject to the range of the router being used. | 7 For convenient and reasonable recycling options, visit www.epson.com/recycle | 8 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

See the latest innovations from Epson Business Solutions at epson.com/forbusiness



Epson America, Inc.
 3131 Katella Ave., Los Alamitos, CA 90720

Epson Canada Limited
 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
www.epson.ca

EPSON and PowerLite are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future and Epson iProjection are trademarks of Seiko Epson Corporation. PrivateLine is a registered trademark and Epson Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. Miracast® and Wi-Fi Direct® are registered trademarks and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2025 Epson America, Inc. CPD-59278R2 5/25

Contact:

