

EB-L30000U



The compact 30,000 lumen 3LCD projector for demanding installations that require the highest levels of brightness.

The EB-L30000U Pro AV installation projector has been developed for vivid theatrical and film projections, or areas with high ambient light, such as shopping centres and galleries. Its compact design is a significant customer benefit for storing, handling and shipping.

The brightest projection

At 30,000 lumens, this is Epson's brightest ever Pro AV projector. This enables users to create powerful presentations and totally immersive experiences.

Compact design

Its more compact design means it can fit into smaller spaces which makes it easier for users to transport, install and store.

4K compatible lenses

Epson offers a concise range of different lenses that produce crisp, high-definition images even when projecting at a distance. This installation projector also features Epson's 4K Enhancement Technology, which uses pixel shifting to double the resolution as a more cost effective option to producing 4K content. The EB-L30000U is supplied without a lens as this allows the user to choose the most appropriate lens or lenses for their needs. All EB-L25000U lenses are compatible with the EB-L30000U

Mechanical shutter

The mechanical shutter is particularly useful in theatres for creating backdrops. The projector can be turned to black instantly with a simple switch, and on again when required. This feature is very important in rental and staging events, where laser lights are being used, to protect the lens from laser damage.

DATASHEET / BROCHURE



KEY FEATURES

- **Epson's brightest ever**
At 30,000 lumens, this is Epson's brightest ever Pro AV projector.
- **Compact design**
Easy to transport, install and store
- **Lens flexibility**
Allows users to choose the most appropriate lens for each project
- **4K Enhancement Technology**
Epson's 4K Enhancement Technology means crisp, high-definition images
- **Enhanced protection**
The mechanical shutter protects the lens from laser strikes

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	1.43 inch with C2 Fine
IMAGE	
Color Light Output	30,000 Lumen- 20,000 Lumen (economy) In accordance with IDMS15.4
White Light Output	30,000 Lumen - 20,000 Lumen (economy) In accordance with ISO 21118:2020
Portrait Colour Light Output	30,000 lm
Portrait White Light Output	30,000 lm
Resolution	WUXGA
High Definition	4K enhancement
Aspect Ratio	16:10
Contrast Ratio	Over 2,500,000 : 1
Native Contrast	3,500 : 1
Light source	Laser
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco
Keystone Correction	Manual vertical: ± 45 °, Manual horizontal ± 30 °
Colour Video Processing	10 Bits
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Zoom	Motorized
Lens	Optical, varies by lens
Lens Shift	Motorized - Vertical ± 65 %, horizontal ± 30 %
Lens position memory	10 positions
Screen Size	100 inches - 1,000 inches
Projection Lens Focus	Motorized, varies by lens
Offset	varies by lens
Interchangeable Lens	Yes
Standard Lens	Not included
CONNECTIVITY	
Interfaces	USB 1.0-A, USB 2.0 Type B (Service Only), Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n (optional), VGA in, VGA out, DVI in, BNC in, HDBaseT, HD-SDI, HDMI (HDCP 2.2), Remote
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Security bar, Control panel lock, Password lock, Wireless LAN security, Password protection
Other features	4K enhancement, Absolute Black, Auto Calibration, Edge Blending, Frame interpolation, Lens position memory, Long light source life, OSD copy function, Point correction, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, iProjection App
Video Color Modes	Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709
Projector control	via: AMX, Crestron, Extron XTP

EB-L30000U

WHAT'S IN THE BOX

- HDMI Cable Clamp
- Power cable
- Remote control incl. batteries

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	1,748 Watt (Normal On-Mode), 2,325 Watt (Normal Peak-mode), 1,511 Watt (Eco Peak-Mode), 0.5 Watt (Energy saving standby)
Heat Dissipation	7,905 BTU/hour (max)
Supply Voltage	AC 200 V - 240 V, 50 Hz - 60 Hz
Product dimensions	790 x 710 x 299 mm (Width x Depth x Height)
Product weight	63.8 kg
Noise Level	Normal: 49 dB (A) - Economy: 41 dB (A)
Supported Temperature	Storage -10° C - 60° C
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%
Included Software	EasyMP Monitor, EasyMP Multi PC Projection
Options	Wireless LAN unit
Room Type / Application	Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Visitor Attraction
Positioning	Ceiling Mounted, Flying Frame
Colour	Black
OTHER	
Warranty	3 years or 20000 hours whichever is earlier

EB-L30000U

WHAT'S IN THE BOX

- HDMI Cable Clamp
- Power cable
- Remote control incl. batteries

OPTIONAL ACCESSORIES

- Air Filter - ELPAF52
V13H134A52
- Wireless LAN Adapter - ELPAP10
V12H731P01
- HDBaseT Transmitter - ELPHD01
V12H547040
- Stacking Frame - ELPMB52 - EB-L30000U Series
V12H003B52

EB-L30000U

OPTIONAL LENSES

- Lens - ELPLL10 - Long Throw - EB-L30000U Series
V12H004L0A
- Lens - ELPLL09 - Long Throw - EB-L30000U Series
V12H004L09
- Lens - ELPLM14 - Mid Throw - EB-L30000U Series
V12H004M0E
- Lens - ELPLM13 - Mid Throw - EB-L30000U Series
V12H004M0D
- Lens - ELPLM12 - Mid Throw - EB-L30000U Series
V12H004M0C
- Lens - ELPLW07 - Wide Throw - EB-L30000U Series
V12H004W07
- Lens - ELPLU05 - Short Throw - EB-L30000U Series
V12H004U05
- Lens - ELPLR05 - Rear Projection - EB-L30000U Series
V12H004R05
- ELPLX03
V12H004X03

LOGISTICS INFORMATION

SKU	V11H944856
Country of Origin	China

* Warranty offers are not available for all countries. Please contact your local Epson representative.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore – 560 008.
Tel: 080 4566 5000 Fax: 080 4566 5005

Regional Offices:

Ahmedabad 4037 0075, Chennai 3967 7500, Ernakulam 4012 315, Coimbatore 98942 19200, Hyderabad
4857 0032, Jaipur 4923 119, Kolkata 4603 4714/15/29/30, Mumbai 3079 8200, New Delhi 4107 3101,
4752 2414, Pune 3028 6000



Epson Helpline: For product info or service – 1800 425 0011
For service – 1800 123 001 600 or 1860 3000 1600 (9 am – 6 pm) (Mon – Sat)
Email: projector@eid.epson.co.in

www.epson.co.in

EPSON