

Business Printing Solutions **Epson**

# WorkForce<sup>®</sup>

Heat-free PrecisionCore™ technology.



**EPSON<sup>®</sup>**

Some products are shown with optional accessories. Images are not to scale.

A new

# CORE

for your **business**



## Choose a new core for your business

Epson introduces its refreshed line of **Epson WorkForce®** Business Printing Solutions that enable today's businesses to enter a modern era of printing, with revolutionary heat-free PrecisionCore™ technology.

This innovation was designed by Epson to generate efficient ink and low energy consumption, which helps minimize waste and reduce electricity costs.



### EFFICIENT

**Built for productivity.**

They print instantly with no hassle and no waiting time.



### RELIABLE

**State-of-the-art performance.**

A scalable solution with a minimum of parts that can be damaged.



### RESPONSIBLE

**Focused on saving energy.**

Minimize your impact with efficient ink use and low energy consumption.



# Exclusive heat-free PrecisionCore™ technology

An all-in-one chip with reliable and highly scalable performance, designed for higher efficiency and lower power consumption.




**Not all printing processes  
are the same**

## Heat-free vs. laser printing

### Epson WorkForce®

This method requires only **3 steps** to make a printout



### Laser Printing

Complex process involving up to **8 separate stages**



# Learn About Our Epson WorkForce® Solutions Portfolio

## WorkForce® Enterprise

Speed, quality and advanced security features. WorkForce® Enterprise printers are ideal for large workgroups, businesses and corporations.



## WorkForce® Pro

Created to meet the demanding needs of small, medium and large corporate workgroups. Equipped with high-capacity inks to maximize uptime.

## EcoTank® Business

Perfect for coworking spaces, businesses and small offices. Forget changing inks frequently, with our high performance and highly reliable printers your business won't stop.



# Enterprise Printing Solutions



Epson WorkForce® printers are compatible with Epson Solutions and third-party solutions that allow them to quickly integrate with existing workflows, enabling greater productivity.



### Epson Print Admin Serverless

Increase the security and productivity of Epson devices without management. This comprehensive solution enables features that improve print management and routing of scanned documents without the need for an external server.

### Epson Print Admin

Improve control of your devices and print volume, increasing security and reducing costs. This server-based print management solution is an ideal tool for small and medium-sized corporate workgroups.

### Epson Print Admin with Advanced Workflows

Take control of your print environments with information capture and processing capabilities. Count on this Epson Print Admin-based print and capture management solution that creates secure print, scan and copy environments.



### Epson Device Admin

This powerful tool was designed to simplify the installation, configuration and management of Epson printers and scanners. It features alerts, counters and automated reporting for easy device management.



### Epson Open Platform

An application development platform that enables direct integration between compatible Epson devices and certified software applications.



### Epson Remote Service

A cloud-based fleet management solution. It features remote monitoring, control and diagnostics through service and supply alerts and automated reporting. Simplify management of your Epson devices while improving operational efficiency and reducing service-related costs.



# Epson Security Features



Printer security is essential to an organization's information security strategy. That's why Epson incorporates security features into its business printers, whether you're concerned about user, network or data security. Epson's business printer technology is designed to meet your business requirements.



## Protection against external threats

Epson solutions can help block unapproved computer connections and disable external interfaces.

## Document security

Secures confidential documents, uses anti-copy patterns, adds watermarks and encrypts PDFs with certain Epson printers. Compatibility varies by model.



## Secure network protocols

WorkForce® Enterprise, WorkForce® Pro and selected other printers can use IPsec/IP filtering, TLS communication and SNMPv3.

## Automated security

Facilitates the installation, configuration and management of all Epson networked devices with Epson Device Admin.



# Epson WorkForce® Enterprise Printing Solutions

WorkForce® Enterprise  
Surprising speed for high-volume printing



Model	AM-C400	AM-C550	AM-C4000**	AM-C5000**	AM-C6000**	WF-C20750	WF-C21000	WF-M21000
Product Code	C11CJ93201	C11CJ92201	C11CJ43201	C11CJ42201	C11CJ91201	C11CH87201	C11CH88201	C11CJ87201
Color/monochromatic	Color	Color	Color	Color	Color	Color	Color	Monochromatic
Limited warranty	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*
Type	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function
Print Speed†	Up to 40 ppm (black/color)	Up to 55 ppm (black/color)	Up to 40 ISO ppm (black/color)	Up to 50 ISO ppm (black/color)	Up to 60 ISO ppm (black/color)	Up to 75/75 ppm (black/color)	Up to 100/100 ppm (black/color)	Up to 100 ppm (black)
ISO Print Speed Simplex††	40 ISO ppm (black/color)	55 ISO ppm (black/color)	40 ISO ppm (black/color)	50 ISO ppm (black/color)	60 ISO ppm (black/color)	75 ISO ppm (black/color)	100 ISO ppm (black/color)	100 ISO ppm (black)
ISO Duplex Print Speed††	40 ISO ipm (black/color)	55 ISO ipm (black/color)	40 ISO ppm (black/color)	50 ISO ppm (black/color)	60 ISO ppm (black/color)	75 ISO ppm (black/color)	100 ISO ppm (black/color)	100 ISO ppm (black)
Total RAM size	8.192 (Mbytes)	8.192 (Mbytes)	8.192 (Mbytes)	8.192 (Mbytes)	8.192 (Mbytes)	9.984 (Mbytes)	9.984 (Mbytes)	9.984 (Mbytes)
Time to first page output†††	6.4 s. (black/color)	5.7 s. (black/color)	7.6 s. (black/color)	6.7 s. (black/color)	6.1 s. (black/color)	7 s. (black/color)	6.2 s. (black/color)	6.2 s. (black)
Paper input capacity‡	Up to 2,100 sheets	Up to 2,100 sheets	Up to 5,150 sheets	Up to 5,150 sheets	Up to 5,150 sheets	Up to 5,350 sheets	Up to 5,350 sheets	Up to 5,350 sheets
Tamaño máximo de papel	Legal	Legal	A3	A3	A3	A3+	A3+	A3+
ADF capacity	100 sheets	100 sheets	150 sheets	150 sheets	150 sheets	150 sheets	150 sheets	150 sheets
Scanning bed size	Legal	Legal	A3 / Tabloide	A3 / Tabloide	A3 / Tabloide	A3 / Tabloide	A3 / Tabloide	A3 / Tabloide
PCL®2 and PostScript® support	✓	✓	✓	✓	✓	✓	✓	✓
IT management tools	✓	✓	✓	✓	✓	✓	✓	✓
ISV support (open platform)	✓	✓	✓	✓	✓	✓	✓	✓
Adhering to SAP® rules	✓	✓	✓	✓	✓	✓	✓	✓
Dimensions: Printer (width x depth x height)§	46,5 cm x 49 cm x 57 cm	46,5 cm x 49 cm x 57 cm	55,62 cm x 61,97 cm x 96,3 cm with paper tray¶	55,62 cm x 61,97 cm x 96,3 cm with paper tray¶	55,5 cm x 62 cm x 96,3 cm with paper tray¶	67,4 cm x 75,7 cm x 124,3 cm	67,4 cm x 75,7 cm x 124,3 cm	67,4 cm x 75,7 cm x 124,3 cm
Connectivity	USB/Wi-Fi®/Wi-Fi® Direct	USB/Wi-Fi®/Wi-Fi® Direct	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®	USB/Ethernet/Wi-Fi®/Wi-Fi Direct®
Epson Connect™³	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi Direct®⁴	✓	✓	✓	✓	✓	✓	✓	✓
AirPrint®	✓	✓	✓	✓	✓	✓	✓	✓
Ink supplies***	T08K	T08M	T08D	T08C	T08C	T02S	T02Y	T04Q
Maximum replacement ink yield (pages)⁵	31,500 pages in black 28,000 pages in color	31,500 pages in black 28,000 pages in color	50,000 pages in black 30,000 pages in color	50,000 pages in black 30,000 pages in color	50,000 pages in black 30,000 pages in color	50,000 pages in black 50,000 pages in color	50,000 pages in black 50,000 pages in color	60,000 pages in black
Ink delivery	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge	Cartridge

# Epson WorkForce® Enterprise Printing Solutions



**WorkForce® Pro**  
Working groups of small, medium and large corporations

Model	WF-M5399	WF-M5899	WF-C5390	WF-C5810	WF-C5890	WF-C5891	EM-C800	WF-C878R**	WF-C879R**
Product Code	C11CK77301	C11CK76301	C11CK25301	C11CK24301	C11CK23301	C11CK27301	C11CK19201	C11CH60301	C11CH35301
Color/monochromatic	Monochromatic	Monochromatic	Color	Color	Color	Color	Color	Color	Color
Limited warranty	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*	1 year*
Type	Single Function	Multi-Function	Single Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function	Multi-Function
Print Speed <sup>1</sup>	Up to 34 ppm (black)	Up to 34 ppm (black)	Up to 34/34 ppm (black/color)	Up to 34/34 ppm (black/color)	Up to 34/34 ppm (black/color)	Up to 34/34 ppm (black/color)	Up to 34/34 ppm (black/color)	Up to 35/35 ppm (black/color)	Up to 35/35 ppm (black/color)
ISO Print Speed Simplex <sup>1†</sup>	25 ISO ppm (black)	25 ISO ppm (black)	25 ISO ppm (black/color)	25 ISO ppm (black/color)	25 ISO ppm (black/color)	25 ISO ppm (black/color)	25/25 ISO ppm (black/color)	25/24 ISO ppm (black/color)	26/25 ISO ppm (black/color)
ISO Duplex Print Speed <sup>1†</sup>	16 ISO ppm (black)	16 ISO ppm (black)	16 ISO ppm (black/color)	16 ISO ppm (black/color)	16 ISO ppm (black/color)	16 ISO ppm (black/color)	16/16 ISO ppm (black/color)	17/16 ISO ppm (black/color)	18/17 ISO ppm (black/color)
Total RAM size	2.048 (Mbytes)	3.072 (Mbytes)	2.048 (Mbytes)	1.024 (Mbytes)	2.048 (Mbytes)	3.972 (Mbytes)	3072 (Mbytes)	3.081 (Mbytes)	4.233 (Mbytes)
Time to first page output <sup>1††</sup>	4.8 s. (black)	4.8 s. (black)	4.8 s./5.3 s. (black/color)	4.8 s./5.3 s. (black/color)	4.8 s./5.3 s. (black/color)	4.8 s./5.3 s. (black/color)	4.8 s./5.3 s. (black/color)	5.5 s. (black/color)	5.5 s. (black/color)
Paper input capacity <sup>5</sup>	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,830 sheets	Up to 1,835 sheets	Up to 1,900 sheets
Tamaño máximo de papel	A4	A4	A4	A4	A4	Legal	A4	A3+	A3+
ADF capacity	—	50 sheets	—	50 sheets	50 sheets	50 sheets	50 sheets	50 sheets	150 sheets
Scanning bed size	—	A4	—	A4	A4	Legal	A4	A3 / Tabloide	A3 / Tabloide
PCL <sup>®2</sup> and PostScript <sup>®</sup> support	✓	✓	✓	—	✓	✓	✓	✓	✓
IT management tools	✓	✓	✓	—	✓	✓	✓	✓	✓
ISV support (open platform)	✓	✓	✓	—	✓	✓	✓	✓	✓
Adhering to SAP <sup>®</sup> rules	—	—	✓	—	✓	✓	✓	✓	✓
Dimensions: Printer (width x depth x height) <sup>6</sup>	42,5 cm x 53,5 cm x 35,7 cm	42,5 cm x 53,5 cm x 35,7 cm	42,5 cm x 53,5 cm x 35,7cm	42,5 cm x 53,5 cm x 35,7 cm	42,5 cm x 53,5 cm x 35,7cm	48,4 cm x 55,2 cm x 35,7 cm	42,5 cm x 53,5 cm x 41,3 cm	62,1 cm x 65 cm x 64,1 cm	62,1 cm x 75,1 cm x 71,1 cm
Connectivity	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>
Epson Connect <sup>™3</sup>	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wi-Fi Direct <sup>®4</sup>	✓	✓	✓	✓	✓	✓	✓	✓	✓
AirPrint <sup>®</sup>	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ink supplies <sup>***</sup>	T12B/T12C	T12B/T12C	T11	T11	T11	T11	T12N / T12P	T05A / T05B	T05A / T05B
Maximum replacement ink yield (pages) <sup>6</sup>	10,000 pages in black (standard) 40,000 pages in black (high capacity)	10,000 pages in black (standard) 40,000 pages in black (high capacity)	5,000 pages in black (standard) 10,000 pages in black (high capacity) 5,000 in color	5,000 pages in black (standard) 10,000 pages in black (high capacity) 5,000 in color	5,000 pages in black (standard) 10,000 pages in black (high capacity) 5,000 in color	5,000 pages in black (standard) 10,000 pages in black (high capacity) 5,000 in color	10,000 pages in black, 5,000 pages in color 50,000 pages in black, 20,000 pages in color	50,000 pages in color (high capacity)	20,000 pages in black/color (standard) 86,000 pages in black (high capacity) 50,000 pages in color (high capacity)
Ink delivery	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag



# Epson WorkForce® Enterprise Printing Solutions



	EcoTank® Business Small offices, coworking and small businesses				Mobile printer With built-in battery
Model	M1180	M3180	L6490	L15150	WorkForce® WF-100
Product Code	C11CG94301 - 110v / UPC C11CG94303 - 220v C11CG94302 - BR	C11CG93301 - 110v / UPC C11CG93303 - 220v C11CG93302 - 220 BR	C11CJ88301 - 110v / UPC C11CJ88303 - 220v C11CJ88302 - 220 BR	C11CH72301 - 110v / UPC C11CH72303 - 220v C11CH72302 - 220 BR	C11CE05302
Color/monochromatic	Monochromatic	Monochromatic	Color	Color	Color
Limited warranty	1 year*	1 year*	1 year*	1 year*	1 year*
Type	Single Function	Multi-Function	Multi-Function	Multi-Function	Single Function
Print Speed <sup>†</sup>	Up to 39 ppm (black)	Up to 39 ppm (black)	Up to 37/23 ppm (black/color)	Up to 32/22 ppm (black/color)	Up to 14/11 ppm (black/color)
ISO Print Speed Simplex <sup>††</sup>	20 ISO ppm (black)	20 ISO ppm (black)	17/ 9,5 ISO ppm (black/color)	25/12 ISO ppm (black/color)	7,0/4,0 ISO ppm (black/color) <sup>1</sup>
ISO Duplex Print Speed <sup>††</sup>	9 ISO ppm (black)	9 ISO ppm (black)	7.5/5 ISO ppm (black/color)	16/9 ISO ppm (black/color)	—
Total RAM size	512 (Mbytes)	1.024 (Mbytes)	1.024 (Mbytes)	1.024 (Mbytes)	128 (Mbytes)
Time to first page output <sup>†††</sup>	6 s. (black)	6 s. (black)	7 s./11 s. (black/color)	5.5 s./8.5 s. (black/color)	15 s./26 s. (black/color)
Paper input capacity <sup>‡</sup>	Up to 251 sheets	Up to 251 sheets	Up to 250 sheets	Up to 550 sheets	Up to 20 sheets
Tamaño máximo de papel	A4	A4	A4	A3+	A4
ADF capacity	—	35 sheets	35 sheets	50 sheets	—
Scanning bed size	—	A4 / Letter	A4 / A4 / LetterCarta	A3 / Tabloid	—
PCL <sup>®2</sup> and PostScript <sup>®</sup> support	—	—	—	—	—
IT management tools	—	—	—	—	—
ISV support (open platform)	—	—	—	—	—
Adhering to SAP <sup>®</sup> rules	—	—	—	—	—
Dimensions: Printer (width x depth x height) <sup>§</sup>	37,5 cm x 34,7 cm x 15,1 cm	37,5 cm x 34,7 cm x 34,6 cm	37,5 cm x 34,7 cm x 34,6 cm	51,5 cm x 50 cm x 35 cm	30,9 x 15,9 x 6,1 cm
Connectivity	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Ethernet/ Wi-Fi <sup>®</sup> /Wi-Fi Direct <sup>®</sup>	USB/Wi-Fi <sup>®</sup> / Wi-Fi Direct <sup>®</sup>
Epson Connect <sup>™3</sup>	✓	✓	✓	✓	✓
Wi-Fi Direct <sup>®4</sup>	✓	✓	✓	✓	✓
AirPrint <sup>®</sup>	✓	✓	✓	✓	✓
<b>Ink supplies<sup>***</sup></b>	T534	T534	T524	T524	T215
Maximum replacement ink yield (pages) <sup>¶</sup>	6,000 pages in black	6,000 pages in black	7,500 pages in black 6,000 pages in color	250 pages in black 200 pages in color	250 págs. in black 200 págs. in color
Ink yield included (pages) <sup>7</sup>	11,000 pages in black	11.000 pages in black	5,800 pages in black 5,200 pages in color	5,800 pages in black 5,200 pages in color	—
Ink delivery	Bottle	Bottle	Bottle	Bottle	Cartridge



## Epson Workforce® Enterprise Printing Solutions

Epson is a leading provider of innovative technology solutions that help businesses succeed.

We partner with you to best meet your specific needs, focusing on:

- Improved productivity
- Customer service and support
- Cost-effective, high-quality solutions
- A commitment to the environment

Discover how Epson can help you work toward the future. [www.latin.epson.com/workforce](http://www.latin.epson.com/workforce)

*Let's Create Together.™*

# Shakira + Epson

Creamos Tecnología que Ayuda a Impulsar Tu Crecimiento



WorkForce®  
**Soluciones  
Empresariales  
de Impresión**

\*Limited warranty. For more information, visit [www.latin.epson.com](http://www.latin.epson.com) on the appropriate product page. \*\*Products shown with optional accessories. \*\*\*This product uses only genuine Epson brand ink cartridges, bags or bottles (ink delivery varies by model). Other brands of ink supplies are not compatible and, even if described as compatible, may not function properly. † Maximum print speeds are measured in accordance with ISO/IEC 24734 and internal testing at fast (maximum) speed. Actual print times will vary depending on factors such as system configuration, software and page complexity. For more information, visit [latin.epson.com/print-speed](http://latin.epson.com/print-speed) †† Black print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors like system configuration, software and page complexity. For more information, visit [www.latin.epson.com/velocidad](http://www.latin.epson.com/velocidad). ††† FPOT is measured on letter-size paper in accordance with ISO/IEC 17629. FPOT is measured in letter paper size according to ISO/IEC 24735. FCOT is measured on letter-size paper in accordance with ISO/IEC 29183. 1 Battery: 3.5/2.0 Black/color ISO ppm. Current (AC Power): 6.7/3.8 Black/Color ISO ppm 2 Not all paper types are supported for PCL® printing. 3 Most features require an internet connection to the printer as well as an internet and/or email enabled device. For a list of Epson Connect™ enabled printers and compatible devices and applications, visit: [latin.epson.com](http://latin.epson.com) 4 Wi-Fi CERTIFIED™; performance level subject to the range of the router being used. Wi-Fi Direct® may require printer software. 5 Based on 80 gsm paper with optional paper tray(s). The number of optional trays varies by model. 6 Yields of replacement ink cartridges, bags and bottles are estimated according to ISO/IEC 24712 in draft mode and continuous printing. Yields vary considerably for reasons including images printed, print settings, temperature, humidity and frequency of use. Yields may be lower when printing infrequently or with a predominant color. Ink is used for printing and for printer maintenance. For print quality, some of the included cartridge ink is used for printer startup and a variable amount of ink remains after the "replace cartridge" signal. 7 Part of the ink from the included bottles is used for initial set-up. The yields are lower than those of the replacement ink bottles. Yields of included and refill ink bottles according to ISO/IEC 24712 standard using Epson methodology. Actual ink yields will vary considerably for reasons including printed images, printing conditions, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. All ink colors are used for printing and printer maintenance, and all colors must be available for printing. 8 Dimensions without accessories.

In Latin America, call your local office or authorized distributor. Epson subsidiaries:

Epson Argentina S.R.L.  
(0800) 288 37766

Epson Bolivia  
(800) 100 116

Epson Centroamérica  
(506) 2588 7800

Epson Chile S.A.  
(562) 2484 3400

Epson Colombia Ltda.  
(571) 602 4750

Epson México S.A. de C.V.  
(5255) 1323 2000

Epson Perú S.A.  
(511) 418 0210

Specifications and terms are subject to change without notice. Epson, DURABrite, PrecisionCore™ and WorkForce are registered trademarks. Epson and PrecisionCore™ Heat-Free are registered trademarks. AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIED™ is a trademark of Wi-Fi Alliance®. All other product names and brands are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights to these marks. Copyright 2025 Epson America, Inc. CPD LS101482 02/2025