A4 COLOUR INKJET PRINTER WORKFORCE PRO WF-C579R



BUILT TO SUIT YOUR EVOLVING BUSINESS NEEDS.



tia

Enjoy low-cost, durable and reliable printing in high volume with the Epson WorkForce WF-C579R business printer. Deliver fast print speeds at 24 ipm plus a first colour-page-out time of just 5.3 secs. Reduce the need for replacing consumables with high capacity ink packs that help reduce running costs. With a range of printing and connectivity features, this printer is the ideal solution for workgroups that require hassle-free, low-maintenance and high-volume printing.





With option of standard ink packs or large ink packs.

WorkForce Pro WF-C579R Print/Scan/Copy/Fax

IT'S IN THE DETAILS. With PrecisionCore Heat-Free Technology, Econ WorkForce Pro WE 0570

Vith PrecisionCore Heat-Free Technology, Epson WorkForce Pro WF-C579R excels with speed, quality and reliability.



PrecisionCore Heat-Free Technology Experience reliability, durability and quality prints that meet the standards of business printing with PrecisionCore Heat-Free Technology. **Innovative Replaceable Ink Pack System** Lower maintenance with high-capacity ink packs from Epson's Replaceable Ink Pack System (RIPS) that yield up to 50,000 pages in black or up to 20,000 pages in colour at low running costs.

Built for the Environment

Extremely low power consumption and less replacement parts compared to laser printers mean a greater positive impact on the environment. Fast, reliable and cost-efficient, Epson's WorkForce Pro WF-C579R printer delivers outstanding print performance to edge out laser competitors. With an innovative print system and a wide range of connectivity features that allow you to print in high volume, the WF-C579R is the printer for superior productivity, meeting your ever-evolving business needs.


PrecisionCore Heat-Free Printhead Technology



PrecisionCore Heat-Free Technology builds on Epson's longstanding reputation for output quality, at the speeds and reliability required for commercial and industrial printing.

This revolutionary technology enables the WF-C579R to print at blazing print speeds of up to 24 ipm and a first-page-out time of just 5.3 seconds in colour. What's more, each print chip is capable of generating up to 40 million precise dots per second to deliver fast printing speeds and excellent output quality.

With advanced built-in Nozzle Verification Technology, the monitoring of nozzle health and print quality adjustments are done automatically without interruption - even during printing. Productivity is further enhanced with a reliable maximum monthly duty cycle of 50,000 pages.



Innovative Replaceable Ink Pack System

Convenience is of top priority. That's why Epson's Replaceable Ink Pack System (RIPS) is designed for easy, hassle-free ink replacements. With the standard ink packs giving you up to 10,000 pages in black and 5,000 pages in colour, users have the option to purchase high-capacity ink packs that print up to 50,000 pages in black and 20,000 pages in colour. This minimises the downtime needed to replace the inks and enable greater cost savings.

In addition, Epson's DURABrite™ Ultra ink delivers laser-like quality prints that are water, fade and smudge-resistant.



Built for the Environment

No Heating, Less Power Consumption and Simple to Use

Unlike laser printers, which require heat to fix toner on paper, inkjet printers do not need heat to operate. They are also fast and simple to use, which substantially reduces power consumption from minimal maintenance and fewer consumables.

Superior Productivity



Automatic Duplex Printing and Scanning

The printer supports automatic duplex printing of up to 15ipm for A4, reducing paper wastage. The one pass duplex ADF unit allows for quick, convenient scanning and copying of double-sided documents.



Versatile Paper Handling

Input paper capacity can be upgraded with an additional paper cassette to support up to 1,330 sheets. Papers of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media.



USB Host Function

The WF-C579R comes with a USB port for direct printing, scanning and saving faxes using USB flash memory devices.



LCD Screen

Experience easy setup and PC-less operation with the 4.3" colour touch screen.

Versatile Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, WiFi, RJ-11 fax, WiFi Direct and USB 2.0, the printer is perfect for office environments. What's more, WiFi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- **Remote Print Driver** Print to a compatible Epson printer anywhere in the world via the internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

Apple[®] AirPrint[™]

- Google Cloud Print[™]
- Mopria[™] Print Service

Advanced Workflow Solutions

Get the most out of your printers with an extensive range of software solutions.

Fleet Management



Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Print Management



Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through userauthentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

Document Management



t Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises

barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Document Capture Pro (Windows), Document Capture (Mac OS X)



Document Capture Pro Server

The WF-C579R is compatible with Document Capture Pro Server, making it easy to seamlessly and locally manage documents. Document Capture

Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Integration with Third-party Solutions

Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Pro printers to meet specific and changing business requirements with solutions for print and document management.

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

SPECIFICATIONS WORKFORCE PRO WF-C579R



Model Number	WF-C579R
Printer Type	Print, Scan, Copy, Fax with ADF
Printing	Developer Queen Land France Trades also an
Printing Technology Nozzle Configuration	PrecisionCore Heat-Free Technology 400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)
Print Direction	Bi-directional printing, Uni-directional printing
Maximum Resolution	4800 x 1200 dpi (with Variable-Sized Droplet Technology)
Minimum Ink Droplet Volume	3.8 pl
Print Speed"	Lin to Od nom / Od nom
Draft Text - Memo, A4 (Black ^{#1} / Colour ^{#2}) ISO 24734, A4 Simplex (Black / Colour)	Up to 34 ppm / 34 ppm Up to 24 ipm / 24 ipm
ISO 24734, A4 Duplex (Black / Colour)	Up to 15 ipm / 15 ipm
Printer Language	ESC/P-R
Emulation	PCL5c, PCL6, Compatible with PostScript Level 3, PDF (ver1.7)
Maximum Monthly Duty Cycle ² Automatic 2-sided Printing	Up to 50,000 pages Yes (up to A4)
Copying	Tes (up to A4)
Copy Speed	
ISO 29183, A4 (Black / Colour, Simplex)	Up to 22 ipm / 22 ipm
ISO 24735, A4 (Black / Colour, 1:1)	Up to 22 ipm / 22 ipm
ISO 24735, A4 (Black / Colour, 1:2, 2:2) Copy Quality	Up to 14 ipm / 14 ipm Text, Text & Image, Text & Image (Best), Photo
Maximum Copies from Standalone	999 copies
Reduction / Enlargement	25 - 400%, Auto Fit Function
Maximum Copy Resolution	600 x 1200 dpi
Maximum Copy Size	A4, Letter
Copy Paper Size (Flatbed) Scanning	Letter, A4, B5, A5, B6, A6, 16K, 13 x 18 cm, 16:9, 10 x 15 cm, #10, DL, C4, C6
Scanner Type	Flatbed colour image scanner
Sensor Type	CIS
Optical Resolution	1200 x 2400 dpi
Maximum Scan Area Scanner Bit Depth	216 x 297 mm (8.5" x 11.7")
Colour	48-bit input, 24-bit output
Greyscale	16-bit input, 8-bit output
Black & white	16-bit input, 1-bit output
Scan Speed [Flatbed / ADF (Simplex) / ADF (Duplex)] Monochrome 200dpi	5 0 (00
Monochrome 200dpi Colour 200dpi	<u>5.0 sec / 30 ppm / 60 ipm</u> <u>5.0 sec / 30 ppm / 60 ipm</u>
Fax Function	
Type of Fax	Walk-up Black-and-white and Colour Fax Capability
Receive Memory / Page Memory	6MB, Up to 550 pages (ITU-T No.1 chart)
Error Correction Mode Fax Speed (Data Transfer Rate)	ITU Group3 Fax with Error Correction Mode Up to 33.6 kbps, Approx. 3sec/page
Fax Resolution	Up to 200 x 200 dpi
Transmission Paper Size	
Flatbed	A5, B5 (JIS), Letter, A4
ADF	Letter, A4, Legal, A5, B5, 8.5" x 13" A5, B5 (JIS), Letter, A4, Legal, 8.5" x 13"
Receiving Paper Size Speed Dial / Group Dial	Up to 200 numbers, 199 groups
Fax Features	PC Fax (Transmission / Receive), Address Book, Delay Send, Transmit Reservation (50 case), Broadcast Fax
	(Mono Only)
ADF Function Support Paper Thickness	64 - 95 g/m²
Paper Capacity	50 pages (80 g/m ²)
Card Slot/ USB Host Function	
USB Host	USB Host (Scan to memory device / Storage function)
Type of Direct Printing Paper Handling	USB Memory
Paper Feed Method	
Number of Paper Trays	3 (Front 2, Rear 1)
Paper Hold Capacity	
Input Capacity	Cassette 1: 250 sheets (80 g/m ²), 50 sheets Premium Glossy Photo Paper
	Cassette 2: 500 sheets (80 g/m ²) Rear Slot: 80 sheets (80 g/m ²)
Output Capacity	150 sheets (80 g/m ²), 20 sheets Premium Glossy Photo Paper
Paper Size	8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4
Maximum Paper Size (Rear Tray)	215.9 x 6,000 mm (8.5 x 236.2")
Print Margin Interface	3 mm top, left, right, bottom
USB	USB 2.0
Network	Ethernet, WiFi IEEE 802.11b/g/n, WiFi Direct
Network Protocol	TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD
Network Management Protocols Security Functions	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode
Mobile and Cloud Printing	Entra Access For Autor, Fire No. Octorication, EDAL Access DOOK, IF Address Fritering, Faher Authin Mode
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple [®] AirPrint [®] , Google Cloud Print [™] , Mopria Print Service
Control Panel	
LCD Screen Printer Software	4.3" TFT Colour Touch LCD
Operating System Compatibility	Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later
Electrical Specifications	
Electrical Specifications Rated Voltage	AC 220 - 240V
Electrical Specifications Rated Voltage Rated Frequency	<u>AC 220 - 240V</u> 50 - 60 Hz
Electrical Specifications Rated Voltage Rated Frequency Power Consumption	50 - 60 Hz
Electrical Specifications Rated Voltage Rated Frequency	
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep	50 - 60 Hz 29 W 14 W 1.3 W
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off	50 - 60 Hz 29 W 14 W
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleap Power Off Noise Level	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PO Printing/ Plain Paper Default ^{*3}	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W 6.6 B(A), 54 dB(A)
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleap Power Off Noise Level	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default*3 Consumables High Capacity Black High Capacity Cyan	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W 6.6 B(A), 54 dB(A) Page Yield* 0.0 pages C13T01D100 C13T01D200
Electrical Specifications Pated Voltage Pated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default*3 Consumables High Capacity Black High Capacity Magenta	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W 6.6 B(A), 54 dB(A) Page Yield ⁴ 0.00 pages C13T01D100 20,000 pages (Composite Yield) C13T01D200 20,000 pages (Composite Yield)
Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ^{ra} Consumables High Capacity Slack High Capacity Gyan High Capacity Van High Capacity Plaine	S0 - 60 Hz 29 W 14 W 1.3 W 0.2 W 6.6 B(A), 54 dB(A) Page Yield* 0.2 W 20,000 pages C13T01D200 20,000 pages (Composite Yield) C13T01D200 C13T01D200 C13T01D200
Electrical Specifications Pated Voltage Pated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default*3 Consumables High Capacity Black High Capacity Magenta	50 - 60 Hz 29 W 14 W 1.3 W 0.2 W 6.6 B(A), 54 dB(A) Page Yield ⁴ 0.00 pages C13T01D100 20,000 pages (Composite Yield) C13T01D200 20,000 pages (Composite Yield)

Dimensions & Weight WF-C579R

Weight: 25.8 kg (56.9 lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- *2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
- *3 Default mode in accordance with ISO7779 for MFPs.
- *4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and print head maintenance. All inks are used for both black and colour printing.

© 2019 Epson India Pvt. Ltd. All Rights Reserved. © 2019 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registred trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed September 2019

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-4566 5000 Fax: 080-4566 5005

Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699





