

# MOVE FAST BUILT TO LAST





### Why Epson POS



#### **Unmatched Speed. Built for Reliability.**

Epson POS printers are engineered for high performance, delivering blazing-fast print speeds of up to 500 mm/second1 and exceptional durability with a printer mechanism life of up to 20 million lines<sup>2</sup>. With a 2-year warranty that covers even the printhead, you can count on fewer interruptions and seamless business



### **Peace of Mind** with Every Transaction

Epson POS printers are equipped with robust SSL/TLS encryption to protect customer data and ensure secure communication. From payment processing to data transmission, you can count on built-in security that keeps your business and customers safe.

#### **Seamless Integration Across Platforms**

Epson provides SDKs for iOS, Android, and JavaScript, making it easy for developers to build and customise applications. With comprehensive documentation, sample code, and full support for OPOS and JavaPOS, integrating Epson POS printers into your existing systems is fast and straightforward.



#### **Reduce Costs and Waste** with Smarter Printing

Epson's advanced paper-saving technology reduces paper usage by up to 49%<sup>3</sup> compared to conventional models, resulting lower long-term operation cost and reduced environment footprint for your business



### Tailored solutions for every industry

Epson POS printers are designed to meet the unique needs of various industries, providing reliable, high-speed printing with easy integration and minimal downtime. Whether it's handling peak service hours in Food & Beverage, streamlining operations in Retail/Wholesale, supporting smooth transactions in Service/Institutions, enhancing customer experiences in Entertainment, or optimising workflows in Logistics, our printers are the perfect match for your business.

#### Food & Beverage



Durable and fast receipt printing that keeps transactions flowing in a busy F&B environment.

#### Top application:

- QR code/online ordering
- Cloud kitchens
- Multiple storefront management
- Self ordering kiosk
- Linerless order label

#### Retail / Wholesale



Dependable receipt printers that support a wide range of POS systems suitable for retail environment.

#### Top application:

- Point-of-sales
- Kiosk self-checkout
- Queue busting
- Direct selling
- Package and delivery label

#### Services / Institutions



Reliable choice for Service and Institutional applications, offering seamless integration for various use cases ensure efficient and dependable operations in demanding environments.

#### F&B or merchandise counters with Epson POS printers.

Kiosk self-service payment

**Entertainment** 

### Improve customer experience at

#### Top application:

- Point-of-sales
- Utility meter reading receipt
- e-Citation ticketing

Kiosk parking ticket

- Self-registration kiosk
- Service receipt

Top application:

#### **Transportation**



Fast and reliable on-site printing with Epson portable printers

#### Top application:

- Transportation ticketing
- Proof of delivery receipt

<sup>1</sup> Print speed figures are based on internal testing and may vary depending on paper type, print settings, and environmental conditions. For more details, visit Epson POS Product Pages.

<sup>3</sup> Paper savings of up to 49% are based on internal testing with Epson's paper-saving technology. Results may vary depending on the usage patterns and receipt formal

### How to choose the right printer model for your needs START HERE **DOT MATRIX** THERMAL Receipt Kiosk Desktop 58mm (2 inches) TM-U220II TM-P20II TM-T81III TM-T82X-II TM-L90-LFC Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

### POS PRINTER QUICK GUIDE

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.





Desktop POS (T-Series)



1.7 kg



1.7 kg

countries. We kindly ask that you check with local support for availability.				200	
MODEL NUMBER	TM-T81III	TM-T82X-II	TM-T82IV	TM-T70II	TM-T88VII
Description	Entry level printers that offer the same easy operability and reliability. The TM-T81III/T82X-II is best considered for the budget-conscious.		A fully featured thermal printer backed by the industries best-in-class reliability in high volume environments.	Designed to fit in kiosks. This small printer features fast printing of up to 250mm/second.	Reliable, fastest printing speed model from Epson PO product range, suitable for heavy duty printing.
Printing Font	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chine Traditional Chinese, Korean, Japa (Unicode support), UTF-8
Printing Speed (Max)	200mm/s	250mm/s	250mm/s	250mm/s	450mm/s
Paper Width	79.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm* (*Only for Traditional Chinese Model)	72.2 ± 0.2mm 50.8 ± 0.2mm
Printhead Life	Up to 100km	Up to 100km	Up to 150km	Up to 120km	Up to 200km
Auto-Cutter Life	Up to 1,500,000	Up to 1,500,000	Up to 2,000,000	Up to 1,700,000	Up to 3,000,000
Interfaces	USB + 9 pin Serial/Ethernet	USB + 9 pin Serial/Ethernet	Option 1: USB + UIB (25-pin Serial) Option 2: USB + 9-pin Serial + Ethernet + Option Wi-Fi Dongle	USB + UIB (Serial/Ethernet or Parallel)	Built-in USB + Ethernet + UI (Serial or Parallel)
Paper Reduction	Up to 30%	Up to 30%	Up to 30%	Up to 26%	Up to 49%
Built-in Intelligent Features	Printer Status Notification	Printer Status Notification	Printer Status Notification	Printer Status Notification	<ul><li>Server Direct Print</li><li>Printer Status Notification</li><li>NFC Pairing</li></ul>
Supported OS for Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePO SDK (iOS, Android, JavaScrip OPOS ADK, OPOS ADK for .NI JavaPOS ADK (Windows, Linu TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver
Supported Software	Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows, Mac), TM-T81III Utility (Windows)	Epson Deployment Tool, Epson Monitoring Tool, TM-T82X-II Utility (Windows)	Epson Deployment Tool, Epson Monitoring Tool, TM-T82IV Utility (Windows), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EpsonNet Config (Windows, Mac), TM-T70II Utility (Windows), Epson TM Bluetooth Connector, TM FontRunner, Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TM FontRunn TM Print Assistant (iOS, Android), TM-T88VII Util (Windows), Epson TM Utility (iOS, Android)
Product Dimension (W x D x H)	140 x 192 x 140mm	149 x 192 x 140mm	146 x 199 x 146mm	125 x 194 x 114mm	145 x 195 x 148mm

## **POS PRINTER**



mPOS (m Series)





**Kiosk Printer** 





**Portable Printer** 

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.					
MODEL NUMBER	TM-m30III	TM-m30II-SL	EU-m30	TM-P20II	TM-P80II
Description	Stylish and versatile, print receipts from anywhere, thanks to multiple connectivity with any mobile device.	Stylish and seamless Tablet POS setup with built-in tablet holder and multiple connectivity.	Dedicated design for kiosk environment with secured installation and bezel option which help to reduce paper jams and misalignments.	2-inch portable printer, lightweight and reliable with battery life of up to 32 hours.	Sturdily designed with a long lasting battery life of up to 48 hours. Easy pairing with NFC, Bluetooth or Wi-Fi.
Printing Font	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8	ANK, Thai/Viet, Hindi, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8	ANK, Thai/Viet, Hindi, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8
Printing Speed (Max)	300mm/s	250mm/s	250mm/s	100mm/s	100mm/s
Paper Width	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	57.5 ± 0.5mm	79.5 ± 0.5mm
Printhead Life	Up to 150km	Up to 150km	Up to 150km	Up to 50km	Up to 50km
Auto-Cutter Life	Up to 2,200,000	Up to 2,200,000	Up to 1,500,000	-	-
Interfaces	TM-m30III Standard: USB-PD, USB-B, Ethernet TM-m30III: USB-PD, USB-B, Ethernet, Bluetooth, Wi-Fi	USB-B, USB-A, Ethernet, Bluetooth	USB + Serial	Built-in USB-C + Bluetooth/Wi-Fi	Built-in USB-C + Bluetooth/Wi-Fi
Paper Reduction	Up to 49%	Up to 49%	Up to 49%	Up to 23%	Up to 23%
Built-in Intelligent Features	<ul> <li>Server Direct Print</li> <li>Printer Status Notification</li> <li>180° rotation printing</li> <li>Paper Decurl</li> <li>NFC Pairing</li> <li>USB Network Tethering</li> </ul>	<ul> <li>Server Direct Print</li> <li>Printer Status Notification</li> <li>180° rotation printing</li> <li>USB Network Tethering</li> </ul>	<ul> <li>Printer Status Notification</li> <li>180° rotation printing</li> </ul>	<ul> <li>Printer Status Notification</li> <li>180° rotation printing</li> <li>NFC Pairing</li> </ul>	<ul> <li>Printer Status Notification</li> <li>180° rotation printing</li> <li>NFC Pairing</li> </ul>
Supported OS for Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver
Supported Software	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TM-m30III Utility (Windows), Epson TM Bluetooth Connector, Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EpsonNet Config (Windows, Mac), TM-m30III Utility (Windows), Epson TM Bluetooth Connector, Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EU-m30 Utility (Windows), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, Epson TM Bluetooth Connector, Epson TM-P20II Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, Epson TM Bluetooth Connector, Epson TM-P80II Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)
Product Dimension (W x D x H)	127 x 127 x 130mm	Standard Tablet Size: 289 x 166 x 322mm Large Tablet Size: 311 x 166 x 357mm	127 x 127 x 131.2mm	79 x 120 x 46mm	105 x 138 x 57.6mm
Product Weight	2.2 kg	3.5 kg	1.3 kg	216 g (BT), 223 g (Wi-Fi)	379 g (BT), 386 g (Wi-Fi)

# **POS PRINTER**

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

MODEL NUMBER

Description

**Printing Font** 

Paper Width

Printhead Life

Auto-Cutter Life

Paper Reduction

Built-in Intelligent Features

Supported OS for Driver

Supported Software

Product Weight

Product Dimension (W x D x H)

Interfaces

Printing Speed (Max)

Dot Matrix Printer	Slip Printer	Hybrid Printer	Label Printer			
TM-U220II	TM-U295	TM-H6000VI	TM-L90	TM-L90-LFC	TM-L100	
Ideal for use in kitchen and cashier requirements which require a rugged and sturdy multi-ply receipt printer that offers a low total cost of ownership.	Ideal for cheque and credit card authorisation. With four print sizes, four print directions and a "page mode" that lets you print practically anywhere on the document.	Multifunction POS printer excels in both receipt printing and check processing.	Highly reliable compact thermal label printer. Ideal for business that require high speed, high performance label printing.	It enables businesses to print on liner-free label, providing a reliable method for labelling customers' food and drink orders to ensure they are correct.	Compact and stylish, TM-L100 is the ideal liner-free label printer for F&B usage.	
ANK, Thai/Viet, Simplified & Traditional Chinese	ANK, Thai	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, UTF-8	ANK	ANK	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8	
4.7 lps (40 columns, 16 cpi) 6.0 lps (30 columns, 16 cpi)	1.9 - 2.3 lps	Receipt: 500mm/s Slip: 5.70 lps Endorsement: 4.0 lps	Receipt: 150mm/s Label: 150mm/s	Receipt: 170mm/s Liner-free Label: 90mm/s	Receipt and Liner-free Label: 170mm/s	
76.0 ± 0.5mm 69.5 ± 0.5mm 57.5 ± 0.5mm	80 x 69 mm - 182 x 257 mm	Receipt: 79.5 ± 0.5mm	Width: 80 / 70 / 65 / 60 / 58 / 50 / 45 / 38mm Roll Outer Diameter: 90mm	Width: 40 / 58 / 80mm Roll Outer Diameter: 102mm	Width: 40 / 58 / 80mm Roll Outer Diameter: 102mm	
Up to 150,000,000 characters	Up to 150,000,000 characters	Up to 200km	Up to 75km	Up to 75km	Up to 150km	
Up to 800,000	-	Receipt: Up to 3,000,000	Receipt: Up to 2,000,000 Label: Up to 1,000,000	Receipt: Up to 2,000,000 Label: Up to 1,000,000	Receipt: Up to 2,000,000 Label: Up to 1,000,000	
UIB (Serial, Parallel, USB or Ethernet)	Serial / Parallel	USB + Ethernet + UIB (Serial)	USB + UIB (Serial, Parallel or Ethernet)	USB + UIB (Serial, Parallel or Ethernet)	Serial, Ethernet, USB-B	
Up to 11%	-	Up to 53%	Up to 54%	Up to 54%	Up to 54%	
Printer Status Notification	Printer Status Notification	<ul><li>Server Direct Print</li><li>Printer Status Notification</li><li>NFC Pairing</li></ul>	Printer Status Notification     Black Mark Sensor	<ul><li>Printer Status Notification</li><li>Taken Sensor</li><li>Black Mark Sensor</li></ul>	Server Direct Print     Printer Status Notification     180° rotation printing     Taken Sensor     Black Mark Sensor     NFC Pairing	
Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows/Linux), TM Virtual Port Driver, CUPS Driver (Linux)	Windows Driver (APD), TMUSB Device Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows/Linux), TMUSB Device Driver, TM Virtual Port Driver, CUPS Driver (Linux)	Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver	
Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, TM-U220II Utility (Windows), Epson TM Utility (iOS, Android)	TM FontRunner	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TMUSB Device Driver, Epson TM-H6000VI Slip Paper Sensor Adjustment Tool, TM-H6000VI Utility (Windows)	Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, Memory Switch Setting Utility [Windows]	Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, Memory Switch Setting Utility (Windows), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, Epson TM-L100 Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)	
Type A: 160 x 286 x 157.5mm Type B/D: 160 x 248 x 138.5mm	180 x 190.5 x 101.5mm	186 x 278 x 181mm	140 x 148 x 203mm	140 x 148 x 203mm	140 x 148.5 x 207mm	
Type A: 2.7 kg Type B: 2.5 kg Type D: 2.3 kg	1.6 kg	4.4 kg	1.9 kg	1.9 kg	1.9 kg	





Discover the benefits of Epson POS printers and how partnering with us can boost your business.

Scan the QR code to learn more!





Find out more at www.epson.com.sg/pos-main













Epson Singapore Pte Ltd **Epson Customer Care Center**  438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500 6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564

Please refer to www.epson.com.sg/contact for opening hours

©2025 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.