

# EPSON

## SCANNER QUICK GUIDE




# PRODUCT FEATURES

## Photo Scanner Features

### Total Image Correction and Enhancement Solution\*

Stubborn dust or scratch marks from colour films or slides can be removed with Digital ICE™ Technology, an advanced, hardware-based defect removal feature that restores damaged photos to their original condition. Digital ICE™ delivers the best results from film and photos with a total image correction and enhancement solution, combining hardware detection and software processing.


\*Available in selected Epson scanner models.



### Auto Focus

Auto Focus is able to detect how far the film is from the scan bed and accurately adjusts the focus accordingly.

\*Available in 13000XL



### Built-in Transparency Unit with Film Holder

Selected Epson scanners feature a built-in transparency unit with film holder which allows users to conveniently digitise precious and fragile photo films and slides.

\*Available in V850 Pro


\*Optional A3 transparency unit can be purchased for 13000XL



## Document Scanner Features

### Auto Carrier Sheet Detection


The CS sensor can recognize the carrier sheet automatically when the user sets both normal paper and paper in a carrier sheet. The user does not need to separate types of paper for scanning anymore.



\*Both normal paper and carrier sheets can be scanned at once


### Auto Area Segmentation (AAS)

This feature is useful when the user is performing a black-&-white scan on documents with pictures and graphs. AAS segments a scanned document which has both text and image into 'Text Area' and 'Image Area'. The 'Text Area' is scanned in black-&-white and 'Image Area' is scanned in halftone.



### Text Enhancement

When doing a black-&-white scan on documents with faint text characters, text enhancement works to make text readable.




### Book Spine Correction

Scans are corrected for shadow and curvature around book spines for better clarity and readability of texts and images.



### Easy File Management with Document Capture Pro

DCP (Document Capture Pro) is an application with advanced features for naming, separating and routing specific types of documents to specific data destinations. It allows users to pre-register scan settings, save destinations, and transfer destinations as job profiles, enabling an entire series of operations to be executed with just one click of a button.



\*Document Capture Pro (Windows), Document Capture (Mac OS X)

### Reliable and Secure Network Scanning

Users can operate the scanner without a PC and send data directly to emails or network folders, which simplifies the scanning workflow.

\*Available for DS-790WN, DS-61000WN, DS-71000WN



### Paper Protection

With automatic stop upon detection of abnormal paper feeding or stapled/folded paper, you decrease and prevent damage to your important documents.





# DOCUMENT SCANNER LINEUP

## A4 PORTABLE SCANNER



## A4 USB SHEETFEED SCANNER



## A4 NETWORK SCANNER



## A3 SHEETFEED SCANNER



| Scanner Model                                    | ES-60W                                                                                                                                                                                                      | ES-C320W                                                                                        | DS-570WII                                                                                                                                                                                                     | DS-770II                                                                                                                                                                                                       | DS-870<br>DS-970                                                                                                                                                                                                                                   | DS-790WN                                                                                                                                                           | DS-32000                                                                                                                                                             |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scanner Type                                     | Portable Scanner                                                                                                                                                                                            | Portable Scanner                                                                                | Sheetfed colour scanner                                                                                                                                                                                       | Sheetfed colour scanner                                                                                                                                                                                        | Sheetfed colour scanner                                                                                                                                                                                                                            | Sheetfed colour network scanner                                                                                                                                    | Sheetfed colour scanner                                                                                                                                              |
| Sensor                                           | CIS                                                                                                                                                                                                         | CIS                                                                                             | CIS                                                                                                                                                                                                           | CIS                                                                                                                                                                                                            | CIS                                                                                                                                                                                                                                                | CIS                                                                                                                                                                | CIS                                                                                                                                                                  |
| Speed (300 dpi)<br>Simplex (Monochrome / Colour) | 4 sec / page (battery)<br>5.5 sec / page (USB)                                                                                                                                                              | 30 ppm / 30 ppm                                                                                 | 35 ppm / 35 ppm                                                                                                                                                                                               | 45 ppm / 45 ppm                                                                                                                                                                                                | 65 ppm / 65 ppm (DS-870)<br>85 ppm / 85 ppm (DS-970)                                                                                                                                                                                               | 45 ppm / 45 ppm                                                                                                                                                    | 90 ppm / 90 ppm                                                                                                                                                      |
| Duplex (Monochrome / Colour)                     | -                                                                                                                                                                                                           | 60 ipm / 60 ipm                                                                                 | 70 ipm / 70 ipm                                                                                                                                                                                               | 90 ipm / 90 ipm                                                                                                                                                                                                | 130 ipm / 130 ipm (DS-870)<br>170 ipm / 170 ipm (DS-970)                                                                                                                                                                                           | 90 ipm / 90 ipm                                                                                                                                                    | 180 ipm / 180 ipm                                                                                                                                                    |
| Optical Resolution                               | 600 x 600 dpi                                                                                                                                                                                               | 600 x 600 dpi                                                                                   | 600 x 600 dpi                                                                                                                                                                                                 | 600 x 600 dpi                                                                                                                                                                                                  | 600 x 600 dpi                                                                                                                                                                                                                                      | 600 x 600 dpi                                                                                                                                                      | 600 x 600 dpi                                                                                                                                                        |
| Duplex Scanning                                  | N / A                                                                                                                                                                                                       | Yes (1-pass duplex)                                                                             | Yes (1-pass duplex)                                                                                                                                                                                           | Yes (1-pass duplex)                                                                                                                                                                                            | Yes (1-pass duplex)                                                                                                                                                                                                                                | Yes (1-pass duplex)                                                                                                                                                | Yes (1-pass duplex)                                                                                                                                                  |
| Paper Capacity                                   | 1 sheet                                                                                                                                                                                                     | 20 sheet                                                                                        | 50 sheet                                                                                                                                                                                                      | 100 sheet                                                                                                                                                                                                      | 100 sheet                                                                                                                                                                                                                                          | 100 sheet                                                                                                                                                          | A4: 120 sheets<br>A3: 60 sheets                                                                                                                                      |
| Paper Weight                                     | 35g/m <sup>2</sup> ~ 270g/m <sup>2</sup>                                                                                                                                                                    | 40g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                        | 27g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                                                                                                                                      | 27g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                                                                                                                                       | 27g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                                                                                                                                                                           | 27g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                                                                                           | 20g/m <sup>2</sup> ~ 413g/m <sup>2</sup>                                                                                                                             |
| Daily Scan Volume                                | 300 pages                                                                                                                                                                                                   | 3,500 pages                                                                                     | 5,500 pages                                                                                                                                                                                                   | 7,000 pages                                                                                                                                                                                                    | 10,000 pages (DS-870)<br>14,000 pages (DS-970)                                                                                                                                                                                                     | 7,000 pages                                                                                                                                                        | 40,000 pages                                                                                                                                                         |
| Interface                                        | Hi-Speed USB 2.0<br>WiFi                                                                                                                                                                                    | Hi-Speed USB 2.0<br>WiFi                                                                        | Hi-Speed USB 3.2<br>(Gen 1)/WiFi                                                                                                                                                                              | Hi-Speed USB 3.2<br>(Gen 1)                                                                                                                                                                                    | Hi-Speed USB 3.0                                                                                                                                                                                                                                   | Hi-Speed USB 3.0 / Ethernet<br>(1000BASE-T/100BASE-TX/<br>10BASE-T) / WiFi Direct                                                                                  | Hi-Speed USB 3.0                                                                                                                                                     |
| Max Effective Area                               | 216mm x 1,828.8mm                                                                                                                                                                                           | 215.9mm x 3,048mm                                                                               | 215.9mm x 6,096mm                                                                                                                                                                                             | 215.9mm x 6,096mm                                                                                                                                                                                              | 215.9mm x 6,096mm                                                                                                                                                                                                                                  | 215.9mm x 6,096mm                                                                                                                                                  | 304.8mm x 5,588mm                                                                                                                                                    |
| OS Support                                       | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3 / XP<br>Professional x64 Edition SP2<br>Windows Server® 2012 R2 /<br>2012 / 2008 R2 / 2008 /<br>2003 R2 / 2003 SP2 or later<br>Mac OS X 10.6.8 or later | Windows<br>7 / 8 / 8.1 / 10 / 11 or later<br>Mac OS X 10.11/11 or later                         | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3 / XP<br>Professional / x64 Edition SP2<br>Windows Server® 2012 R2 /<br>2012 / 2008 R2 / 2008 /<br>2003 R2 / 2003 SP2 or later<br>Mac OS X 10.6.8 or later | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3 / XP<br>Professional<br>x64 Edition SP2<br>Windows Server® 2012 R2 /<br>2012 / 2008 R2 / 2008 / 2003<br>R2 / 2003 SP2 or later<br>Mac OS X 10.6.8 or later | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3 / XP<br>Professional x64 Edition SP2<br>Windows Server® 2012 R2 /<br>2012 / 2008 R2 / 2008 / 2003<br>R2 / 2012 / 2008 R2 /<br>2008 / 2003 R2 /<br>2003 SP2 or later<br>Mac OS X 10.12 or later | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3 / XP<br>Professional<br>x64 Edition SP2<br>Windows Server®<br>2003 SP2 or later<br>Mac OS X 10.6.8<br>or later | Windows Vista® / 7 / 8 / 8.1 / 10<br>Windows XP SP3<br>Windows Server® 2012<br>2008 / 2003 /<br>2016 / 2019 or later<br>Mac OS X 10.6.8 or later                     |
| Bundled Software                                 | EPSON Scan 2<br>Document Capture Pro<br>Epson Smart Panel<br>(iOS, Android)                                                                                                                                 | EPSON Scan 2<br>Document Capture Pro<br>(Win only)<br>Epson Smart Panel<br>(iOS, Android)       | EPSON Scan 2<br>Document Capture Pro<br>(Win only)<br>Epson Smart Panel<br>(iOS, Android)                                                                                                                     | EPSON Scan 2<br>Document Capture Pro<br>(Win only)                                                                                                                                                             | EPSON Scan 2<br>Document Capture Pro<br>(Win only)                                                                                                                                                                                                 | EPSON Scan 2<br>Document Capture Pro<br>(Win only)<br>Epson Smart Panel<br>(iOS, Android)                                                                          | EPSON Scan 2<br>Document Capture Pro<br>(Win only)                                                                                                                   |
| Dimension (WxDxH)                                | 272 x 47 x 33.8mm                                                                                                                                                                                           | 296 x 104 x 125mm                                                                               | 296 x 169 x 176mm                                                                                                                                                                                             | 296 x 169 x 176mm                                                                                                                                                                                              | 296 x 169 x 167mm                                                                                                                                                                                                                                  | 296 x 169 x 167mm                                                                                                                                                  | 371 x 167 x 245mm                                                                                                                                                    |
| Weight                                           | 300g                                                                                                                                                                                                        | 1.8kg                                                                                           | 3.7kg                                                                                                                                                                                                         | 3.7kg                                                                                                                                                                                                          | 3.6kg                                                                                                                                                                                                                                              | 3.7kg                                                                                                                                                              | 6.9kg                                                                                                                                                                |
| Options / Accessories                            | B12B819451<br>Carrier Sheet<br>B12B819481<br>Maintenance Sheet                                                                                                                                              | B12B819051<br>Carrier Sheets<br>B12B819291<br>Cleaning Kit<br>B12B819731<br>Roller Assembly Kit | B12B819051<br>Carrier Sheets<br>B12B819671<br>Roller Assembly Kit<br>B12B819291<br>Cleaning Kit                                                                                                               | B12B819051<br>Carrier Sheets<br>B12B819671<br>Roller Assembly Kit<br>B12B819291<br>Cleaning Kit<br>B12B819011<br>Flatbed Scanner Dock                                                                          | B12B819051<br>Carrier Sheets<br>B12B819711<br>Roller Assembly Kit 2<br>B12B819691<br>Paper Alignment Plate<br>B12B819291<br>Cleaning Kit<br>B12B819011<br>Flatbed Scanner Dock                                                                     | B12B819051<br>Carrier Sheets<br>B12B819031<br>Roller Assembly Kit<br>B12B819291<br>Cleaning Kit                                                                    | B12B819051<br>Carrier Sheet<br>B12B819291<br>Cleaning Kit<br>B12B819611<br>Pick Up Roller<br>B12B819651<br>Passport Carrier Sheet<br>B12B819631<br>Separation Roller |
| Warranty                                         | 1-year carry-in service                                                                                                                                                                                     |                                                                                                 | 1-year onsite service                                                                                                                                                                                         |                                                                                                                                                                                                                |                                                                                                                                                                                                                                                    |                                                                                                                                                                    |                                                                                                                                                                      |

## A4 FLATBED SCANNER

## A3 FLATBED SCANNER



| Scanner Model                                    | DS-1730                                                                                                                      | DS-6500                                                                                                                     | DS-7500                                                                                                                      | DS-61000WN                                                                                                      | DS-71000WN                                                                                                      |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Scanner Type                                     | A4 Flatbed colour image scanner with ADF                                                                                     | A4 Flatbed colour image scanner with ADF                                                                                    | A4 Flatbed colour image scanner with ADF                                                                                     | A3 Flatbed colour image scanner with ADF                                                                        | A3 Flatbed colour image scanner with ADF                                                                        |
| Sensor                                           | CIS                                                                                                                          | CCD                                                                                                                         | CCD                                                                                                                          | CIS                                                                                                             | CIS                                                                                                             |
| Speed (300 dpi)<br>Flatbed (Monochrome / Colour) | 6/6s per page                                                                                                                | 8/8s per page                                                                                                               | 8/8s per page                                                                                                                | 4/4s per page                                                                                                   | 4/4s per page                                                                                                   |
| ADF (Monochrome / Colour)                        | 30 ppm / 30 ppm                                                                                                              | 25 ppm / 25 ppm                                                                                                             | 40 ppm / 40 ppm                                                                                                              | 50/50 ppm                                                                                                       | 70/70 ppm                                                                                                       |
| ADF Duplex (Monochrome / Colour)                 | 60 ipm / 60 ipm                                                                                                              | 50 ipm / 50 ipm                                                                                                             | 80 ipm / 80 ipm                                                                                                              | 100/100 ipm                                                                                                     | 140/140 ipm                                                                                                     |
| Optical Resolution                               | 1200 x 1200 dpi                                                                                                              | 1200 x 1200 dpi                                                                                                             | 1200 x 1200 dpi                                                                                                              | 600 x 600 dpi                                                                                                   | 600 x 600 dpi                                                                                                   |
| Duplex Scanning                                  | Yes (1-pass duplex)                                                                                                          | Yes (1-pass duplex)                                                                                                         | Yes (1-pass duplex)                                                                                                          | Yes (1-pass duplex)                                                                                             | Yes (1-pass duplex)                                                                                             |
| Paper Capacity                                   | 60 sheets                                                                                                                    | 100 sheets                                                                                                                  | 100 sheets                                                                                                                   | 150 sheets                                                                                                      | 150 sheets                                                                                                      |
| Paper Weight                                     | 50g/m <sup>2</sup> ~120g/m <sup>2</sup>                                                                                      | 50g/m <sup>2</sup> ~128g/m <sup>2</sup>                                                                                     | 50g/m <sup>2</sup> ~128g/m <sup>2</sup>                                                                                      | 52g/m <sup>2</sup> ~ 128g/m <sup>2</sup>                                                                        | 52g/m <sup>2</sup> ~ 128g/m <sup>2</sup>                                                                        |
| Daily Scan Volume                                | 3,000 pages                                                                                                                  | 3,000 pages                                                                                                                 | 4,000 pages                                                                                                                  | 8,000 pages                                                                                                     | 11,200 pages                                                                                                    |
| Interface                                        | Hi-Speed USB 2.0                                                                                                             | Hi-Speed USB 2.0                                                                                                            | Hi-Speed USB 2.0                                                                                                             | USB 3.2 Gen 1x1 / Ethernet/<br>Wi-Fi Direct / Wireless LAN                                                      | USB 3.2 Gen 1x1 / Ethernet/<br>Wi-Fi Direct / Wireless LAN                                                      |
| Max Effective Area                               | 8.5" x 11.7" (FB)<br>Long paper :<br>8.5" x 120" (ADF)                                                                       | 8.5" x 11.7" (FB)<br>8.5" x 40" (ADF)                                                                                       | 8.5" x 11.7" (FB)<br>8.5" x 40" (ADF)                                                                                        | 11.7" x 17" (FB)<br>11.7" x 140" (ADF)                                                                          | 11.7" x 17" (FB)<br>11.7" x 140" (ADF)                                                                          |
| OS Support                                       | Microsoft® Windows®<br>7 / 8 / 8.1 / 10 / 11 or later<br>Windows Server® 2008 or<br>later / Mac OS X 10.9.5 / 11<br>or later | Microsoft® Windows®<br>XP / Vista™ /<br>Server 2003 /<br>Server 2008 / 7 / 8 / 8.1 or later<br>Mac OS® X 10.11x<br>or later | Microsoft® Windows®<br>XP / Vista™ /<br>Server 2003 /<br>Server 2008 / 7 / 8 / 8.1 or later<br>Mac OS® X 10.4.11<br>or later | Microsoft® Windows®<br>11 or later / iOS7 / macOS 11<br>or later / Android / Linux                              | Microsoft® Windows®<br>11 or later / iOS7 / macOS 11<br>or later / Android / Linux                              |
| Bundled Software                                 | EPSON Scan 2<br>Document Capture<br>Pro (Win)                                                                                | Epson Scan<br>Document Capture<br>Pro (Win only)<br>Epson Event Manager<br>(Mac only)                                       | Epson Scan<br>Document Capture<br>Pro (Win only)<br>Epson Event Manager<br>(Mac only)                                        | Epson Device Admin<br>Document Capture (Mac)<br>Document Capture Pro (Win)<br>Epson Scan 2<br>Epson Smart Panel | Epson Device Admin<br>Document Capture (Mac)<br>Document Capture Pro (Win)<br>Epson Scan 2<br>Epson Smart Panel |
| Dimension (WxDxL)                                | 425 x 351 x 135mm                                                                                                            | 495 x 360 x 217mm                                                                                                           | 495 x 360 x 217mm                                                                                                            | 555 x 604 x 257mm                                                                                               | 555 x 604 x 257mm                                                                                               |
| Weight                                           | 4.9kg                                                                                                                        | 9.8kg                                                                                                                       | 9.8kg                                                                                                                        | 19.7kg                                                                                                          | 19.7kg                                                                                                          |
| Options                                          | -                                                                                                                            | B12B813481<br>Roller Assembly Kit                                                                                           | B12B813481<br>Roller Assembly Kit                                                                                            | B12B819791<br>Roller Assembly Kit                                                                               | B12B819791<br>Roller Assembly Kit                                                                               |
| Warranty                                         | 1-year carry-in service                                                                                                      | 1-year onsite service                                                                                                       |                                                                                                                              |                                                                                                                 |                                                                                                                 |

# PHOTO SCANNER LINEUP

## A4 FLATBED SCANNER



## FILM PHOTO SCANNER



## A3 FLATBED SCANNER



| Scanner Model                                                       | V39II                                                                                                                     | V850 Pro                                                                                                                                                                    | 13000XL                                                                                                                              |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Scanner Type                                                        | A4 Flatbed colour image scanner                                                                                           | LED, Dual Lens, Flatbed colour image scanner With Film Scanning                                                                                                             | A3 Flatbed colour image scanner                                                                                                      |
| Sensor                                                              | CIS                                                                                                                       | CCD                                                                                                                                                                         | CCD                                                                                                                                  |
| Scan Speed (300 dpi)<br><small>Mono</small><br><small>Color</small> | 10 sec / page<br>10 sec / page                                                                                            | 11 sec / page<br>12 sec / page (draftmode)                                                                                                                                  | 12 sec / per A4<br>12 sec / per A4                                                                                                   |
| Optical Resolution                                                  | 4800 x 4800 dpi                                                                                                           | 6400 x 9600 dpi*<br>(with micro step drive)                                                                                                                                 | 2400 x 4800 dpi                                                                                                                      |
| Interface                                                           | Hi-Speed USB 2.0                                                                                                          | Hi-Speed USB 2.0                                                                                                                                                            | Hi-Speed USB 2.0                                                                                                                     |
| Optical Density                                                     | -                                                                                                                         | 4.0                                                                                                                                                                         | 3.8                                                                                                                                  |
| Max Effective Area                                                  | 8.5" x 11.7"<br>216 x 297 mm                                                                                              | 8.5" x 11.7"<br>216 x 297 mm                                                                                                                                                | Flatbed : 310 x 437 mm<br>TPU : 309 x 420 mm                                                                                         |
| Transparency Capacity                                               | -                                                                                                                         | 35mm strip film x 18 frames<br>35mm mounted film x 12 frames<br>120/220 film (Max 6 x 20cm)<br>x 1 frame<br>4" x 5" transparency x 1 frame<br>8" x 10" with Film Area Guide | 35mm x 48 frames strip film<br>35mm x 30 frames mounted film<br>6 x 18cm medium format x 6 frames<br>4" x 5" transparency x 8 frames |
| OS Support                                                          | Microsoft® Windows®<br>7 / 8 / 8.1 / 10 / 11<br>Mac OS® X 10.6 or later                                                   | Microsoft® Windows®<br>7 / 8 / 8.1 / 10 / 11<br>Mac OS® X 10.6 or later                                                                                                     | Windows Vista® / 7 / 8 / 8.1 / 10 / 11<br>Windows Server® 2012 R2 / 2012 /<br>2008 R2 / 2008 /<br>Mac OS X 10.6.8 or later           |
| Bundled Software                                                    | Epson Scan Smart<br>Document Capture Pro (Win) /<br>Document Capture (Mac),<br>Epson Event Manager,<br>Epson Copy Utility | Epson Scan with<br>Easy Photo Fix Technology,<br>Epson Event Manager,<br>Epson Copy Utility,<br>SilverFast® SE 8 Plus,<br>X-Rite i1 Scanner (with IT8 target)               | Epson Scan 2<br>SilverFast®                                                                                                          |
| Dimension (WxDxL)                                                   | 249 x 364 x 39mm                                                                                                          | 503 x 308 x 152.5mm                                                                                                                                                         | 656 x 458 x 158mm                                                                                                                    |
| Weight                                                              | 1.5kg                                                                                                                     | 6.6kg                                                                                                                                                                       | 14.3kg                                                                                                                               |
| Options                                                             | -                                                                                                                         | -                                                                                                                                                                           | A3 Transparency Unit<br>12.2" x 16.5"                                                                                                |
| Energy Star Compliant                                               | Yes                                                                                                                       | -                                                                                                                                                                           | -                                                                                                                                    |
| Warranty                                                            | 1-year carry-in service                                                                                                   |                                                                                                                                                                             | 1-year onsite service                                                                                                                |

\*Only available in Epson Dual Lens System, the optional resolution without system : 4,800 x 9,600 dpi.



# EPSON

**Epson Hong Kong Limited**

Unit 715-722A, 7/F, Trade Square 681 Cheung Sha Wan Road,  
Cheung Sha Wan, Kowloon, H.K.

\*Please call our sales hotlines for demonstration at our showroom.

**Epson Authorized Customer Service Centre**

**Wah Fung Computer Services Ltd.**

Unit 901, 9/F, Westin Centre, 26 Hung To Road,  
Kwun Tong, Kowloon, Hong Kong

HK Sales Hotline : (852) 2827 8711  
HK Technical Hotline : (852) 2827 8911  
Macau Hotline : (853) 6516 4693

URL: [www.epson.com.hk](http://www.epson.com.hk)

AUG26-01-SCANNER