

Productivity at a high speed

Discover outstanding quality at ultra-fast speeds of up to 100 ppm¹, beating most laser printers.

Power meets efficiency

Empower your business through our advanced workflow solutions such as Epson Print Admin and Document Capture Pro

Energy efficient

Using up to 85% less² energy compared to an average laser printer, the WF-M21000 significantly reduces electricity costs and cuts the environmental impact of print.

SPECIFICATIONS

WORKFORCE ENTERPRISE WF-M21000



Model Number	WF-M21000	
Printing		
Printing Technology	PrecisionCore™ Heat-Free Technology	
Nozzle Configuration	8,676 nozzles (Black)	
Maximum Resolution	600 x 2,400 dpi	
Default Black Resolution	600 x 1,200 dpi	
Minimum Ink Droplet Volume	4.4 pl	
Print Speed ISO 24734, A4, Simplex / Duplex	Approx. 100 ipm	
ISO 24734, A4, Gimplex / Buplex	Арргох. 100 грт Арргох. 54.3 грт	
ISO 24734.2, A3, Duplex	Approx. 36.3 ipm	
First Page Out Time	Approx. 6.2 sec	
Printer Language	ESC/P-R, ESC/P-RJ, ESC/Page, ESC/Page-Colour, PostScript3	
Printer Control Language Emulations	PCL5c / PCL6 / PostScript3 / PDF (ver 1.7)	
Recommended Monthly Print Volume ⁸	20,000 - 100,000 pages per month	
Maximum Monthly Duty Cycle9		
HDD Capacity	320GB (encrypted)	
Automatic 2-sided printing	Yes	
Copying		
Copy Speed	Approx 100 ipm	
ISO 29183, A4, Simplex (Flatbed) ISO 24735, A4, Simplex (ADF 1:1)	Approx. 100 ipm Approx. 100 ipm	
ISO 24735, A4, Simplex (ADI 1.1)	Approx. 95 ipm	
Duplex (ADF 1:2 / 2:2)	, 46, 20, 20 (bil)	
Maximum Copies from Standalone	9,999 copies	
Maximum Copy Resolution	600 x 1,200 dpi	
Reduction / Enlargement	25 - 400%, Auto Fit Function	
Copy Paper Size (Flatbed)	A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, Envelopes: #10, DL, C4, C5, C6	
Maximum Copy Size	A3	
Scanning		
Scanner Type	Flatbed colour image scanner	
Sensor Type	Colour CIS	
Optical Resolution Maximum Scan Area	600 x 1,200 dpi 297.18 x 431.8 mm (11.7 x 17")	
Scanner Bit Depth	237.10 × 401.0 mm (11.7 × 17)	
Colour	10-bit input, 8-bit output	
Grayscale	10-bit input, 8-bit output	
Black & White	10-bit input, 1-bit output	
Scan Features	Scan to Memory Device, Scan to Network Folder/FTP, Scan to Email, Scan to	
	Computer (Document Capture Pro), Scan to Computer (WSD)	
Scan Speed		
(Monochrome / Colour)	A4: 2.7 acc. A2: 4.7 acc.	
Flatbed 200 dpi ADF 200 dpi (ISO 17991,	A4: 3.7 sec, A3: 4.7 sec	
Scan to Folder)	A4 (Simplex / Duplex): 60 ppm / 110 ipm, A3 (Simplex / Duplex): 30 ppm / -	
ADF Function	(2 Proposition of the Company of the	
Support Paper Weight	52-128 g/m ²	
Paper Capacity	150 sheets (80 g/m²)	
Automatic 2-sided Scan / Copy	Yes	
Support Paper Size	A6 - A3	
Paper Handling#		
Number of Paper Trays (Standards)	5 (Paper Cassettes: 4, MP Tray: 1)	
Paper Hold Capacity		
Input Capacity	Up to 2,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets)	
Maximum Input Capacity	Up to 5,350 sheets (80 g/m²) (Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets + High Capacity Feeder Unit: 3,000 sheets)	
Output Capacity	Up to 700 sheets (80 g/m²) (Face Down Tray: 550 sheets, Face Up Tray: 150 sheets)	
Maximum Output Capacity	Up to 4,900 sheets (80 g/m²) (Face Down Tray: 550 sheets, Face Up Tray: 150	
, , , , , , , , , , , , , , , , , , , ,	sheets)	
Support Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, Letter, Envelopes: #10, DL, C6, C4	
Maximum Paper Size	Paper Cassettes 1 - 4: A3	
	MP Tray: A3+, 330 x 1200mm (12.95 x 47.24")	
Support Paper Weight	Paper Cassettes 1 - 4: 60 - 160 g/m ²	
Size	MP Tray: 60 - 350 g/m ²	
Size (WXDXH)w/Staple Finisher	2183 x 757 x 1243 mm	
Size (WXDXH)w/Staple Finisher	2364 x 757 x 1243 mm	
Finisher		
Staple finisher	Shift/Punch/ Staple	
Booklet Finisher	Shift/Punch/Saddle stich	
Network Port	Std 1 port; Opt : 1 port	
Fax Port	Opt 3 ports	

Dimensions & Weight WF-M21000 Weight (including supplies): 186.1 kg (410.3 lb)



#Workforce printers will not support photo glossy paper

SPECIFICATIONS

WORKFORCE ENTERPRISE WF-M21000



Printer Interface		
USB	USB 3.0	
Network	Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi	=
	Direct, NFC	_
Network Protocol	TCP/IPv4, TCP/IPv6	_
Network Printing Protocol	LPD, IPP, PORT9100, WSD	_
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD	_
Security Features	Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode	
USB Host Function		_
Type of Direct Printing	Memory Devices	
USB Host	USB Host (Scan to memory device / Storage function)	_
Direct Print Paper Size	A3+, A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, Envelopes: #10, DL, C4, C5, C6	-
Mobile and Remote Printing		_
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud	_
Other Mobile Solutions	Google Cloud Print, Mopria Print Service	_
Control Panel		
LCD Screen	22.7 cm (9") TFT Colour LCD	_
Printer Software		
Operating System Compatibility	Windows XP / Vista / 7 / 8 / 8.1 / 10	_
	Windows Server 2003 / 2008 / 2012 / 2016 / 2019	_
	Only printing and scanning functions are supported for Windows Server OS. Bundled applications are not supported.	_
	Mac OS X 10.6.x or later	© 2021 Epson India Pvt. Ltd. All Rights Reserved.
Server-less authentication (Sho-senzo)	Supported	Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION
Electrical Specifications		are registered trademarks of Seiko Epson
Rated Voltage	100-240 V Universal	Corporation. All other products names and other
Rated Frequency	50-60 Hz	 company names used herein are for identification purposes only and are the trademarks or
Power Consumption (Main Unit only)		registered trademarks of their respective owners.
Operating	_180 W	Epson disclaims any and all rights in those marks. Print samples shown are simulations only.
Standby	77 W	Specifications and product availability are subject
Sleep	1.4 W	to change without notice and may vary between countries. Please check with local Epson offices
Power off	0.4 W	for more information.
Noise Level		Apple iDed and iDhana are trademarks of Apple
PC Printing / Plain Paper Default	7.5 B(A), 59 dB(A)	Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S and other countries.
Consumables		App Store is a service mark of Apple Inc.
Ink Cartridge, BK, 100 PPM	C13T04Q100	Android is a trademark of Google Inc.

Information correct at time of printing Printed July 2023.

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore — 560 008. Tel: 080–4566 5000 Fax: 080–4566 5005

Regional Offices:

 $\label{eq:hammon} Ahmedabad - 3314~8500/01, Chennai - 3967~7500, Ernakulam - 4012~315, Coimbatore - 98942~19200, Kolkata - 4603~4729, Mumbai - 3079~8200, New Delhi - 3312~0300, Pune - 3028~6000/05, Hyderabad - 4857~0032, Jaipur - 78699~11699$





Epson Helpline: For product info or service - 1800 425 0011 For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: rips@eid.epson.co.in

Dealer's Stamp